



Earth Resources
A Continuing
Bibliography
with Indexes

NASA SP-7041 (19)
October 1978

National Aeronautics and
Space Administration

**CASE FILE
COPY**

Earth Resources
ces Earth Resou
sources Earth Res
Resources Earth
arth Resources Ea
s Earth Resource
rce Earth Resou

PREVIOUS EARTH RESOURCE BIBLIOGRAPHIES

Remote Sensing of Earth Resources	(NASA SP-7036)
Earth Resources	(NASA SP-7041(01))
Earth Resources	(NASA SP-7041(02))
Earth Resources	(NASA SP-7041(03))
Earth Resources	(NASA SP-7041(04))
Earth Resources	(NASA SP-7041(05))
Earth Resources	(NASA SP-7041(06))
Earth Resources	(NASA SP-7041(07))
Earth Resources	(NASA SP-7041(08))
Earth Resources	(NASA SP-7041(09))
Earth Resources	(NASA SP-7041(10))
Earth Resources	(NASA SP-7041(11))
Earth Resources	(NASA SP-7041(12))
Earth Resources	(NASA SP-7041(13))
Earth Resources	(NASA SP-7041(14))
Earth Resources	(NASA SP-7041(15))
Earth Resources	(NASA SP-7041(16))
Earth Resources	(NASA SP-7041(17))
Earth Resources	(NASA SP-7041(18))

This bibliography was prepared by the NASA Scientific and Technical Information Facility operated for the National Aeronautics and Space Administration by Informatics Information Systems Company.

EARTH RESOURCES

**A Continuing Bibliography
With Indexes
Issue 19**

A selection of annotated references to unclassified reports and journal articles that were introduced into the NASA scientific and technical information system and announced between July 1, 1978 and September 30, 1978

- *Scientific and Technical Aerospace Reports (STAR)*
- *International Aerospace Abstracts (IAA).*



Scientific and Technical Information Branch 1978
National Aeronautics and Space Administration
Washington, DC

This Supplement is available from the National Technical Information Service (NTIS), Springfield, Virginia 22161, at the price code E05 (\$9.00 domestic; \$18.00 foreign).

INTRODUCTION

The technical literature described in this continuing bibliography may be helpful to researchers in numerous disciplines such as agriculture and forestry, geography and cartography, geology and mining, oceanography and fishing, environmental control, and many others. Until recently it was impossible for anyone to examine more than a minute fraction of the earth's surface continuously. Now vast areas can be observed synoptically, and changes noted in both the earth's lands and waters, by sensing instrumentation on orbiting spacecraft or on aircraft.

This literature survey lists 337 reports, articles, and other documents announced between July 1 and September 30, 1978 in *Scientific and Technical Aerospace Reports (STAR)*, and *International Aerospace Abstracts (IAA)*.

The coverage includes documents related to the identification and evaluation by means of sensors in spacecraft and aircraft of vegetation, minerals, and other natural resources, and the techniques and potentialities of surveying and keeping up-to-date inventories of such riches. It encompasses studies of such natural phenomena as earthquakes, volcanoes, ocean currents, and magnetic fields; and such cultural phenomena as cities, transportation networks, and irrigation systems. Descriptions of the components and use of remote sensing and geophysical instrumentation, their subsystems, observational procedures, signature and analyses and interpretive techniques for gathering data are also included. All reports generated under NASA's Earth Resources Survey Program for the time period covered in this bibliography will also be included. The bibliography does not contain citations to documents dealing mainly with satellites or satellite equipment used in navigation or communication systems, nor with instrumentation not used aboard aerospace vehicles.

The selected items are grouped in nine categories. These are listed in the Table of Contents with notes regarding the scope of each category. These categories were especially chosen for this publication, and differ from those found in *STAR* and *IAA*.

Each entry consists of a standard bibliographic citation accompanied by an abstract. The citations and abstracts are reproduced exactly as they appeared originally in *STAR*, or *IAA*, including the original accession numbers from the respective announcement journals. This procedure, which saves time and money, accounts for the variation in citation appearance.

Under each of the nine categories, the entries are presented in one of two groups that appear in the following order:

- IAA* entries identified by accession number series A78-10,000 in ascending accession number order;

- STAR* entries identified by accession number series N78-10,000 in ascending accession number order.

After the abstract section, there are five indexes:

- subject, personal author, corporate source, contract number and report/accession number.

AVAILABILITY OF CITED PUBLICATIONS

IAA ENTRIES (A78-10000 Series)

All publications abstracted in this Section are available from the Technical Information Service, American Institute of Aeronautics and Astronautics, Inc. (AIAA), as follows: Paper copies of accessions are available at \$6.00 per document up to a maximum of 20 pages. The charge for each additional page is \$0.25. Microfiche⁽¹⁾ of documents announced in *IAA* are available at the rate of \$2.50 per microfiche on demand, and at the rate of \$1.10 per microfiche for standing orders for all *IAA* microfiche. The price for the *IAA* microfiche by category is available at the rate of \$1.25 per microfiche plus a \$1.00 service charge per category per issue. Microfiche of all the current AIAA Meeting Papers are available on a standing order basis at the rate of \$1.35 per microfiche.

Minimum air-mail postage to foreign countries is \$1.00 and all foreign orders are shipped on payment of pro-forma invoices.

All inquiries and requests should be addressed to AIAA Technical Information Service. Please refer to the accession number when requesting publications.

STAR ENTRIES (N78-10000 Series)

One or more sources from which a document announced in *STAR* is available to the public is ordinarily given on the last line of the citation. The most commonly indicated sources and their acronyms or abbreviations are listed below. If the publication is available from a source other than those listed, the publisher and his address will be displayed on the availability line or in combination with the corporate source line.

Avail: NTIS. Sold by the National Technical Information Service. Prices for hard copy (HC) and microfiche (MF) are indicated by a price code followed by the letters HC or MF in the *STAR* citation. Current values for the price codes are given in the tables on page vii.

Microfiche is available regardless of age for those accessions followed by a # symbol.

Initially distributed microfiche under the NTIS SRIM (Selected Research in Microfiche) is available at greatly reduced unit prices. For this service and for information concerning subscription to NASA printed reports, consult the NTIS Subscription Unit.

NOTE ON ORDERING DOCUMENTS: When ordering NASA publications (those followed by the * symbol), use the N accession number. NASA patent applications (only the specifications are offered) should be ordered by the US-Patent-Appl-SN number. Non-NASA publications (no asterisk) should be ordered by the AD, PB, or other *report* number shown on the last line of the citation, not by the N accession number. It is also advisable to cite the title and other bibliographic identification.

Avail: SOD (or GPO). Sold by the Superintendent of Documents, U.S. Government Printing Office, in hard copy. The current price and order number are given following the availability line. (NTIS will fill microfiche requests, at the standard \$3.00 price, for those documents identified by a # symbol.)

(1) A microfiche is a transparent sheet of film, 105 by 148 mm in size, containing as many as 60 to 98 pages of information reduced to micro images (not to exceed 26:1 reduction).

- Avail: NASA Public Document Rooms. Documents so indicated may be examined at or purchased from the National Aeronautics and Space Administration, Public Documents Room (Room 126), 600 Independence Ave., S.W., Washington, D.C. 20546, or public document rooms located at each of the NASA research centers, the NASA Space Technology Laboratories, and the NASA Pasadena Office at the Jet Propulsion Laboratory.
- Avail: DOE Depository Libraries. Organizations in U.S. cities and abroad that maintain collections of Department of Energy reports, usually in microfiche form, are listed in *Energy Research Abstracts*. Services available from the DOE and its depositories are described in a booklet, *DOE Technical Information Center - Its Functions and Services* (TID-4660), which may be obtained without charge from the DOE Technical Information Center.
- Avail: Univ. Microfilms. Documents so indicated are dissertations selected from *Dissertation Abstracts* and are sold by University Microfilms as xerographic copy (HC) and microfilm. All requests should cite the author and the Order Number as they appear in the citation.
- Avail: USGS. Originals of many reports from the U.S. Geological Survey, which may contain color illustrations, or otherwise may not have the quality of illustrations preserved in the microfiche or facsimile reproduction, may be examined by the public at the libraries of the USGS field offices whose addresses are listed in this introduction. The libraries may be queried concerning the availability of specific documents and the possible utilization of local copying services, such as color reproduction.
- Avail: HMSO. Publications of Her Majesty's Stationery Office are sold in the U.S. by Pendragon House, Inc. (PHI), Redwood City, California. The U.S. price (including a service and mailing charge) is given, or a conversion table may be obtained from PHI.
- Avail: BLL (formerly NLL): British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. Photocopies available from this organization at the price shown. (If none is given, inquiry should be addressed to the BLL.)
- Avail: ZLDI. Sold by the Zentralstelle für Luftfahrtokumentation und -Information, Munich, Federal Republic of Germany, at the price shown in deutschmarks (DM).
- Avail: Issuing Activity, or Corporate Author, or no indication of availability. Inquiries as to the availability of these documents should be addressed to the organization shown in the citation as the corporate author of the document.
- Avail: U.S. Patent and Trademark Office. Sold by Commissioner of Patents and Trademarks, U.S. Patent and Trademark Office, at the standard price of 50 cents each, postage free.
- Other availabilities: If the publication is available from a source other than the above, the publisher and his address will be displayed entirely on the availability line or in combination with the corporate author line.

SUBSCRIPTION AVAILABILITY

This publication is available on subscription from the National Technical Information Service (NTIS). The annual subscription rate for the quarterly supplements is \$30.00 domestic; \$60.00 foreign. All questions relating to the subscription should be referred to NTIS, Attn: Subscriptions, 5285 Port Royal Road, Springfield, Virginia 22161.

ADDRESSES OF ORGANIZATIONS

American Institute of Aeronautics
and Astronautics
Technical Information Service
750 Third Ave.
New York, N.Y. 10017

British Library Lending Division,
Boston Spa, Wetherby, Yorkshire,
England

Commissioner of Patents and
Trademarks
U.S. Patent and Trademark Office
Washington, D.C. 20231

Department of Energy
Technical Information Center
P.O. Box 62
Oak Ridge, Tennessee 37830

ESA-Space Documentation Service
ESRIN
Via Galileo Galilei
00044 Frascati (Rome) Italy

Her Majesty's Stationery Office
P.O. Box 569, S.E. 1
London, England

NASA Scientific and Technical Information
Facility
P.O. Box 8757
B. W. I. Airport, Maryland 21240

National Aeronautics and Space
Administration
Scientific and Technical Information
Branch (NST-41)
Washington, D.C. 20546

National Technical Information Service
5285 Port Royal Road
Springfield, Virginia 22161

Pendragon House, Inc.
899 Broadway Avenue
Redwood City, California 94063

Superintendent of Documents
U.S. Government Printing Office
Washington, D.C. 20402

University Microfilms
A Xerox Company
300 North Zeeb Road
Ann Arbor, Michigan 48106

University Microfilms, Ltd.
Tylers Green
London, England

U.S. Geological Survey
1033 General Services Administration
Building
Washington, D.C. 20242

U.S. Geological Survey
601 E. Cedar Avenue
Flagstaff, Arizona 86002

U.S. Geological Survey
345 Middlefield Road
Menlo Park, California 94025

U.S. Geological Survey
Bldg. 25, Denver Federal Center
Denver, Colorado 80225

Zentralstelle für Luftfahrt-doku-
mentation und -Information
8 München 86
Postfach 880
Federal Republic of Germany

NTIS PRICE SCHEDULES

Schedule A

STANDARD PAPER COPY PRICE SCHEDULE

(Effective October 1, 1977)

Price Code	Page Range	North American Price	Foreign Price
A01	Microfiche	\$ 3.00	\$ 4.50
A02	001-025	4.00	8.00
A03	026-050	4.50	9.00
A04	051-075	5.25	10.50
A05	076-100	6.00	12.00
A06	101-125	6.50	13.00
A07	126-150	7.25	14.50
A08	151-175	8.00	16.00
A09	176-200	9.00	18.00
A10	201-225	9.25	18.50
A11	226-250	9.50	19.00
A12	251-275	10.75	21.50
A13	276-300	11.00	22.00
A14	301-325	11.75	23.50
A15	326-350	12.00	24.00
A16	351-375	12.50	25.00
A17	376-400	13.00	26.00
A18	401-425	13.25	26.50
A19	426-450	14.00	28.00
A20	451-475	14.50	29.00
A21	476-500	15.00	30.00
A22	501-525	15.25	30.50
A23	526-550	15.50	31.00
A24	551-575	16.25	32.50
A25	576-600	16.50	33.00
A99	601-up	1/	2/

1/ Add \$2.50 for each additional 100 page increment from 601 pages up.

2/ Add \$5.00 for each additional 100 page increment from 601 pages up.

Schedule E

EXCEPTION PRICE SCHEDULE

Paper Copy & Microfiche

Price Code	North American Price	Foreign Price
E01	\$ 3.25	\$ 6.50
E02	4.75	9.50
E03	6.25	12.50
E04	7.50	15.00
E05	9.00	18.00
E06	10.50	21.00
E07	12.50	25.00
E08	15.00	30.00
E09	17.50	35.00
E10	20.00	40.00
E11	22.50	45.00
E12	25.00	50.00
E13	28.00	56.00
E14	31.00	62.00
E15	34.00	68.00
E16	37.00	74.00
E17	40.00	80.00
E18	45.00	90.00
E19	50.00	100.00
E20	60.00	120.00
E99 - Write for quote		
N01	28.00	40.00

TABLE OF CONTENTS

Subject Categories

Abstracts in this Bibliography are grouped under the following categories:

page:

01 AGRICULTURE AND FORESTRY

Includes crop forecasts, crop signature analysis, soil identification, disease detection, harvest estimates, range resources, timber inventory, forest fire detection, and wildlife migration patterns.

179

02 ENVIRONMENTAL CHANGES AND CULTURAL RESOURCES

Includes land use analysis, urban and metropolitan studies, environmental impact, air and water pollution, geographic information systems, and geographic analysis.

185

03 GEODESY AND CARTOGRAPHY

Includes mapping and topography.

191

04 GEOLOGY AND MINERAL RESOURCES

Includes mineral deposits, petroleum deposits, spectral properties of rocks, geological exploration, and lithology.

195

05 OCEANOGRAPHY AND MARINE RESOURCES

Includes sea-surface temperature, ocean bottom surveying imagery, drift rates, sea ice and icebergs, sea state, fish location.

199

06 HYDROLOGY AND WATER MANAGEMENT

Includes snow cover and water runoff in rivers and glaciers, saline intrusion, drainage analysis, geomorphology of river basins, land uses, and estuarine studies.

205

07 DATA PROCESSING AND DISTRIBUTION SYSTEMS

Includes film processing, computer technology, satellite and aircraft hardware, and imagery.

211

08 INSTRUMENTATION AND SENSORS

Includes data acquisition and camera systems and remote sensors.

217

09 GENERAL

Includes economic analysis.

225

SUBJECT INDEX	A-1
PERSONAL AUTHOR INDEX	B-1
CORPORATE SOURCE INDEX	C-1
CONTRACT NUMBER INDEX	D-1
REPORT/ACCESSION NUMBER INDEX	E-1

TYPICAL CITATION AND ABSTRACT FROM STAR

<p>NASA SPONSORED DOCUMENT</p> <p>NASA ACCESSION NUMBER →</p> <p>TITLE →</p> <p>CONTRACT OR GRANT →</p> <p>REPORT NUMBER →</p>	<p>N78-10526* # Old Dominion Univ. Research Foundation, Norfolk, Va.</p> <p>A MODULAR RADIATIVE TRANSFER PROGRAM FOR GAS FILTER CORRELATION RADIOMETRY</p> <p>Joseph C. Casas and Shirley A. Campbell Washington NASA Oct. 1977, 71 p refs</p> <p>(Grant NsG-1127)</p> <p>(NASA-CR-2895; PGSTR-AP77-49) Avail: NTIS</p> <p>HC A04/MF A01 CSCL 04A</p> <p>The fundamentals of a computer program, simulated monochromatic atmospheric radiative transfer (SMART), which calculates atmospheric path transmission, solar radiation, and thermal radiation in the 4.6 micrometer spectral region, are described. A brief outline of atmospheric absorption properties and line by line transmission calculations is explained in conjunction with an outline of the SMART computational procedures. Program flexibility is demonstrated by simulating the response of a gas filter correlation radiometer as one example of an atmospheric infrared sensor. Program limitations, input data requirements, program listing, and comparison of SMART transmission calculations are presented.</p> <p style="text-align: right;">Author</p>	<p>AVAILABLE ON MICROFICHE</p> <p>CORPORATE SOURCE</p> <p>PUBLICATION DATE</p> <p>AVAILABILITY SOURCE</p>
---	---	---

TYPICAL CITATION AND ABSTRACT FROM /AA

<p>NASA SPONSORED DOCUMENT</p> <p>AIAA ACCESSION NUMBER →</p> <p>AUTHORS AFFILIATION →</p> <p>CONTRACT OR GRANT →</p>	<p>A78-14876 * # Wheat yield forecasts using Landsat data. J. E. Colwell, D. P. Rice, and R. F. Nalepka (Michigan, Environmental Research Institute, Ann Arbor, Mich.). In: International Symposium on Remote Sensing of Environment, 11th, Ann Arbor, Mich., April 25-29, 1977, Proceedings. Volume 2. (A78-14776 03-43) Ann Arbor, Mich., Environmental Research Institute of Michigan, 1977, p. 1245-1254, Contract No. NAS5-22389.</p> <p>Leaf area index and percentage of vegetative cover, two indices of crop yield developed from Landsat multispectral scanning data, are discussed. Studies demonstrate that the Landsat indicators may be as highly correlated with winter wheat yield as estimates based on traditional field sampling methods; in addition, the Landsat indicators may account for variations in individual field yield which are not explainable by meteorological data. A simple technique employing early-season Landsat data to make wheat yield predictions is also considered.</p> <p style="text-align: right;">J.M.B.</p>	<p>AVAILABLE ON MICROFICHE</p> <p>TITLE</p> <p>AUTHORS</p> <p>MEETING</p> <p>MEETING DATE</p>
---	--	--

EARTH RESOURCES

A Continuing Bibliography (Issue 19)

OCTOBER 1978

01

AGRICULTURE AND FORESTRY

Include crop forecasts, crop signature analysis, soil identification, disease detection, harvest estimates, range resources, timber inventory, forest fire detection, and wildlife migration patterns.

A78-34218 Perspectives offered by remote sensing in agricultural resources management. G. Frayse (EURATOM, Ispra, Italy). In: Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, Bristol, England, April 5-9, 1976. London, Butterworth and Co. (Publishers), Ltd., 1977, p. 233-247. 20 refs.

Aerial reconnaissance data and Landsat imagery have been used in the Agreste program, a Franco-Italian study of remote sensing applications to agricultural resources management. The study has focused on rice field inventories, rice yield forecasting, poplar plantation identification, and timber volume assessments. Problems associated with the excessive width of the Landsat multispectral channels caused some difficulties in the timber volume assessments; aerial reconnaissance was needed to supplement Landsat data when high-frequency coverage of phenological states was required. The future use of remote sensing to take crop inventories, perform phytopathological studies and derive yield forecasts for the EEC nations is discussed. J.M.B.

A78-34382 Evaluation of a Fire Behavior Information Integration System for Southern California Chaparral Wildlands. S. R. Kessel and P. J. Cattellino (Gradient Modeling, Inc., Missoula, Mont.). *Environmental Management*, vol. 2, Mar. 1978, p. 135-157. 13 refs. Research supported by the U.S. Department of Agriculture.

Cooperation between FIREScope (Fire Resources of Southern California Organized for Potential Emergencies) and Gradient Modelling Inc. has produced a Fire Behavior Information Integration System (FIIBS) designed to store and retrieve data pertinent to the modelling of fire damage parameters on either a single site or wide area basis. The basic concepts of gradient modelling include evaluations of the fire potential of various types of vegetation, site characteristics, e.g., elevation, rainfall, disturbance histories, and computer software links, especially those tied to Landsat imaging. The software package consists of a 140 sq km site inventory and a single (1400 line) FORTRAN IV interactive source program. Remote site inventories are presented to compare previous data bases with the data base obtained through FIIBS. The latter system is considered to be more thorough in every important respect. D.M.W.

A78-34852 Near real-time monitoring of Iowa corn with Landsat. R. E. Fries, P. Buchman, and A. C. Aaronson (GE Earth Resources Analysis and Management Center, Beltsville, Md.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 1-8.

A Landsat Agricultural Monitoring Program (LAMP) has been established to monitor Iowa corn in near real-time. The Program utilizes Landsat data in conjunction with collateral data sources to monitor crop development and identify/assess anomalies and crop stress. Throughout the growing season, data are screened manually and by computer for indications of crop condition. Alarms such as abnormal weather phenomena and Landsat imagery abnormalities are identified. These alarms are then assessed as to their extent, severity, and projected impact on Iowa's corn crop. Landsat digital data, coupled with specially gathered collateral data, are used to update this initial alarm impact assessment. During the 1976 growing season, LAMP identified and assessed a variety of alarms affecting corn production in Iowa. Alarms included acute events (e.g., tornadoes, hail, thunderstorms) and chronic conditions (e.g., drought). Response time for initial assessment of these alarms was as short as eight days. (Author)

A78-34854 Relations between ground truth and airborne measurements of thermal infrared radiation over vegetated surfaces. F. Bonn and R. Brochu (Sherbrooke, Université, Sherbrooke, Quebec, Canada). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 25-37. 16 refs.

A78-34856 * Distinguishing saline from nonsaline rangelands with Skylab imagery. J. H. Everitt, A. H. Gerbermann, and J. A. Cuellar (U.S. Department of Agriculture, Agricultural Research Service, Weslaco, Tex.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 51-65. 19 refs. NASA Order R-09-038-002.

A flight line in Starr County, Texas, was used to test the feasibility of distinguishing saline from nonsaline rangelands using very small scale (1:3,000,000), Skylab satellite imagery. Film optical density readings were made on six different films (four black-and-white, one conventional, and one infrared color) using various film/filter combinations. Differentiating between saline and nonsaline rangelands was possible by using microdensitometry on black-and-white Skylab imagery. (Author)

A78-34869 Aerial detection of oak wilt in Iowa. R. R. Anderson (Iowa Geological Survey Remote Sensing Laboratory, Iowa City, Iowa). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 309-319. 9 refs.

01 AGRICULTURE AND FORESTRY

A78-34870 * The use of four band multispectral photography to identify forest cover types. S. W. Downs, Jr. (NASA, Marshall Space Flight Center, Data Systems Laboratory, Huntsville, Ala.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers.

Tullahoma, Tenn., University of Tennessee, 1977, p. 329-340. 5 refs.

Four-band multispectral aerial photography and a color additive viewer were employed to identify forest cover types in Northern Alabama. The multispectral photography utilized the blue, green, red and near-infrared spectral regions and was made with black and white infrared film. On the basis of color differences alone, a differentiation between conifers and hardwoods was possible; however, supplementary information related to forest ecology proved necessary for the differentiation of various species of pines and hardwoods. J.M.B.

A78-34871 * Reflectance and photographic characteristics of three citrus varieties for discrimination purposes. H. W. Gausman, D. E. Escobar, and C. L. Wiegand (U.S. Department of Agriculture, Agricultural Research Service, Weslaco, Tex.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers.

Tullahoma, Tenn., University of Tennessee, 1977, p. 341-355. 11 refs. NASA Order S-70251-AG; NASA Task 3.

A78-34872 Mapping of forest regions from Landsat imagery by computer processing - A case study of East Bastar region. D. S. Kamat, A. K. Kandyia, K. L. Majumder, and V. L. Swaminathan (Indian Space Research Organization, Space Applications Centre, Ahmedabad, India). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers.

Tullahoma, Tenn., University of Tennessee, 1977, p. 357-364. 7 refs.

A78-34878 * Determination and error analysis of emittance and spectral emittance measurements by remote sensing. R. Kumar (Conselho Nacional de Desenvolvimento Científico e Tecnológico, Instituto de Pesquisas Espaciais, São José dos Campos, São Paulo, Brazil). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers.

Tullahoma, Tenn., University of Tennessee, 1977, p. 465-485. 25 refs. Grant No. NGL-15-005-112.

Theoretical and experimental determinations of the emittance of soils and leaves are reviewed, and an error analysis of emittance and spectral emittance measurements is developed as an aid to remote sensing applications. In particular, an equation for the upper bound of the absolute error in an emittance determination is derived. The absolute error is found to decrease with an increase in contact temperature and to increase with an increase in environmental integrated radiant flux density. The difference between temperature and band radiance temperature is plotted as a function of emittance for the wavelength intervals 4.5 to 5.5 microns, 8 to 13.5 microns and 10.2 to 12.5 microns. J.M.B.

A78-34886 * Airborne thermography for crop water stress assessment. J. P. Millard (NASA, Ames Research Center, Moffett Field, Calif.), S. B. Idso, R. J. Reginato, R. D. Jackson, W. L. Ehler (U.S. Department of Agriculture, Agricultural Research Service, Phoenix, Ariz.), and R. C. Goettelman (LFE Corp., Richmond, Calif.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers.

Tullahoma, Tenn., University of Tennessee, 1977, p. 611-619. 5 refs.

Aircraft overflights to obtain canopy temperatures of six differentially irrigated plots of durum wheat were made at Phoenix, Arizona on 1 and 29 April 1976. The data were acquired by a Texas Instruments model RS-25 infrared line scanner operating in the 8 to 14 micrometer bandpass region. Concurrently, plant water tension was measured on the ground with the Scholander pressure bomb technique. The results indicated that canopy temperatures acquired by aircraft about an hour and a half past solar noon correlated well with presunrise plant water tension - a parameter directly related to plant growth and development. The aircraft data also showed significant within-field canopy temperature variability, indicating the superiority of the synoptic view provided by aircraft over the more spotty view obtained by ground-operated infrared thermometers.

(Author)

A78-36647 Image enhancement for vegetative pattern change analysis. G. L. Brothers and E. B. Fish (Texas Tech University, Lubbock, Tex.). *Photogrammetric Engineering and Remote Sensing*, vol. 44, May 1978, p. 607-616. 37 refs.

Aerial photography has been proven to be a valuable technique in the collection of basic data. However, the monitoring of changes through traditional interpretive techniques is an involved, time-consuming process. Photographic enhancement-overlay processing of imagery for change detection, however, appears to offer an effective alternative for detection of changes in resources of concern. In addition to improved results, enhancement-overlay processing provides more thorough information on the specific nature of changes which have occurred. Preprocessing of imagery for employment of this technique represents a limiting factor. As enhancement-overlay processing is developed into a continuous monitoring system, the cost of preprocessing will be reduced because baseline data already will be available for subsequent analyses. G.R.

A78-40125 # Manual for interpreting aerial photographs for soil investigations (Praktikum po deshifirovaniu aerofotosnimkov pri pochvennykh issledovaniakh). T. V. Afanas'eva, Iu. M. Petrushevich, and T. A. Trifonova. Moscow, Izdatel'stvo Moskovskogo Universiteta, 1977. 158 p. 69 refs. In Russian.

Aerial photography is described, and several procedures - including topographic, stereoscopic, and parallax - for interpreting aerial photographs are examined. Morphometric analysis of soil cover is characterized. The interpretation of photographs of forest, marsh, and eroded lands is discussed, and problem examples are presented. Instrument and reception limitations of earth-based interpretation are considered. M.L.

A78-40159 * A first interpretation of East African swiddening via computer-assisted analysis of 3 Landsat tapes. F. P. Conant (Hunter College, New York, N.Y.) and T. K. Cary (Columbia University, New York, N.Y.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 36-43. 10 refs. Grant No. NSG-5080.

A preliminary application of the machine processing of Landsat data for the identification of swidden farming in East Africa is discussed. Three sets of Landsat data were analyzed: the 1972 mid-dry season, the 1973 late dry season, and the 1975 early wet season. The analysis procedure consisted of: (1) a preprocessing step to de-skew, rotate, and rescale the data, (2) a geometric correction process, (3) photographic enlargement, and (4) a procedure to obtain spectral response values for training the classification algorithm. S.C.S.

A78-40160 * A Landsat Agricultural Monitoring Program. A. C. Aaronson, P. E. Buchman, T. Wescott, and R. E. Fries (GE Earth Resources Analysis and Management Center, Beltsville, Md.). In: Annual Symposium on Machine Processing of Remotely Sensed

Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 44-51. 7 refs. Contract No. NAS5-23411.

The paper discusses the Landsat Agricultural Monitoring Program which was developed to identify, observe, and evaluate alarm conditions influencing Iowa corn production in 1976. Used in conjunction with climatic and field reports, studies were made of crop development, crop alarms (such as heavy rainfall, hail, tornadoes, and drought) and estimated crop yield. S.C.S.

A78-40162 * **The Maximum Likelihood Estimation of Signature Transformation/MLEST algorithm.** S. G. Thadani (Lockheed Electronics Co., Inc., Houston, Tex.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 66-74. 6 refs. Contract No. NAS9-15200.

The Maximum Likelihood Estimation of Signature Transformation (MLEST) algorithm is used to obtain maximum likelihood estimates (MLE) of affine transformation. The algorithm has been evaluated for three sets of data: simulated (training and recognition segment pairs), consecutive-day (data gathered from Landsat images), and geographical-extension (large-area crop inventory experiment) data sets. For each set, MLEST signature extension runs were made to determine MLE values and the affine-transformed training segment signatures were used to classify the recognition segments. The classification results were used to estimate wheat proportions at 0 and 1% threshold values. S.C.S.

A78-40163 **Stratified acreage estimates in the Illinois crop-acreage experiment.** R. Sigman, C. P. Gleason, G. A. Hanuschak, and R. R. Starbuck (U.S. Department of Agriculture, Statistical Reporting Service, Washington, D.C.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 80-90. 6 refs.

The article discusses the application of the Statistical Reporting Service to Landsat remote sensor data in order to estimate crop acreages. The method employs a pixel classifier consisting of a series of discriminant functions corresponding to a set of classification categories. The methodology has been evaluated for three Landsat frames taken in 1975 over western Illinois. It was found that several geographic and methodological factors influence the pixel classifier. S.C.S.

A78-40164 * **Two phase sampling for wheat acreage estimation.** R. W. Thomas and C. M. Hay (California, University, Berkeley, Calif.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 91-101. 6 refs. Contract No. NAS9-14565.

A two phase Landsat-based sample allocation and wheat proportion estimation method was developed. This technique employs manual, Landsat full frame-based wheat or cultivated land proportion estimates from a large number of segments comprising a first sample phase to optimally allocate a smaller phase two sample of computer or manually processed segments. Application to the Kansas Southwest CRD for 1974 produced a wheat acreage estimate for that CRD within 2.42 percent of the USDA SRS-based estimate using a lower CRD inventory budget than for a simulated reference LACIE system. Factor of 2 or greater cost or precision improvements relative to the reference system were obtained. (Author)

A78-40165 * **Crop identification and area estimation by computer-aided analysis of Landsat data.** M. E. Bauer, M. M. Hixson, B. J. Davis, and J. B. Etheridge (Purdue University, West Lafayette, Ind.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 102-112. 17 refs. Contract No. NAS5-20793.

This report describes the results of a study involving the use of computer-aided analysis techniques applied to Landsat MSS data for identification and area estimation of winter wheat in Kansas and corn and soybeans in Indiana. Key elements of the approach included use of aerial photography for classifier training, stratification of Landsat data and extension of training statistics to areas without training data, and classification of a systematic sample of pixels from each county. Major results and conclusions are: (1) Landsat data was adequate for accurate identification and area estimation of winter wheat in Kansas, but corn and soybean estimates for Indiana were less accurate; (2) computer-aided analysis techniques can be effectively used to extract crop identification information from Landsat MSS data, and (3) systematic sampling of entire counties made possible by computer classification methods resulted in very precise area estimates at county as well as district and state levels. (Author)

A78-40166 **An interactive system for agricultural acreage estimates using Landsat data.** M. Ozga, W. E. Donovan (Illinois, University, Urbana, Ill.), and C. P. Gleason (U.S. Department of Agriculture, Statistical Reporting Service, Washington, D.C.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 113-123. 18 refs.

This paper describes interactive software systems for making agricultural crop acreage estimates using Landsat MSS data developed jointly by the Center for Advanced Computation of the University of Illinois and the Statistical Reporting Service of the United States Department of Agriculture. These acreage estimation procedures have been incorporated into, and use features previously developed in, EDITOR. EDITOR is an interactive file management and image processing system developed by the Center for Advanced Computation in collaboration with USGS/DI, NASA/AMES, and USDA/SRS. The crop acreage estimation software is implemented as part of the EDITOR system on TENEX, a modified DEC SYSTEM-10. The only hardware necessary to access this acreage estimation subsystem or the whole EDITOR system consists of a KSR (keyboard send-receive) terminal with acoustic coupler and a telephone link to a TENEX system on the ARPA network. A x-y coordinate digitizer and, optionally a terminal graphics plotter, are also needed for digitizing ground-truth samples and interactive registration capabilities. (Author)

A78-40167 **Machine processing of aerial data for Agricultural Resources Inventory and Survey Experiment.** D. S. Kamat, K. L. Majumdar, T. J. Majumdar, I. C. Matieda, C. V. S. Prakash, and V. L. Swaminathan (Indian Space Research Organization, Space Applications Center, Ahmedabad, India). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 124-134. 7 refs.

The multiband aerial data for one flight line, stretching over 38 Kms which covers an area of 6528 hectares, of the Agricultural Resources Inventory and Survey Experiment, Patiala has been analyzed by an unsupervised automatic processing technique. The results are presented in the form of tables and thematic maps. They are verified with the results obtained independently by visual photointerpretation techniques. (Author)

01 AGRICULTURE AND FORESTRY

A78-40179 Computer training procedures for the Western Washington forest productivity study utilizing Landsat data. J. R. Edwards (U.S. Department of Natural Resources, Div. of Technical Services, Olympia, Wash.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 264-269.

Landsat data and multistage sampling techniques were employed to develop a forest cover inventory for 19 million acres of Western Washington; cover types of the inventory included old growth conifer, second growth conifer, hardwoods, reproduction-stage growth, and nonstocked forest (0 to five years of growth). Mixed stands containing greater than or less than 50% hardwood were found to be spectrally separable. Some classification difficulties resulted from shadows on steep slopes, snow cover and bare ground. J.M.B.

A78-40180 * Landsat digital data application to forest vegetation and land use classification in Minnesota. R. A. Mead and M. P. Meyer (Minnesota, University, St. Paul, Minn.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 270-280. Research supported by the University of Minnesota; Contract No. NAS5-20985.

Landsat digital data were used to map eleven categories of land cover in north central Minnesota. The classification accuracy of these maps was found to be very low and they were not adequate for use by field level resource managers. A discussion of the advantages and disadvantages of various processing systems, different algorithms, and the problems in selecting training sets, is included. (Author)

A78-40181 A table look-up procedure for rapidly mapping vegetation cover and crop development. A. J. Richardson and C. L. Wiegand (U.S. Department of Agriculture, Agricultural Research Service, Weslaco, Tex.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 284-297. 15 refs.

A table of 10 Landsat data categories has been shown to yield meaningful classifications of vegetation density levels, soil brightness levels, and water without any prior information on local crop and soil conditions. The 10 data categories correspond to water, cloud shadow, low, medium and high reflectivity soil, cloud tops, low, medium and dense plant cover, and a region into which no Landsat data may be expected to fall. The 10 categories, developed through analysis of Landsat data from six overpass dates, should lead to more rapid machine processing of remote sensing data to furnish crop development surveys and crop yield predictions. J.M.B.

A78-41188 Map intensification from small format camera photography. R. D. Spencer (Victoria Forests Commission, Melbourne, Australia). *Photogrammetric Engineering and Remote Sensing*, vol. 44, June 1978, p. 697-707. 14 refs.

The use of light, low-performance aircraft and 70 mm or 35 mm cameras with wide-angle lenses provides an economical means of obtaining current photographs for mapping plantation extensions. Increasing the aircraft ceiling to permit photo coverage with narrow-angle lenses or adopting automated camera assemblies, can make the map updating process even more efficient. Mapping 4,000 hectares of plantation extensions was found to involve a budget in which 13% of the expenses were for aircraft hire, 16% for photography, and 71% for map compilation. Photographic intensification of maps through use of small-format cameras may cost less than half the amount required for field surveys, and involve one tenth to one fifth the number of man-days. J.M.B.

A78-41190 High-altitude versus Landsat imagery for digital crop identification. J. R. Jensen (Georgia, University, Athens, Ga.), J. E. Estes, and L. R. Tinney (California, University, Santa Barbara, Calif.). *Photogrammetric Engineering and Remote Sensing*, vol. 44, June 1978, p. 723-733. 12 refs.

Multidate crop identification using microdensitometer scanned color infrared high-altitude photography (original scale 1:120,000) and Landsat digital data was conducted for a 140 sq km study area in Kern County, California. The purpose of this analysis was not to achieve maximum crop identification accuracy per se, but to comparatively evaluate the utility of the two image formats for digital crop identification. Preliminary results indicate that the Landsat digital approach is superior to analysis of digitized high-altitude photography. Vignetting in the high-altitude photography dataset caused serious signature extension problems. (Author)

A78-43067 Modeling the benefits to world agriculture from remote sensing. P. Kochanowski (Indiana University, South Bend, Ind.). In: Modeling and simulation. Volume 8 - Proceedings of the Eighth Annual Pittsburgh Conference, Pittsburgh, Pa., April 21, 22, 1977, Part 2. Pittsburgh, Pa., Instrument Society of America, 1977, p. 691-695. 11 refs.

Remote sensing of agricultural land permits crop classification and mensuration which can lead to improved forecasts of production. This technique is particularly important for nations which do not already have an accurate agricultural reporting system. Better forecasts have important economic effects. International grain traders can make better decisions about when to store, buy, and sell. Farmers can make better planting decisions by taking advantage of production estimates for areas out of phase with their own agricultural calendar. World economic benefits will accrue to both buyers and sellers because of increased food supply and price stabilization. This paper reviews two world modeling efforts used to empirically establish the above scenario. Dollar estimates, their implications for the United States and the rest of the world, and inherent modeling difficulties are described. (Author)

N78-22438*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, Md.

HAND-HELD RADIOMETER RED AND PHOTOGRAPHIC INFRARED SPECTRAL MEASUREMENTS OF AGRICULTURAL CROPS

Compton J. Tucker, Cheng-jin Fan (Morgan State Univ.), James H. Elgin, Jr. (Dept. of Agr., Beltsville, Md.), and James E. McMurtrey (Dept. of Agr., Beltsville, Md.) Feb. 1978 25 p refs Submitted for publication (NASA-TM-78091) Avail: NTIS HC A02/MF A01 CSCL 02C

Red and photographic infrared radiance data, collected under a variety of conditions at weekly intervals throughout the growing season using a hand-held radiometer, were used to monitor crop growth and development. The vegetation index transformation was used to effectively compensate for the different irradiational conditions encountered during the study period. These data, plotted against time, compared the different crops measured by comparing their green leaf biomass dynamics. This approach, based entirely upon spectral inputs, closely monitors crop growth and development and indicates the promise of ground-based hand-held radiometer measurements of crops. Author

N78-23497*# Lockheed Electronics Co., Houston, Tex. Systems and Services Div.

TEN-ECOSYSTEM STUDY (TES) SITE 4, SANDOVAL COUNTY, NEW MEXICO Final Report

W. H. Parkhurst, Principal Investigator Feb. 1978 57 p refs Original contains color imagery. Original photography may be purchased from the EROS Data Center, Sioux Falls, S. D. EREP

(Contract NAS9-15200)

(E78-10110: NASA-CR-151680: LEC-11284) Avail: NTIS HC A04/MF A01 CSCL 02F

The author has identified the following significant results. Mapping accuracies for level 2 classes were about 95% in the overall probability of correct classification. Dense stands of pinyon-juniper could not be separated from other conifers. Level 3 forest species separation was not possible. The use of a contiguous 10% training area is not practical. The ten-ecosystem study technical analysis procedures proved to be a valid method for completing the study.

N78-23516*# EROS Data Center, Sioux Falls, S. Dak.

USEFULNESS OF LANDSAT DATA FOR MONITORING PLANT DEVELOPMENT AND RANGE CONDITIONS IN CALIFORNIA'S ANNUAL GRASSLAND

David M. Carneggie, Stephen D. DeGloria (Calif. Univ., Berkeley), and Robert N. Colwell (Calif. Univ., Berkeley) / In NASA. John F. Kennedy Space Center Remote Sensing and the Earth Dec. 1977 p 77-101 refs

Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 02C

A network of sampling sites throughout the annual grassland region was established to correlate plant growth in stages and forage production to climatic and other environmental factors. Plant growth and range conditions were further related to geographic location and seasonal variations. A sequence of LANDSAT data was obtained covering critical periods in the growth cycle. Data were analyzed by both photointerpretation and computer aided techniques. Image characteristics and spectral reflectance data were then related to forage production, range condition, range site, and changing growth conditions. Author

N78-23517*# Kansas Univ., Lawrence. Space Technology Center.

UTILIZATION OF LANDSAT IMAGERY FOR MAPPING VEGETATION ON THE MILLIONTH SCALE

Donald L. Williams and Jerry C. Coiner / In NASA. John F. Kennedy Space Center Remote Sensing and the Earth Dec. 1977 p 102-116 refs Presented at the NASA Earth Resources Surv. Symp. Vol. 1A: Agr. and Environ., Houston, Tex., Jun. 1975

(Grant NGL-17-004-024)

Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 08F

To determine if the information content of the imagery is sufficient to permit mapping according to the Unesco classification, a series of test sites were examined. These sites include examples from the humid tropics, arid, and semi-arid subtropics and temperature zones. In every case, the feasibility of this application of LANDSAT imagery was verified. The agricultural significance of several sites is discussed to indicate how the vegetation maps may be interpreted for agricultural evaluation. Author

N78-24593*# Purdue Univ., Lafayette, Ind. Lab. for Applications of Remote Sensing.

THE APPLICATION OF REMOTE SENSING TECHNOLOGY TO THE SOLUTION OF PROBLEMS IN THE MANAGEMENT OF RESOURCES IN INDIANA Semiannual Status Report, 1 Jun. - 30 Nov. 1977

R. A. Weismiller and R. P. Mroczynski, Principal Investigators 30 Nov. 1977 78 p refs Original contains imagery. Original photography may be purchased from the EROS Data Center, Sioux Falls, S. D. 57198 ERTS

(Grant NGR-15-005-186)

(E78-10129; NASA-CR-157003; LARS-CR-042178) Avail: NTIS HC A05/MF A01 CSCL 05A

N78-24596*# National Aeronautics and Space Administration, Washington, D. C.

PILOT STUDY OF VEGETATION IN THE ALCHICHICA-PEROTE REGION BY REMOTE SENSING

M. Soto, F. Lozano, A. Diez, C. Mejia, and J. Villa Jun. 1978 20 p Transl. into ENGLISH from Biotica (Mex.), v 2, no. 3, 1977 p 19-36 Transl. by Sci. Transl. Serv., Santa Barbara, Calif. Original doc. prep. by Inst. de Invest. Sobre Recursos Bioticos, Flora de Veracruz (Mex.).

(Contract NASw-2791)

(NASA-TM-75101; Contrib-24) Avail: NTIS HC A02/MF A01 CSCL 08F

A study of the application of satellite images to the identification of vegetation in a small area corresponding to the arid zone of Veracruz and part of Puebla is presented. This study is accomplished by means of images from the LANDSAT satellite obtained on January 19 and May 23, 1973. The interpretation of the different maps is made on the basis of information from the data bank of the Flora de Veracruz program, and various surveys made by land and air. Author

N78-25499*# Columbia Univ., New York. Dept. of Geography.

APPLICATION OF DIGITAL ANALYSIS OF MSS DATA TO AGROENVIRONMENTAL STUDIES Semiannual Progress Report

Kempton E. Webb, Colin J. High, and Jerry C. Coiner, Principal Investigators 1 Sep. 1977 111 p refs Original contains imagery. Original photography may be purchased from the EROS Data Center, Sioux Falls, S. D. 57198 ERTS

(Grant NSG-5080)

(E78-10133; NASA-CR-157145) Avail: NTIS HC A06/MF A01 CSCL 02C

N78-25500*# Texas A&M Univ., College Station. Remote Sensing Center.

DRYLAND PASTURE AND CROP CONDITIONS AS SEEN BY HCMM Progress Report, Jan. - Apr. 1978

W. D. Rosenthal, J. C. Harlan, and B. J. Blanchard, Principal Investigators Apr. 1978 20 p refs ERTS

(E78-10134; NASA-CR-157146; RSC-3712-1) Avail: NTIS HC A02/MF A01 CSCL 02C

N78-25503*# Purdue Univ., Lafayette, Ind. Lab. for Applications of Remote Sensing.

REQUIREMENTS OF A GLOBAL INFORMATION SYSTEM FOR CORN PRODUCTION AND DISTRIBUTION Final Report

D. A. Landgrebe, Principal Investigator, M. F. Baumgardner, M. E. Bauer, M. A. Martin, and R. M. Peart Nov. 1977 120 p refs Original contains imagery. Original photography may be purchased from the EROS Data Center, Sioux Falls, S. D. 57198 EREP

(Contract NAS9-14970)

(E78-10137; NASA-CR-157153; T-1314/4; MA-129TA) Avail: NTIS HC A06/MF A01 CSCL 05B

N78-25504*# Purdue Univ., Lafayette, Ind. Lab. for Applications of Remote Sensing.

RESEARCH IN REMOTE SENSING OF AGRICULTURE, EARTH RESOURCES, AND MAN'S ENVIRONMENT Quarterly Report, 1 Mar. - 31 May 1978

D. A. Landgrebe, Principal Investigator 31 May 1978 113 p refs EREP

01 AGRICULTURE AND FORESTRY

(Contract NAS9-15466)
(E78-10138; NASA-CR-157154; LARS-053178) Avail: NTIS
HC A06/MF A01 CSCL 05B

N78-26509*# Agricultural Research Service, Phoenix, Ariz.
Water Conservation Lab.
**HEAT CAPACITY MAPPING MISSION Quarterly Progress
Report, 1 Feb. - 30 Apr. 1978**
Ray D. Jackson, Principal Investigator 30 Apr. 1978 3 p
ERTS
(NASA Order S-40255B)
(E78-10139; NASA-CR-157173) Avail: NTIS
HC A02/MF A01 CSCL 08H

N78-26527# National Aerospace Lab., Amsterdam (Netherlands).
Scientific Services.

**IMAGE DATA SECURITY IN THE CONCEPT OF THE
AGRICULTURAL REAL TIME IMAGING SATELLITE SYSTEM
(ARTISS)**

H. A. VanIngenSchenau, L. J. M. Joosten, and J. L. Simons
28 Apr. 1976 117 p refs
(Contract NIVR-1798)

(NLR-TR-76010-U) Avail: NTIS HC A06/MF A01

Under consideration was the requirement for exclusive access to satellite imagery in the concept of ARTISS. Security assessment indicates that user survey requests are handled confidentially and shows the access vulnerability of the transmission of image data to the user groundstation. To ensure the security of this transmission two promising methods are available. Directional transmission using a directive spacecraft antenna, supported by an onboard jamming transmitter which causes deterioration of the picture quality outside a trusted territory; and crypto technique, achieved through onboard enciphering of the image data and deciphering at the user groundstation. Implementation costs for directional transmission and crypto technique are 6% and 3% of the ARTISS costs, respectively. In the case of crypto technique, a 20% cost increase for operations is expected.

Author (ESA)

N78-26530# North Central Forest Experiment Station, St. Paul, Minn.

**GROUND WATER DIFFERENCES ON PINE AND HARD-
WOOD FORESTS OF THE UDELL EXPERIMENTAL FOREST
IN MICHIGAN Final Forest Service Research Paper**

2 Feb. 1978 15 p refs

(PB-278309/O; FSRP-NC-145) Avail: NTIS HC A02/MF A01
CSCL 08H

Ground water recharge under hardwood and pine forest was measured from 1962 to 1971 on the Udell Experimental Forest in Michigan. Hardwood forests produced more net ground water than pine forests by an average of 50 and 100 mm/year, using two methods of analysis. Shallow water table lands yield 80 to 100 mm/year less water than deep, well drained sands. Water yield decreased the most between drainage classifications of pine plantations. GRA

N78-27474*# Agricultural Research Service, Weslaco, Tex.
**PLANT COVER, SOIL TEMPERATURE, FREEZE, WATER
STRESS, AND EVAPOTRANSPIRATION CONDITIONS
Quarterly Progress Report, 1 Mar. - 1 Jun. 1978**

Craig L. Wiegand, Paul R. Nixon, Harold W. Gausman, L. Neal Namken, Ross W. Leamer, and Arthur J. Richardson, Principal Investigators Jun. 1978 5 p ERTS

(NASA Order S-40198-B)

(E78-10144; NASA-CR-157231)

Avail: NTIS

HC A02/MF A01 CSCL 08F

N78-27481*# Columbia Univ., New York. Dept. of Geogra-
phy.

**APPLICATION OF DIGITAL ANALYSIS OF MSS DATA TO
AGRO-ENVIRONMENTAL STUDIES Semiannual Progress
Report, 1 Sep. 1977 - 31 Mar. 1978**

Kempton E. Webb, Colin J. High, Jerry C. Coiner, and Leonard Zabler, Principal Investigators 1 Apr. 1978 132 p refs
ERTS

(Grant NSG-5080)

(E78-10151; NASA-CR-157245)

Avail: NTIS

HC A07/MF A01 CSCL 02C

N78-27483*# Colorado State Univ., Fort Collins. Dept. of
Earth Resources.

**THE POTENTIAL BENEFIT OF IMPROVING THE DIS-
SEMINATION OF AGRICULTURAL WEATHER INFORMA-
TION TO THE MISSISSIPPI COTTON FARMER Final
Report**

Kenny Thomas Priddy and William E. Marlatt, Principal Investi-
gators Jun. 1978 89 p refs Original contains imagery. Original
photography may be purchased from the EROS Data Center,
Sioux Falls, S. D. 571-98 ERTS

(Grant NSG-5073)

(E78-10153; NASA-CR-157246)

Avail: NTIS

HC A05/MF A01 CSCL 04B

The author has identified the following significant results. The potential benefit of improved dissemination of weather information to the Mississippi cotton farmer was estimated at \$36,000 per 1000 acres. This is 16% of production cost of cotton in 1976. On a statewide basis, the total potential savings exceeds 100 million dollars.

N78-27484*# Kansas Univ. Center for Research, Inc., Lawrence.
**THE APPLICATION OF REMOTE SENSING TO RESOURCE
MANAGEMENT AND ENVIRONMENTAL QUALITY PRO-
GRAMS IN KANSAS Annual Report, 1 Apr. 1978 - 31 Mar.
1978**

B. G. Barr and E. A. Martinko, Principal Investigators Jul. 1978
90 p refs Original contains color imagery. Original photography
may be purchased from the EROS Data Center, Sioux Falls,
S.D. 571-98 ERTS

(Grant NGL-17-004-024)

(E78-10154; NASA-CR-157247)

Avail: NTIS

HC A05/MF A01 CSCL 13B

ENVIRONMENTAL CHANGES AND CULTURAL RESOURCES

Includes land use analysis, urban and metropolitan studies, environmental impact, air and water pollution, geographic information systems, and geographic analysis.

- A78-34204** **Passive infrared sensing of the environment.** A. G. Laird (Royal Radar Establishment, Malvern, Worcs., England). In: Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, Bristol, England, April 5-9, 1976. London, Butterworth and Co. (Publishers), Ltd., 1977, p. 26-37.

The use of the middle and far infrared (3 to 15 microns) for remote sensing of the terrestrial environment is discussed. The concepts of black body radiation and atmospheric transmission windows are reviewed, and instruments such as the infrared linescanner, thermal imager, radiometer and spectrometer are described. Applications of passive infrared sensing to geological surveys, clear air turbulence monitoring, studies of volcanic activity and hydrological surveys are mentioned. J.M.B.

- A78-34210** **Digital analysis of multispectral aerial and Landsat data for land use planning in Britain.** W. E. Gardner, P. Carter (Atomic Energy Research Establishment, Harwell, Berks., England), and T. F. Smith (Department of the Environment, London, England). In: Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, Bristol, England, April 5-9, 1976. London, Butterworth and Co. (Publishers), Ltd., 1977, p. 96-107. 20 refs.

Over the last 50 years, urban land-use classification at national and regional levels has been developed from a range of data sources, including yearly censuses, local authority maps and ordnance survey maps. Remote sensing by satellite or aircraft is a new tool based on visible, infrared or microwave radiation. However, the amount of data obtained, both analog and digital, is enormous, and the automated interpretation of such data must be considered. The value of remote sensing data has been assessed using a supervised multispectral classification procedure. The general applicability of spectral signatures within a large scene has been tested by comparing class boundaries, determined by these signatures, with ground truth. In addition, the significance of the characteristics of the classes chosen, such as their age and rate of change, is considered. Finally, an attempt is made to assess the future potential for these new methods. (Author)

- A78-34666** **Air pollution measurement by Fourier transform spectroscopy.** P. L. Hanst (U.S. Environmental Protection Agency, Research Triangle Park, N.C.). *Applied Optics*, vol. 17, May 1, 1978, p. 1360-1366. 10 refs.

The paper discusses an air-pollution measurement technique based on Fourier transform spectroscopy. The method yields high optical efficiency and the ability to manipulate spectra in order to remove interfering bands. Large absorption cells with long paths are used for measuring reactive pollutants (such as O₃, H₂O₂, HNO₃, HNO₂, H₂CO, HCOOH, PAN, HCl, NH₃, NO, and NO₂) in the open atmosphere. Small, folded-path cells are used for measuring non-reactive pollutants (such as hydrocarbons and halocarbons). It is suggested that the technique may be improved by removing CO₂ when the collected residue is vaporized from the cryocondenser into the infrared absorption cell, and by employing the technique in conjunction with a cryogenic concentration technique and a miniaturized multiple-path cell. S.C.S.

- A78-34857 *** **Effects of detector threshold, location of the sun, and flight altitude upon spectral variations in remote sensing over water.** W. E. Bressette (NASA, Langley Research Center, Marine and Applications Technology Div., Hampton, Va.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 67-88.

Photographic flights with Hasselblad cameras were flown on August 28, 1975, at altitudes from 2.66 and 5.3 kilometers over an ocean acid waste dump site while acid dumping was in progress. Repeated flights resulted in broadband spectral radiance data between the wavelengths of 500 to 900 nanometers for sun elevation angles that varied from 26 to 48 degrees, and at all sun azimuth angles over the range of off-nadir angles from 0 to 35 degrees. From film densitometer data, it is shown that before spectral variations in remotely sensed data can be used to quantify substances in water, the longer wavelength data must be above the detection level of the detector, radiance data between + or - 45 degrees in the direction of the sun must be avoided, and off-nadir camera correction factors must be applied to the observed radiance data. (Author)

- A78-34860 *** **The remote sensing of algae.** J. F. Thorne (Wisconsin State, Dept. of Natural Resources, Madison, Wis.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 145-160. 18 refs. Grant No. NGL-50-002-127.

State agencies need rapid, synoptic and inexpensive methods for lake assessment to comply with the 1972 Amendments to the Federal Water Pollution Control Act. Low altitude aerial photography may be useful in providing information on algal type and quantity. Photography must be calibrated properly to remove sources of error including airlight, surface reflectance and scene-to-scene illumination differences. A 550-nm narrow wavelength band black and white photographic exposure provided a better correlation to algal biomass than either red or infrared photographic exposure. Of all the biomass parameters tested, depth-integrated chlorophyll a concentration correlated best to remote sensing data. Laboratory-measured reflectance of selected algae indicate that different taxonomic classes of algae may be discriminated on the basis of their reflectance spectra. (Author)

- A78-34863** **Monitoring of noxious aquatic plants.** A. R. Benton, Jr. (Texas A & M University, College Station, Tex.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 189-207. 15 refs.

The spread of noxious aquatic plants is an increasing environmental problem in Florida and the other Gulf states. Plant control programs have been hampered by lack of an effective, low-cost procedure for detecting new outbreaks and tracking the spread of known infestations. Aerial photography, using color and color infrared film, was tested extensively during 1974, 1975 and 1976 for its ability to differentiate between aquatic plant species, measure the size of infested areas, and monitor the changes taking place as the growing season progressed. Results were consistent and positive with respect to emerged species, somewhat less so with submersed species. It was discovered that the photography provides particularly valuable insight into the effectiveness of an ongoing aquatic plant control program. (Author)

- A78-34864** **Rural landscape assessment - A comparative evaluation of high platform remote sensing.** B. J. Niemann, Jr. and K. N. Kailing (Wisconsin, University, Madison, Wis.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977,

Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 209-223. 15 refs. Research supported by the University of Wisconsin; U.S. Department of the Interior Contract No. 4-14-07-1.

The study area considered in the reported investigation includes the entire 97.28 miles of the Namekagon River, from Lake Namekagon to its confluence with the St. Croix. The Wisconsin portion of the St. Croix and Namekagon Rivers was utilized for the purpose of on-site inspection. The inventory process consisted of ranking the river by segments. Each segment was ranked on the basis of impact (Wild, Scenic, or Recreational) and experience (Exciting, Pleasurable, Interesting, Monotonous, or Distressing). The investigation had the basic objective to test high platform remote sensing systems for assessing wild and scenic rivers. It was found that a clear and perceptible multidimensional organization of the landscape for assessing 'quality' was possible using remote sensing sources. Attention is given to the value of high altitude infrared color photography and Landsat imagery. G.R.

A78-34903 * # Effect of sun elevation upon remote sensing of ocean color over an acid waste dump site. W. E. Bressette (NASA, Langley Research Center, Hampton, Va.). *Annual Remote Sensing of Earth Resources Conference, 7th, University of Tennessee, Tullahoma, Tenn., Mar. 27-29, 1978, Paper.* 16 p. 5 refs.

Photographic flights were made over an ocean acid waste dump site while dumping was in progress. The flights resulted in wide angle, broadband, spectral radiance film exposure data between the wavelengths of 500 to 900 nanometers for sun elevation angles ranging from 26 to 42 degrees. It is shown from densitometer data that the spectral signature of acid waste discharged into ocean water can be observed photographically, the influence of sun elevation upon remotely sensed apparent color can be normalized by using a single spectral band ratioing technique, and photographic quantification and mapping of acid waste through its suspended iron precipitate appears possible. (Author)

A78-35020 Symposium on Application of Remotely Sensed Data to Land Resources Planning, Ann Arbor, Mich., May 20, 1977, Proceedings. Symposium sponsored by the American Institute of Aeronautics and Astronautics and Bendix Corp. Edited by W. J. Pollard. Ann Arbor, Mich., Bendix Corp., 1977. 93 p.

This paper represents a conference on land use planning based on data obtained by remote sensing. Attention is given to the Michigan area, noting local and regional attitudes toward remote sensing applications, as well as legislative implications for the use of remote sensing data, especially mapping. Also discussed are studies of trees and ground cover from color and IR photography. D.M.W.

A78-35684 A study of gaseous pollutants in the Houston, Texas area. S. J. Gordon (Northrop Services, Inc., Research Triangle Park, N.C.) and S. A. Meeks (U.S. Environmental Protection Agency, Chemistry and Physics Laboratory, Research Triangle Park, N.C.). *AIChE Symposium Series*, vol. 73, no. 165, 1977, p. 84-94.

A78-36268 Guidelines for using Landsat data for rural land use surveys in developing countries. J. L. van Genderen, P. A. Vass (Fairey Surveys, Ltd., Maidenhead, Berks., England), and B. F. Lock (Salisbury College of Advanced Education, Adelaide, Australia). *ITC Journal*, no. 1, 1978, p. 30-49. 17 refs. Research supported by the University of Sheffield.

A viable methodology is described which can provide suitable guidelines for the operational production of small-scale rural land use maps of semiarid developing regions from Landsat MSS imagery using inexpensive and unsophisticated techniques. The methodology is divided into two stages: (1) preoperational, involving the careful selection of the appropriate interpretation techniques and imagery; and (2) operational, in which the actual land use map is produced. As the Landsat MSS imagery system permits regular synoptic coverage of the earth's surface, it provides an ideal method for establishing a satisfactory data base and further monitoring of land use changes over large areas. The suggested imagery and interpretation techniques consisting of color composites and monocular magnification are found to be the simplest, fastest and most versatile method. The criteria and hierarchical structure presented in the USGS Circular 671 are found to be acceptable as a general basis for researchers and organizations intending to develop systems for their own regions. S.D.

A78-36303 Airborne monitoring of surface water pollutants by fluorescence spectroscopy. M. P. F. Bristow (Department of Energy, Mines and Resources, Canada Centre for Remote Sensing, Ottawa, Canada). *Remote Sensing of Environment*, vol. 7, Apr. 1978, p. 105-127. 13 refs.

An airborne laserfluorosensor has been used to record fluorescence profiles of a controlled oil spill and of the river effluent from a pulp and paper mill. A pulsed ultraviolet laser is used as the excitation source in conjunction with a telescope receiver and photomultiplier detector. The complete system, including power supplies and monitoring and recording equipment, was installed and flown on a DC-3 aircraft. The fluorescence profiles exhibited excellent signal-to-noise ratios and ground resolution, thereby providing for good discrimination between targets of different fluorescence quantum efficiency. By making a number of passes over a particular target area, it has been shown that the measured fluorescence profiles demonstrate target changes both in space and time. Information gained from these remote sensing measurements has provided data for use in the design of an advanced laserfluorosensor capable of recording fluorescence spectra and decay time data in addition to fluorescence profiles similar to those presented here. (Author)

A78-36648 * Mapping of chlorophyll a distributions in coastal zones. R. W. Johnson (NASA, Langley Research Center, Hampton, Va.). *Photogrammetric Engineering and Remote Sensing*, vol. 44, May 1978, p. 617-624. 13 refs.

It is pointed out that chlorophyll a is an important environmental parameter for monitoring water quality, nutrient loads, and pollution effects in coastal zones. High chlorophyll a concentrations occur in areas which have high nutrient inflows from sources such as sewage treatment plants and industrial wastes. Low chlorophyll a concentrations may be due to the addition of toxic substances from industrial wastes or other sources. Remote sensing provides an opportunity to assess distributions of water quality parameters, such as chlorophyll a. A description is presented of the chlorophyll a analysis and a quantitative mapping of the James River, Virginia. An approach considered by Johnson (1977) was used in the analysis. An application of the multiple regression analysis technique to a data set collected over the New York Bight, an environmentally different area of the coastal zone, is also discussed. G.R.

A78-36918 Remote pollution probing by laser-induced luminescence techniques. R. E. Grojean, J. A. Sousa, J. F. Roach, E. F. Wyner, and M. Nakashima (U.S. Army, Equipment and Materials Engineering Laboratory, Natick, Mass.). *Optical Engineering*, vol. 17, Mar.-Apr. 1978, p. 139-142. 10 refs.

The general problem of remote detection for laser stimulated luminescent systems is considered. A simple optical model is employed to calculate the maximum practical range of detection for several such luminescent systems. Some experimental verification of

the model is included. Consideration is also given to the practicality of using such a system for the remote detection of casual oil spills. The results of this study indicate that laser-induced fluorescence is a practical technique for the remote detection of pollutants. The ranges calculated from the simplified model are, in general, greater than those reported in the literature, but appear to be realizable.

(Author)

A78-36920 **Detection of atmospheric pollutants by quantitative analytical spectroscopy using a continuously scanned tunable dye laser.** Y. Fujii and T. Masamura (Tokyo, University, Tokyo, Japan). *Optical Engineering*, vol. 17, Mar.-Apr. 1978, p. 147-152.

A78-36921 **Use of the Fast Fourier Transform in evaluation of laser Raman and fluorescence decay times.** C. N. Bressel, S. R. Wisotsky (Avco Everett Research Laboratory, Inc., Everett, Mass.), and W. E. Vander Velde (MIT, Cambridge, Mass.). *Optical Engineering*, vol. 17, Mar.-Apr. 1978, p. 153-155. Research supported by the Avco Everett Research Laboratory.

Two methods have been proposed for remote identification of oil slicks on water using an airborne lidar system. Both techniques require estimating the time decay of physical quantities from the measured return signal pulse. The purpose of this paper is to suggest the use of a Fast Fourier Transform technique to deconvolve the oil-fluorescence-on-water Raman decay time from the return pulse. This is a convolution of the required time varying signal with pulse shape, pulse broadening due to surface scattering, and instrument response. It is shown that the method yields results in agreement with those of Measures, Houston and Stephenson. The FFT method is faster and requires little storage and could be implemented in real time on airborne minicomputers or microcomputers.

(Author)

A78-37180 * **Analytical inversions in remote sensing of particle size distributions. I - Multispectral extinctions in the anomalous diffraction approximation. II - Angular and spectral scattering in diffraction approximations.** A. L. Fymat (California Institute of Technology, Jet Propulsion Laboratory, Pasadena, Calif.). *Applied Optics*, vol. 17, June 1, 1978, p. 1675-1678. 23 refs.

Consideration is given to analytical inversions in the remote sensing of particle size distributions, noting multispectral extinctions in anomalous diffraction approximation and angular and spectral scattering in diffraction approximation. A closed-form analytical inverse solution is derived in order to reconstruct the size distribution of atmospheric aerosols. The anomalous diffraction approximation to Mie's solution is used to describe the particles. Experimental data yield the geometrical area of aerosol polydispersion. Size distribution is thus found from a set of multispectral extinction measurements. In terms of the angular and spectral scattering of light in a narrow forward cone, it is shown that an analytical inverse solution may also be found for the Fraunhofer approximation to the Kirchhoff diffraction, and for an improved expression of this approximation due to Penndorf (1962) and Shifrin-Punina (1968).

S.C.S.

A78-37304 **The net radiation budget of the St. Louis metropolitan area.** J. M. White, F. D. Eaton, and A. H. Auer, Jr. (Wyoming, University, Laramie, Wyo.). *Journal of Applied Meteorology*, vol. 17, May 1978, p. 593-599. 9 refs. U.S. Environmental Protection Agency Grant No. R-800875; NSF Grant No. AEN-73-07881.

Ground and aircraft measurements of the shortwave and longwave radiative components were taken to derive the daily evolution of net radiation, and each of its components, during cloudless summer days in the St. Louis metropolitan area (Project METROMEX). Distinct divisional patterns are seen in the reflected solar radiation, emitted radiation and net radiation between the urban and rural land use types. Solar noontime albedo values varied from 15-17% for rural land uses in contrast to 12-13% for most urban land uses. An extreme difference of 15 K in maximum infrared surface temperatures occurred between industrial and undeveloped land uses. These two land uses also exhibited extreme differences in

net radiation. Generally, the change in reflected, emitted and net radiative components showed some correlation with the amount of vegetative coverage within each land use.

(Author)

A78-37309 **Correlation of land use and cover with meteorological anomalies.** A. H. Auer, Jr. (Wyoming, University, Laramie, Wyo.). *Journal of Applied Meteorology*, vol. 17, May 1978, p. 636-643. 33 refs. U.S. Environmental Protection Agency Grant No. R-800875; NSF Grant No. AEN-73-07881.

Low-level airborne mapping and photography are used to establish the land use mosaic for metropolitan St. Louis. Attention is focused on identifying certain features of the land use in St. Louis that are unique and may be meteorologically significant in explaining some thermodynamic, kinematic and radiative anomalies associated with the overriding atmosphere of the metropolitan St. Louis. A meteorologically oriented classification of land use and cover is presented which provides as much compatibility as possible with other classification systems currently used by the various federal agencies involved in land use inventory and mapping. The proposed classification system satisfies the three major attributes of the classification process outlined by Grigg (1965): it gives names to categories by simply using accepted terminology, it enables the classification scheme to be transferable, and it allows inductive generalizations to be made. The classification system has the potential of further refinement on the basis of more extended and varied use.

S.D.

A78-38873 # **Remote monitoring of environmental pollution (Distantionnyi monitoring zagriazneniia okruzhaiushchei sredy).** I. M. Nazarov and Sh. D. Fridman (Glavnoe Upravlenie Gidrometeorologicheskoi Sluzhby SSSR, Institut Prikladnoi Geofiziki, Moscow, USSR). *Meteorologiya i Gidrologiya*, Apr. 1978, p. 45-57. 26 refs. In Russian.

Several new trends in the use of remote sensing techniques for monitoring environmental pollution are discussed. The method of determining mean concentration of polluting gas on long paths by measuring resonant absorption of laser radiation or radiation from a thermal source is described. The method of differential laser absorption for measuring the spatial distribution of gas and aerosol concentration is also described. The method of single-frequency laser probing of atmospheric aerosols is also considered. The basic principles behind the remote gamma spectral method of monitoring radioactive pollution of soil are recalled.

P.T.H.

A78-39631 **Planned operation of a multidisciplinary airborne lidar.** W. Renger and G. H. Ruppertsberg (Deutsche Forschungs- und Versuchsanstalt für Luft- und Raumfahrt, Institut für Physik der Atmosphäre, Oberpfaffenhofen, West Germany). In: *Laser 77 optoelectronics; Proceedings of the Conference, Munich, West Germany, June 20-24, 1977.* Guildford, Surrey, England, IPC Science and Technology Press, Ltd., 1977, p. 753-755.

The paper describes the planned operation of a combined airborne aerosol-differential absorption lidar. The instrumentation platform is the Meteorological Research Aircraft MYSTERE. Three operation areas within the FRG have been identified for model missions. These missions, which have nearly the same difficulties and solutions as future Spacelab experiments, shall demonstrate the feasibility and to which degree the given objectives can be met.

(Author)

A78-39632 **Flight-testing of a continuous laser remote sensing system (Flugerprobung eines kontinuierlichen Laser-Fernmess-Systems).** W. Wiesemann (Battelle-Institut, Frankfurt am Main, West Germany). In: *Laser 77 optoelectronics; Proceedings of the Conference, Munich, West Germany, June 20-24, 1977.*

Guildford, Surrey, England, IPC Science and Technology Press, Ltd., 1977, p. 756-762. In German.

02 ENVIRONMENTAL CHANGES AND CULTURAL RESOURCES

Flight-testing of a lidar system developed for airborne remote sensing of trace gases is described. The flight test involved a CO₂ laser; the signal-to-noise ratio of the system and the effects of various reflective surfaces (streets, forests, bodies of water) on the quality of the laser signal were assessed. Quantitative measurement of the specific absorption properties of atmospheric pollutants through use of the airborne lidar is also discussed. J.M.B.

A78-40183 * Tabular data base construction and analysis from thematic classified Landsat imagery of Portland, Oregon. N. A. Bryant (California Institute of Technology, Jet Propulsion Laboratory, Pasadena, Calif.), A. J. George, Jr. (Oregon State, Dept. of Environmental Quality, Portland, Ore.), and R. Hegdahl (Columbia Region Association of Governments, Portland, Ore.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings.

New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 313-318, 7 refs. Contract No. NAS7-100.

A systematic verification of Landsat data classifications of the Portland, Oregon metropolitan area has been undertaken on the basis of census tract data. The degree of systematic misclassification due to the Bayesian classifier used to process the Landsat data was noted for the various suburban, industrialized and central business districts of the metropolitan area. The Landsat determinations of residential land use were employed to estimate the number of automobile trips generated in the region and to model air pollution hazards. J.M.B.

A78-41232 Continuous in situ monitoring of ambient particulate sulfur using flame photometry and thermal analysis. W. G. Cobourn, R. B. Husar, and J. D. Husar (Washington University, St. Louis, Mo.). (*International Symposium on Sulfur in the Atmosphere, Dubrovnik, Yugoslavia, Sept. 7-14, 1977.*) *Atmospheric Environment*, vol. 12, no. 1-3, 1978, p. 89-98, 22 refs. U.S. Environmental Protection Agency Grants No. R-803896; No. R-803115.

A78-41254 Aerosol size distributions and aerosol volume formation for a coal-fired power plant plume. B. K. Cantrell and K. T. Whitby (Minnesota, University, Minneapolis, Minn.). (*International Symposium on Sulfur in the Atmosphere, Dubrovnik, Yugoslavia, Sept. 7-14, 1977.*) *Atmospheric Environment*, vol. 12, no. 1-3, 1978, p. 323-333, 14 refs. U.S. Environmental Protection Agency Grant No. R-803851-02.

A78-41280 Airborne sampling system for plume monitoring. D. L. Blumenthal, J. A. Ogren, and J. A. Anderson (Meteorology Research, Inc., Altadena, Calif.). (*International Symposium on Sulfur in the Atmosphere, Dubrovnik, Yugoslavia, Sept. 7-14, 1977.*) *Atmospheric Environment*, vol. 12, no. 1-3, 1978, p. 613-620, 30 refs. Research supported by the U.S. Environmental Protection Agency.

The instrumentation of the single-engine Cessna 206 used for the airborne sampling of plumes for Project MISTT (Midwest Interstate Sulfur Transformation and Transport) is described. On board aerosol instrumentation includes a condensation nuclei monitor, aerosol charge acceptance monitor, integrating nephelometer, electrical aerosol analyzer, optical particle counter, size-segregated filter sampler, and a wing-mounted impactor system. The size distribution sample inlet system is characterized, and a list of continuously monitored chemical compounds and physical parameters is presented. Advantages of the system include the ability to make a large number of simultaneous measurements and the operational procedures which allow rapid feedback of sampling results. M.L.

A78-41301 Experimental results on the SO₂ transfer in the Mediterranean obtained with remote sensing devices. P. Zettwoog and R. Haullet (Commissariat à l'Energie Atomique, Département de Protection, Fontenay-aux-Roses, Hauts-de-Seine, France). (*International Symposium on Sulfur in the Atmosphere, Dubrovnik, Yugoslavia, Sept. 7-14, 1977.*) *Atmospheric Environment*, vol. 12, no. 1-3, 1978, p. 795, 796.

A real-time air quality mapping system has been employed to acquire data on the emission of SO₂ from anthropogenic sources and volcanoes in the Mediterranean region. Included in the air quality monitoring system are a Barringer correlation spectrometer to measure overhead burdens of SO₂ and a teleanemometer to study plume flows. For the Western Mediterranean region, Mount Etna proves an important SO₂ source, exhibiting a mass flow rate from 1100 tons/day during low activity to 12,400 tons/day during eruptions. J.M.B.

A78-41462 Airborne lidar aerosol measurements during the ASSESS II mission. Ch. Werner, S. Dietz, H. Herrmann, F. Köpp, H. Löffler (Deutsche Forschungs- und Versuchsanstalt für Luft- und Raumfahrt, Institut für Physik der Atmosphäre, Oberpfaffenhofen, West Germany), and F. Bachstein (Deutsche Forschungs- und Versuchsanstalt für Luft- und Raumfahrt, Institut für Physik der Atmosphäre, Oberpfaffenhofen; FB Elektronik, Munich, West Germany). *Review of Scientific Instruments*, vol. 49, July 1978, p. 974-981, 15 refs. Research supported by the Deutsche Forschungs- und Versuchsanstalt für Luft- und Raumfahrt.

During May 1977 the Airborne Science Spacelab Experiments System Simulation (ASSESS II) took place, using the NASA CV 990 aircraft. A Nd:glass lidar system, measuring the aerosol mass concentration over large areas, was proxy operated by trained 'Payload Specialists.' The main part of this paper is concerned with the lidar experiment and its results. The participants in the mission viewed it as a tool for judging their spacelab science management and as the final stage of a guide for future planning of experiments. A general result that has emerged is that, for a real spacelab mission, the handling of remote sensing experiments should be fully automatic. (Author)

A78-43161 Remote sensing of air pollutants by correlation spectroscopy. Instrumental response characteristics. M. M. Millán and R. M. Hoff (Department of the Environment, Atmospheric Environment Service, Downsview, Ontario, Canada). *Atmospheric Environment*, vol. 12, no. 4, 1978, p. 853-864, 19 refs.

The philosophy behind the development of the correlation spectroscopic techniques now in use for the remote sensing of air pollutants is briefly examined. In order to focus attention on the operational characteristics common to most of these, dispersive as well as non-dispersive, sensors, the authors select one of the commercially available instruments to describe in certain detail how the instrumental design parameters, the available backgrounds or sources, and the geometry of the observation interact to affect the output signal. This work is intended to review the development of the selected instrumental technique, and also to alert the user about some factors which must be considered both with the gathering and during the analysis of the data collected with these types of sensors. (Author)

A78-43162 A kilometer pathlength Fourier-transform infrared system for the study of trace pollutants in ambient and synthetic atmospheres. E. C. Tuazon, R. A. Graham, A. M. Winer, R. R. Easton, J. N. Pitts, Jr. (California, University, Riverside, Calif.), and P. L. Hanst (U.S. Environmental Protection Agency, Research Triangle Park, N.C.). *Atmospheric Environment*, vol. 12, no. 4, 1978, p. 865-875, 37 refs. U.S. Environmental Protection Agency Grant No. 80-45-4601.

N78-23506*# Delaware Univ., Newark. College of Marine Studies.

DETERMINATION OF SPECTRAL SIGNATURES OF SUBSTANCES IN NATURAL WATERS Final Report

V. Klemas, W. Philpot, and G. Davis 1 Mar. 1978 100 p refs

(Grant NsG-1149)

(NASA-CR-156998) Avail: NTIS HC A05/MF A01 CSCL 08H

Optical remote sensing of water pollution offers the possibility of fast, large scale coverage at a relatively low cost. The possibility of using the spectral characteristics of the upwelling light from water for the purpose of ocean water quality monitoring was explained. The work was broken into several broad tasks as follows: (1) definition of a remotely measured spectral signature of water, (2) collection of field data and testing of the signature analysis, and (3) the possibility of using LANDSAT data for the identification of substances in water. An attempt to extract spectral signatures of acid waste and sediment was successful. Author

N78-23523*# California Earth Science Corp., Santa Monica. **ACTIVE AND INACTIVE FAULTS IN SOUTHERN CALIFORNIA VIEWED FROM SKYLAB**

P. M. Merifield and D. L. Lamar In NASA. John F. Kennedy Space Center Remote Sensing and the Earth Dec. 1977 p 205-225 refs Presented at the NASA Earth Resources Surv. Symp. Vol. 1B: Geol. and Inform., Houston, Tex., Jun. 1975

Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 08G

A number of prominent linears in basement terrane of the Peninsular Ranges appeared on Skylab images. In most cases, they were represented by straight or gently curved valleys; however, detailed field investigations have shown that several of these linears mark previously unmapped faults which form two distinct fault sets; one set trends northeast, the other west-northwest. No indications of recent movement were present on these faults which were truncated by seismically active, northwest trending fault zones such as the Elsinore and San Jacinto. Right-lateral separation is demonstrable on the northeast trending set. Author

N78-25498*# Ministry of Tourism and Wildlife, Nairobi (Kenya). **THE KENYA RANGELAND ECOLOGICAL MONITORING UNIT**

W. E. Stevens, Principal Investigator 15 Feb. 1978 17 p refs Sponsored by NASA ERTS

(E78-10132; NASA-CR-157011) Avail: NTIS HC A02/MF A01 CSCL 08B

The author has identified the following significant results. Methodology for aerial surveys and ground truth studies was developed, tested, and revised several times to produce reasonably firm methods of procedure. Computer programs were adapted or developed to analyze, store, and recall data from the ground and air monitoring surveys.

N78-25501*# Pennsylvania State Univ., University Park. Dept. of Meteorology.

APPLICATIONS OF HCMM SATELLITE DATA TO THE STUDY OF URBAN HEATING PATTERNS Quarterly Report

Toby N. Carlson, Principal Investigator 1 Jun. 1978 8 p refs ERTS

(Contract NAS5-24264)

(E78-10135; NASA-CR-157147; OR-2) Avail: NTIS HC A02/MF A01 CSCL 13B

N78-25509# Minnesota Univ., Minneapolis.

ASSESSMENT OF WATER QUALITY STATUS AND TRENDS IN MINNESOTA BY REMOTE SENSING TECHNIQUES

Kenneth N. Brooks, Arnett C. Mace, Jr., and Merle P. Meyer Dec. 1977 66 p refs

(PB-277822; W78-04105) Avail: NTIS HC A04/MF A01 CSCL 08H

Aerial photography, with limited field sampling, was investigated as a practical alternative to estimate the water quality of ten lakes in the Minneapolis and St. Paul metropolitan area of Minnesota. These ten lakes represented a wide diversity of trophic state and were sampled for color, turbidity, suspended sediment, chlorophyll, phytoplankton numbers, and Secchi disk depth. Regression equations for these water quality indicators were based on film transmittance of black and white panchromatic (2402), color (2448) and color infrared (2443) films as measured with a VP-8 image analyzer. Statistically significant prediction equations were developed for Secchi disk depth, turbidity and color. Variability of transmittance readings with time required that a specific set of procedures be followed for practical application. Procedures are outlined which allow film transmittance to be used to estimate Carlson's Trophic State Index. GRA

N78-26439# Technische Universitaet, Munich (West Germany). **REMOTE SENSING USING TUNABLE LASERS**

K. W. Rothe and H. Walther 1977 15 p refs

(AED-Conf-77-165-002) Avail: NTIS (US Sales Only) HC A02/MF A01; DoE Depository Libraries

Summarizing the present situation of pollution monitoring by means of LIDAR it can be said that it is proven that the differential absorption method is the most sensitive technique known at present. TEA lasers are suitable light sources for a general application in the infra-red spectral region. The sensitivity which can be expected with those lasers allows to probe the atmosphere in the vicinity of chemical factories or other pollution sources over distances of about 3 km. Further improvements are possible e.g. by the use of heterodyne detection or by the use of frequency up-conversion for signal detection. A considerable step forward can still be expected when continuously tunable lasers as e.g. parametric oscillators of sufficient output are used for the measurements. ERA

N78-27614*# Old Dominion Univ., Norfolk, Va. Dept. of Physics and Geophysical Sciences.

AN EXPERIMENTAL/ANALYTICAL PROGRAM TO ASSESS THE UTILITY OF LIDAR FOR POLLUTION MONITORING Final Report, 1 Sep. 1976 - 31 Oct. 1977

Frank S. Mills, Robert J. Allen, Carolyn F. Butler, and Earl C. Kindle Jun. 1978 46 p refs

(Grant NsG-1343)

(NASA-CR-157302; PGSTR-AP78-9) Avail: NTIS HC A03/MF A01 CSCL 13B

The development and demonstration of lidar techniques for the remote measurement of atmospheric constituents and transport processes in the lower troposphere was carried out. Particular emphasis was given to techniques for monitoring SO₂ and particulates, the principal pollutants in power plant and industrial plumes. Data from a plume dispersion study conducted in Maryland during September and October 1976 were reduced, and a data base was assembled which is available to the scientific community for plume model verification. A UV Differential Absorption Lidar (DIAL) was built, and preliminary testing was done. L.S.

N78-27654# Laser Analytics, Inc., Lexington, Mass.

SPECTRAL MEASUREMENTS OF GASEOUS SULFURIC ACID USING TUNABLE DIODE LASERS Final Report, Nov. 1976 - Jul. 1977

Richard S. Eng, Kenneth W. Nill, and Jack F. Butler Feb. 1978 74 p refs

(Contract EPA-68-02-2482)

(PB-278985/7; EPA-600/2-78-019) Avail: NTIS HC A04/MF A01 CSCL 07D

02 ENVIRONMENTAL CHANGES AND CULTURAL RESOURCES

Using a tunable diode laser spectrometer with a spectral resolution of about 10 to the -4 power/cm, the important central portions of the two infrared absorption bands of H₂SO₄ at 8.2 micrometers and 11.3 micrometers were scanned at low pressure and at atmospheric nitrogen pressure. Maximum absorption coefficients were measured to be 6.5/cm/atm and 6.9/cm/atm at the 8.2 micrometer and 11.3 micrometer bands, respectively. Interference spectra of SO₂, CO₂, and H₂O near the H₂SO₄ absorption peaks at 1222/cm and 880/cm were scanned using a 1.1 m cell at 200C to determine interference free regions. A spectroscopic method was used to measure the partial pressures of H₂SO₄, SO₃, and H₂O vapors above azeotropes of H₂SO₄ at 107 C, 150 C and 200 C. The expected performance characteristics of an H₂SO₄ tunable diode laser stack monitor are considered on the basis of the above results.

GRA

GEODESY AND CARTOGRAPHY

Includes mapping and topography.

A78-34217 Antarctic mapping from satellite imagery. C. Swithinbank (British Antarctic Survey, Cambridge, England) and C. Lane (Directorate of Overseas Survey, Surbiton, Surrey, England). In: Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, Bristol, England, April 5-9, 1976. London, Butterworth and Co. (Publishers), Ltd., 1977, p. 212-221.

The mapping of Antarctica has been proceeding too slowly. There is an urgent need for 1:250,000 scale reconnaissance maps to position the results of 30 years of geological, geophysical and glaciological investigation; to give a planimetric base for aeronautical and hydrographic charts; to provide a bench-mark against which to measure future changes in the position of glacier margins; and to yield the first-ever small scale maps almost free from plottable errors. Studies of the value of Landsat imagery as a substitute for conventional mapping led to the publication of seven 1:250,000 scale map sheets. This was probably the first series of maps of any part of the world for which planimetric detail was taken entirely from satellite imagery. Each map was produced in two editions: one a direct half-tone reproduction of Band 7 multispectral scanner imagery, with added graticule, symbols, spot heights, and place names; the other an interpretative line drawing traced from both Band 4 and Band 7 imagery. (Author)

A78-34391 # Geodetic connection of materials from a non-photographic aerial survey (Geodezicheskaya privyazka materialov nefotograficheskoi aeras'emkii). V. I. Akovetskii, Iu. N. Korneev, and A. S. Sergeev (Moskovskii Institut Inzhenerov Geodezii, Aero-fotos'emki i Kartografii, Moscow, USSR). *Geodeziia i Aero-fotos'emka*, no. 6, 1977, p. 72-81. In Russian.

Consideration is given to techniques for the geodetic connection of materials from nonphotographic (i.e., radar, television, infrared, laser) aerial surveys. An algorithm is developed for determining the coordinates of place objects. The effects of vertical refraction and the curvature of the earth are taken into account. The technique is discussed with reference to applications in cartography, geology, hydrology, land reclamation, and agriculture. S.C.S.

A78-34393 # The relation between the point coordinates of a place and its imagery for a pair of radar images (Zavisimost' mezhdu koordinatami tochki mestnosti i ee izobrazhenii na pare radiolokatsionnykh snimkov). Iu. N. Korneev. *Geodeziia i Aero-fotos'emka*, no. 6, 1977, p. 87-91. In Russian.

Two methods for creating stereoscopic radar images are discussed. In the first the radar survey of a single locality or object is made during carrier flights from two sides. In the second the survey is conducted on a single side of the object but at two different heights. A formula, derived for the relation between the point coordinates of the object or locality and its imagery, is applied to the sets of images. It is noted that the coordinates depend solely on the angular elements of the orientation antenna in the right or the upper image. S.C.S.

A78-34868 A computer processed Landsat land cover map of North Dakota. R. D. Mower and M. L. Heinrich (North Dakota, University, Grand Forks, N. Dak.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 295-307. 5 refs. Research supported by Bendix Corp. and North Dakota Regional Environmental Assessment Program.

The Bendix Aerospace Systems Division and the University of North Dakota Institute for Remote Sensing (UNDIRS) collaborated with the North Dakota Regional Environmental Assessment Program (REAP) to produce a land cover map at a scale of 1:500,000 for the State of North Dakota. The map was produced from Landsat digital data processed by a Bendix Multispectral Data Analysis System (MDAS). Each pixel (1.12 acres) is classified and portrayed in colors representing either one of ten selected land cover categories or an uncategorized class. The ten land cover categories are as follows: (1) Built-up, (2) Cropland, (3) Fallow, (4) Exposed Subsoil or Saline Seep, (5) Rangeland, (6) Rangeland, Pasture, and Agricultural (Mixed), (7) Forest, (8) Water, (9) Wetland, and (10) Barren.

(Author)

A78-34874 An all-purpose change-detection and recording system. J. B. Theis (Bausch and Lomb, Inc., Rockville, Md.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 375-406. 68 refs.

A graphical data transfer instrument useful for updating maps on the basis of aerial photographs is described. The change-detection and transfer instrument incorporates a magnification feature to match photograph and map scales, and an anamorphic feature to compensate for geometric anomalies in photographic imagery. The device has been used to process cloud images from the Synchronous Meteorological Satellite, aerial photographs of a coastal zone, and multispectral scanner imagery of forests. J.M.B.

A78-36051 International Symposium on Geodesy and Physics of the Earth, 3rd, Weimar, East Germany, October 25-31, 1976, Proceedings. Parts 1, 2 & 3. Edited by H. Kautzleben (Deutsche Akademie der Wissenschaften, Zentralinstitut für Physik der Erde, Potsdam, East Germany), A. G. Masevich (Akademii Nauk SSSR, Astronomicheskii Sovet, Moscow, USSR), E. Tengström, and E. Buschmann. Potsdam, Deutsche Akademie der Wissenschaften, Zentralinstitut für Physik der Erde (Zentralinstitut für Physik der Erde, Veröffentlichungen, No. 52, pts. 1-3), 1977. Pt. 1, 232 p.; pt. 2, 453 p.; pt. 3, 394 p. In English, German, Russian, and French.

The papers presented contribute new studies on the realization and analysis of space geodesy, monitoring geodetic networks, theory of gravity and the geopotential, and geodynamics. Topics covered include post-Newtonian correction to the dynamics of the earth-moon system and their significance for relativistic gravitational theories, relationships between recent vertical movements of the earth's surface and deep crustal structure, determining the coordinates of geodetic stations by the method of large chords, determination of secular motion of the poles from satellite observations, determination of the free boundary in potential theory, investigations of earth tides, interpolation of deflection of the vertical from horizontal gradients of gravity, and long-period waves and tilts of the earth's surface preceding a strong earthquake. P.T.H.

A78-36078 # Investigations of earth tides at Tiefenort. M. M. Schneider and D. Simon (Deutsche Akademie der Wissenschaften, Zentralinstitut für Physik der Erde, Potsdam, East Germany). In: International Symposium on Geodesy and Physics of the Earth, 3rd, Weimar, East Germany, October 25-31, 1976, Proceedings. Part 2. Potsdam, Deutsche Akademie der Wissenschaften, Zentralinstitut für Physik der Erde, 1977, p. 499-510. 11 refs.

The Tiefenort earth-tide station is located about 300-m underground and incorporates systems of tilt meters and strain meters for the continuous recording of ground deformations. Photographs are presented of some of the equipment. B.J.

A78-36269 **Transfer functions of interpolation methods.** K. Tempfli and B. Makarovic (International Institute for Aerial Survey and Earth Sciences, Enschede, Netherlands). *ITC Journal*, no. 1, 1978, p. 50-80. 9 refs.

The growing impact of digital terrain models in photogrammetry, cartography and civil engineering has significantly enhanced the role of the interpolation methods (IMs). The present study aims primarily at evaluating the performance of IMs in general. No assumption is made in regard to the type of terrain relief, but sampling is assumed to be homogeneous at equal steps. For this purpose, a special analytical numerical approach is formulated and applied to the computation of transfer functions; these functions are particularly suitable for comparative studies of different IMs. The computational effort for the transfer functions is reduced by simplifying the problem to univariate (two-dimensional) data. As input a sinusoid is used which is the elementary unit in the Fourier-transform domain. The interpolation algorithms are classified into piecewise polynomials, moving averages, and linear least-squares methods. It is shown that fidelity depends primarily on the sampling interval while the complexity of the interpolation algorithm is less influential, and that the time efficiency depends mainly on the number of reference points involved in each interpolation cycle. S.D.

A78-37598 # **Constructing locality profiles by a photogrammetric method (Postroenie profilei mestnosti fotogrammetricheskim metodom).** V. I. Pavlov. Leningrad, Izdatel'stvo Nedra, 1977. 96 p. 35 refs. In Russian.

The handbook describes the plotting of locality profiles using data from aerial photographs and digital models. Based on differential formulas, expressions are found for the errors in linear profile points. A theory of constructing profiles according to the surveys of two aerial photographs, a series of aerial photographs, and digital models is outlined. Techniques for constructing locality profiles by analog devices are reviewed, noting that they may be used for planning the location of high-voltage power lines. Attention is also given to the determination of corrections for the relief in gravimetric observations by a stereophotogrammetric method. S.C.S.

A78-37888 # **Aerial phototopography /2nd enlarged edition/ (Aerofototopografiia /2nd enlarged edition/).** A. N. Lobanov. Moscow, Izdatel'stvo Nedra, 1978. 576 p. 23 refs. In Russian.

Topics considered include the analysis of single photographs and stereo pairs, means of measuring photographs, phototransformation of photographs and composition of photographic maps, and analytic and analogic spatial phototriangulation. Phototransformers, mono-comparators, stereocomparators, and multipurpose stereo-photographic devices are described. The composition of maps and orthophotic maps by use of multipurpose stereo equipment is explained. M.L.

A78-37889 # **Use of earth satellites for the construction of geodetic networks (Ispol'zovanie iskusstvennykh sputnikov zemli dlia postroeniia geodezicheskikh setei).** E. G. Boiko, B. M. Klenitskii, I. M. Landis, and G. A. Ustinov. Moscow, Izdatel'stvo Nedra, 1977. 376 p. 141 refs. In Russian.

The construction of geodetic networks is discussed with attention to the use of data from geosynchronous and nongeosynchronous satellites. Coordinate systems and their transformations, satellite motion, and the processing of observational data are discussed, and the principles of constructing and smoothing geodetic networks are explained. The optimum conditions for constructing a geodetic network are considered, and procedures for estimating the precision are presented. M.L.

A78-37981 **Design of satellite constellations for optimal continuous coverage.** D. C. Beste (General Research Corp., Santa Barbara, Calif.). *IEEE Transactions on Aerospace and Electronic Systems*, vol. AES-14, May 1978, p. 466-473. 8 refs.

A satellite-borne sensor can view a region at or above the earth's surface. The size of this region depends on the satellite's altitude, the maximum range and scan angle of the sensor, the minimum above-the-horizon viewing angle required, the extent in altitude of the region to be viewed, and the maximum altitude of sensor obscuration by the atmosphere. Except for geosynchronous satellites this region moves relative to the earth, so that constellations of satellites are generally necessary for continuous coverage. Satellite constellations which minimize the number of satellites required for continuous coverage are derived as a function of the angle (ψ) subtended at the earth's center by the coverage of a single satellite. This is done for single and triple continuous coverage of the entire earth and of the polar regions extending to arbitrary latitude. Simple, cogent approximations for the configurations and numbers of satellites are found. Expressions which relate sensor capabilities and surveillance requirements to ψ are presented. Examples are given to illustrate the use and accuracy of the results. (Author)

A78-38064 # **The employment of auxiliary data in the photogrammetric survey of regions without control points (Verwendung von Hilfsdaten bei der photogrammetrischen Vermessung passpunktfreier Gebiete).** Y. Erkanli. Darmstadt, Technische Hochschule, Dr.-Ing. Dissertation, 1977. 143 p. 90 refs. In German.

The possibilities of an employment of auxiliary data for aerial photogrammetry are discussed. It is found that a direct determination of the data of external orientation without an employment of geodetic control points is, in principle, feasible. However, such a determination cannot be recommended for economic reasons. Particular attention is given to the employment possibilities for Airborne-Profile-Recorder (APR) data for aerial photogrammetry. In the considered applications, flight altitude data measured above ground are used, in place of geodetic position and altitude control points, as reference lengths for the determination of the model or plotting scale. APR altitudes are also used as altitude control points for the manufacture of maps with a scale of 1:5000. The implementation of the discussed procedures is illustrated with the aid of a practical example involving the photogrammetric survey of regions without control points on the basis of an employment of APR data. The accuracy of laser and radar-APR measurements is compared by taking into account the results of aerotriangulation studies. G.R.

A78-38217 **The definition of the telluroid.** E. W. Grafarend (München, Universität, Neubiberg, West Germany). *Bulletin Gèodésique*, vol. 52, no. 1, 1978, p. 25-37. 15 refs.

The three-dimensional mapping of the earth surface onto the best approximative figure, the telluroid, is analyzed by computing the three-dimensional mapping equations and the distortion tensor of Lagrangian and Eulerian type. The angular distortion is given in terms of the distortion tensor. Special emphasis is on the isoparametric mapping called IST. As a by-product the geodetic boundary value problem is formulated in three dimensions. (Author)

A78-40460 # **Current status and developmental trends of satellite geodesy (Stan aktualny oraz kierunki rozwoju geodezji satelitarnej).** W. Baran (Akademia Rolniczo-Techniczna, Olsztyn, Poland). (*Polskie Towarzystwo Astronomiczne, Meeting, 18th, Olsztyn, Poland, Sept. 21, 1977.*) *Postępy Astronomii*, vol. 26, Jan.-Mar. 1978, p. 3-17. 27 refs. In Polish.

Geometrical and dynamic methods of satellite geodesy are examined, and their principal features are outlined. It is shown how geometrical methods can be used to precisely define a space triangulation net formed by satellite ground stations. Dynamic methods, i.e., analysis of satellite motion, are applied to the determination of the nonuniformities of the earth's gravitational field. It is also shown how higher-order coefficients of an expansion of the gravitational potential in series of spherical functions can be determined from contemporary observations. V.P.

A78-41191* Landsat applied to landslide mapping. D. J. Sauchyn and N. R. Trench (Colorado, University, Boulder, Colo.). *Photogrammetric Engineering and Remote Sensing*, vol. 44, June 1978, p. 735-741. 7 refs. Contract No. NAS5-20914.

A variety of features characteristic of rotational landslides may be identified on Landsat imagery. These include tonal mottling, tonal banding, major and secondary scarps, and ponds. Pseudostereoscopic viewing of 9 by 9 in. transparencies was useful for the detailed identification of landslides, whereas 1:250,000 prints enlarged from 70 mm negatives were most suitable for regional analysis. Band 7 is the most useful band for landslide recognition, due to accentuation of ponds and shadows. Examination of both bands 7 and 5, including vegetation information, was found to be most suitable. Although, given optimum terrain conditions, some landslides in Colorado may be recognized, many smaller landslides are not identifiable. Consequently, Landsat is not recommended for detailed regional mapping, or for use in areas similar to Colorado, where alternative (aircraft) imagery is available. However, Landsat may prove useful for preliminary landslide mapping in relatively unknown areas. (Author)

N78-22456# National Geodetic Survey, Rockville, Md.
ESTABLISHMENT OF CALIBRATION BASE LINES

Joseph F. Dracup Aug. 1977 29 p refs
(PB-277130/1; NOAA-77122102; NOAA-TM-NOS-NSG-8)
Avail: NTIS HC A03/MF A01 CSCL 08E

The calibration of electronic distance measuring instruments involves the determination or verification of instrument constants and the assurance that the measured distances meet accuracy specifications. The verification effort is reduced when an accurately measured distance can be used. However, to assure that an instrument is measuring properly, a known distance of high accuracy, or preferably, a sequence of distances forming a calibration range or base line is required. Specifications and recommendations on the establishment of calibration base lines are described in some detail. GRA

N78-23507*# Ohio State Univ. Research Foundation, Columbus.
THE PREDICTION AND MAPPING OF GEODAL UNDULATIONS FROM GEOS-3 ALTIMETRY

William Kearsley Wallops Island, Va. NASA. Wallops Flight Center Apr. 1978 52 p refs
(Contract NAS6-2484)
(NASA-CR-141439) Avail: NTIS HC A04/MF A01 CSCL 08B

From the adjusted altimeter data an approximation to the geoid height in ocean areas is obtained. Methods are developed to produce geoid maps in these areas. Geoid heights are obtained for grid points in the region to be mapped, and two of the parameters critical to the production of an accurate map are investigated. These are the spacing of the grid, which must be related to the half-wavelength of the altimeter signal whose amplitude is the desired accuracy of the contour; and the method adopted to predict the grid values. Least squares collocation was used to find geoid undulations on a 1 deg grid in the mapping area. Twenty maps, with their associated precisions, were produced and are included. These maps cover the Indian Ocean, Southwestern and Northeastern portions of the Pacific Ocean, and Southwest Atlantic and the U.S. Calibration Area.

Author

N78-23518*# Geological Survey, Washington, D. C.
CHANGE IN LAND USE IN THE PHOENIX (1:250,000) QUADRANGLE, ARIZONA BETWEEN 1970 AND 1973: ERTS AS AN AID IN A NATIONWIDE PROGRAM FOR MAPPING GENERAL LAND USE

John L. Place /in NASA. John F. Kennedy Space Center Remote Sensing and the Earth Dec. 1977 p 117-146 refs Presented at the 3d Earth Resource Technol. Satellite-1 Symp. Vol. 1: Tech. Presentation Sect. A, Washington, D. C., Dec. 1973
Avail: NTIS MF A01; HC avail. from the School Board of

Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 08B

Satellite imagery was used to revise existing land use maps outdated by new residential developments, croplands, and reservoir fill up during a period of dynamic growth in Phoenix, Arizona.

Author

N78-23534*# Florida Inst. of Tech., Melbourne. Center for Coastal Zone Research.

LAND USE AND LAND COVER MAPPING: CITY OF PALM BAY, FLORIDA Final Report

Diane D. Barile and Robert Pierce Nov. 1977 58 p Sponsored by NASA. Kennedy Space Center Original contains color illustrations
(NASA-CR-154625) Avail: NTIS HC A04/MF A01 CSCL 08B

Two different computer systems were compared for use in making land use and land cover maps. The Honeywell 635 with the LANDSAT signature development program (LSDP) produced a map depicting general patterns, but themes were difficult to classify as specific land use. Urban areas were unclassified. The General Electric Image 100 produced a map depicting eight land cover categories classifying 68 percent of the total area. Ground truth, LSDP, and Image 100 maps were all made to the same scale for comparison. LSDP agreed with the ground truth 60 percent and 64 percent within the two test areas compared and Image 100 was in agreement 70 percent and 80 percent. Author

N78-24410# Air Force Academy, Colo. Dept. of Economics, Geography and Management.

THE UTILIZATION - SIDE LOOKING AIRBORNE RADAR (SLAR) IN THE ANALYSIS OF KARST TOPOGRAPHY Final Report

Charles L. Smith and A. Paul Tribble Sep. 1977 37 p refs
(AD-A051330; USAFA-TR-77-13) Avail: NTIS HC A03/MF A01 CSCL 17/9

Characteristics of mechanical and synthetic radar systems are reviewed. Signature elements of Karst topography such as a vertical drainage pattern, knobs, and sinkholes are identified for Side Looking Airborne Radar (SLAR) imagery. SLAR imagery of the Kentucky Pennyroyal and Karst areas in Florida is presented with the signature elements highlighted. Applications of SLAR imagery to the identification and mapping of Karst areas in physically, climatologically, or politically inaccessible areas are addressed. Author (GRA)

N78-24600*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, Md.

THE EARTH'S GRAVITY FIELD AND OCEAN DYNAMICS

R. S. Mather May 1978 39 p refs Presented at 7th Symp. on Mathematical Geodesy (4th Hotine Symp.), Assisi, Italy, 8-10 Jun. 1978 Submitted for publication
(NASA-TM-79540) Avail: NTIS HC A03/MF A01 CSCL 08G

An analysis of the signal-to-noise ratio of the best gravity field available shows that a basis exists for the recovery of the dominant parameters of the quasi-stationary sea surface topography. Results obtained from the analysis of GEOS-3 show that it is feasible to recover the quasi-stationary dynamic sea surface topography as a function of wavelength. The gravity field models required for synoptic ocean circulation modeling are less exacting in that constituents affecting radial components of orbital position need not be known through shorter wavelengths. Author

N78-24602# Massachusetts Inst. of Tech., Cambridge. Artificial Intelligence Lab.

USING SYNTHETIC IMAGES TO REGISTER REAL IMAGES WITH SURFACE MODELS

Berthold K. P. Horn and Brett L. Bachman Aug. 1977 53 p refs
(Contract N00014-75-C-0643)
(AD-A052512; AI-M-437) Avail: NTIS HC A04/MF A01 CSCL 09/4

03 GEODESY AND CARTOGRAPHY

A number of image analysis tasks can benefit from registration of the image with a model of the surface being imaged. Automatic navigation using visible light or radar images requires exact alignment of such images with digital terrain models. In addition, automatic classification of terrain, using satellite imagery, requires such alignment to deal correctly with the effects of varying sun angle and surface slope. Even inspection techniques for certain industrial parts may be improved by this means. The required alignment is achieved by matching the real image with the synthetic image obtained from a surface model and known positions of the light sources. The synthetic image intensity is calculated using the reflectance map, a convenient way of describing surface reflection as a function of surface gradient. The technique is illustrated using LANDSAT images and digital terrain models. GRA

N78-24776* # Applied Physics Lab., Johns Hopkins Univ., Laurel, Md.

GEOS-3 OCEAN GEIOD INVESTIGATION

S. M. Yionoulis, A. Eisner, V. L. Pisacane, H. D. Black, and L. L. Pryor May 1978 35 p refs
(NASA Order P-57606-G)
(NASA-CR-141440) Avail: NTIS HC A03/MF A01 CSCL 08J

A determination of the fine scale sea surface topography in the GEOS-3 calibration area using the radar altimeter data is presented. Estimates of the north-south and east-west components of the deflections of the vertical as well as values of the geoidal heights were made. Three major stages of processing were used in obtaining the final results. The first two use pass processors; in the final stage, the processor combines all the pass results to compute the final results. The results obtained compare favorably with gravimetrically determined geoids for this calibration area. Author

N78-27388# Naval Training Equipment Center, Orlando, Fla.
HOLOGRAPHIC TERRAIN SIMULATION Interim Report, May - Aug. 1977

Denis R. Breglia, Joseph F. Mulson, and Alfred H. Rodemann Dec. 1977 41 p refs
(AD-A053472; NAVTRAEQUIPC-IH-295) Avail: NTIS HC A03/MF A01 CSCL 08/6

A feasibility analysis of a holographic terrain simulation concept is described. Experimental work in which photographs of terrain are holographically stored and then displayed is evaluated. Advantages of holographic storage of analog images include multiplexing capability of several images stored at one location and the advantage of displayed image stability from a moving hologram array. Future efforts and investigations are outlined. Author (GRA)

N78-27476* # Geological Survey, Denver, Colo.
GEOLOGIC APPLICATION OF THERMAL-INERTIA MAP-PIING FROM SATELLITE Progress Report, 1 Mar. - 31 May 1978

Terry W. Offield, Principal Investigator, Susanne H. Miller, and Kenneth Watson Jun. 1978 5 p Sponsored by NASA ERTS (E78-10146; NASA-CR-157233) Avail: NTIS HC A02/MF A01 CSCL 08B

The author has identified the following significant results. A theoretical evaluation of the proportional and linear relationship between absolute and relative thermal inertia was performed, and a potentially more accurate expression for absolute thermal inertia mapping was proposed.

N78-27486* # Delaware Univ., Newark. College of Marine Studies.

SKYLAB/ERAP APPLICATION TO ECOLOGICAL, GEOLOGICAL, AND OCEANOGRAPHIC INVESTIGATIONS OF DELAWARE BAY Final Report, Jun. 1973 - Mar. 1976

Vytautas Klemas, D. Bartlett, W. Philpot, R. Rogers (Bendix Aerospace Systems Div., Ann Arbor, Mich.), and L. Reed (Bendix Aerospace Systems Div., Ann Arbor, Mich.) Jun. 1978 68 p refs

(Contract NAS1-12304)

(NASA-CR-144910; CMS-NASA-1-76)

Avail: NTIS

HC A04/MF A01 CSCL 08C

Skylab/EREP S190A and S190B film products were optically enhanced and visually interpreted to extract data suitable for: (1) mapping coastal land use; (2) inventorying wetlands vegetation; (3) monitoring tidal conditions; (4) observing suspended sediment patterns; (5) charting surface currents; (6) locating coastal fronts and water mass boundaries; (7) monitoring industrial and municipal waste dumps in the ocean; (8) determining the size and flow direction of river, bay and man-made discharge plumes; and (9) observing ship traffic. Film products were visually analyzed to identify and map ten land-use and vegetation categories at a scale of 1:125,000. Digital tapes from the multispectral scanner were used to prepare thematic maps of land use. Classification accuracies obtained by comparison of derived thematic maps of land-use with USGS-CARETS land-use maps in southern Delaware ranged from 44 percent to 100 percent. G.G

N78-27494# Army Engineer Topographic Labs., Fort Belvoir, Va.

INVESTIGATION OF THE APPLICATION OF ARRAY OF ALGEBRA TO TERRAIN MOD

James R. Jancaitis and Ronald L. Magee Apr. 1978 59 p refs
(AD-A054007; ETL-0141) Avail: NTIS HC A04/MF A01 CSCL 08/2

This report investigates the application of array algebra to ETL's terrain modeling procedure in the following manner: analyze array algebra to verify specifically the equivalence of array algebra and the conventional least-squares solutions; analytically and empirically compare the computational efficiency of ETL's terrain modeling algorithm using the current least-squares method and the array algebra technique and investigate the applicability of Rauhala's array algebra to the ETL terrain modeling algorithm. The results showed that the array algebra algorithm is computationally equivalent to the least squares algorithm but has higher implementational overhead. The array algebra algorithm is also less efficient for the ETL terrain modeling problem. GRA

N78-27500# Los Alamos Scientific Lab., N. Mex.

MAPPING OFFSHORE OIL LEASES

J. L. Sibert 1978 8 p refs Presented at a Joint Meeting of Am. Congr. on Surveying and Mapping and Am. Soc. for Photogrammetry, Washington, D.C., 26 Feb. 1978

(Contract W-7405-eng-36)

(LA-UR-77-2892; Conf-780209-1)

Avail: NTIS

HC A02/MF A01

A data base query system developed as a tool for regulatory decision making is described. The legal description of each lease, based on the public and survey, is stored in the data base to provide the coordinates necessary for map production. Maps are produced interactively during a query session on a Tektronix 4014 graphics terminal. Hardcopy color maps are obtained by using a color-equipped FR-80 computer output microfilm recorder. The procedure is totally automated and is completely handled from a remote terminal. Several examples of queries and the maps they produce are presented. Other aspects of the data base retrieval system discussed include a network structure based on the CODASYL standard and a query language that allows complex retrievals to be specified in simple english phrases. ERA

GEOLOGY AND MINERAL RESOURCES

Includes mineral deposits, petroleum deposits, spectral properties of rocks, geological exploration, and lithology.

A78-33123 * Aerospace technology can be applied to exploration 'back on earth'. L. D. Jaffe (California Institute of Technology, Jet Propulsion Laboratory, Pasadena, Calif.). *Oil and Gas Journal*, Aug. 15, 1977, p. 92-97. Contract No. NAS7-100.

Applications of aerospace technology to petroleum exploration are described. Attention is given to seismic reflection techniques, sea-floor mapping, remote geochemical sensing, improved drilling methods and down-hole acoustic concepts, such as down-hole seismic tomography. The seismic reflection techniques include monitoring of swept-frequency explosive or solid-propellant seismic sources, as well as aerial seismic surveys. Telemetry and processing of seismic data may also be performed through use of aerospace technology. Sea-floor sonar imaging and a computer-aided system of geologic analogies for petroleum exploration are also considered. J.M.B.

A78-34214 Analog and digital processing of multispectral data for geologic application. J. Bodechtel (Zentralstelle für Geo-photogrammetrie und Fernerkundung, Munich, West Germany) and R. Haydn. In: Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, Bristol, England, April 5-9, 1976. London, Butterworth and Co. (Publishers), Ltd., 1977, p. 159-168. 7 refs.

An automatic analog and digital classification for the interpretation of geological information in remote sensing imagery is described. An electronic analog processor for single or multiple images (multispectral or multitemporal) is considered; the processor accepts photographic transparencies fed into a disk memory and performs such functions as density slicing and logarithmic density stretching. Attention is also given to hybrid analog-digital processing to achieve statistical enhancement of class separability and combination of transformed data by operation in color space. Descriptive statistics, data manipulation and classification-periodicity analyses may be obtained through digital processing. J.M.B.

A78-34215 Applications of satellite studies for structural geology in Italy. R. Cassinis (Milano, Università, Milan, Italy). In: Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, Bristol, England, April 5-9, 1976. London, Butterworth and Co. (Publishers), Ltd., 1977, p. 169-181. 7 refs.

The Italian national program for geodynamics requires updated and comprehensive tectonic maps to be used as a base for further larger-scale studies on seismicity, mineral resources and energy supply. As a first step in these studies, several groups of geologists started a revision of geologic lineaments using Landsat and Skylab imagery, comparing the results obtained with the known geological data. Common criteria of classification and identification have been established and the significance and potential of enhancement techniques evaluated. Two areas will be discussed as examples of regional studies by satellite imagery: Northern Sardinia and Central Sicily. The former is a good training field to study the relationship between linears and faults, fractured areas and mineral occurrences on a crystalline shield; special attention was given to the intersections and to the regional significance of linears. In the second area, the synoptic potential of space imagery is largely responsible for the

extraction from the 'noise' of a very confused geology of some regional features of geodynamic importance. (Author)

A78-34877 Significance of the space imagery for studies of the petroleum platform areas. P. V. Florenskii (Akademii Nauk SSSR, Geologicheskii Institut, Moscow, USSR) and A. S. Petrenko (Moskovskii Institut Neftekhimicheskoi i Gazovoi Promyshlennosti, Moscow, USSR). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference. 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 441-464. 13 refs.

Scanner imagery from Landsat-1 and from the Soviet Meteor series satellites was used as an aid in clarifying the plutonic structure of the Lower Volga region of the Soviet Union. The space imagery provided useful information on the geological lineaments of the area and served to define boundaries of deep-seated Precambrian blocks and to locate anticlines containing petroleum and natural gas. The relationship between the space imagery and the internal structure of the region was elucidated by reference to neotectonic formations, gravimetric geodesy and magnetic field measurements. J.M.B.

A78-34880 * The application of satellite data in monitoring strip mines. L. A. Sharber and F. Shahrokhi (Tennessee, University, Space Institute, Tullahoma, Tenn.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 499-514. 7 refs. Research supported by the Tennessee State Planning Office; Contract No. NAS8-31980.

Strip mines in the New River Drainage Basin of Tennessee were studied through use of Landsat-1 imagery and aircraft photography. A multilevel analysis, involving conventional photo interpretation techniques, densitometric methods, multispectral analysis and statistical testing was applied to the data. The Landsat imagery proved adequate for monitoring large-scale change resulting from active mining and land-reclamation projects. However, the spatial resolution of the satellite imagery rendered it inadequate for assessment of many smaller strip mines, in the region which may be as small as a few hectares. J.M.B.

A78-35497 # Tectonics of the Central European plate and surrounding area on the basis of data from interpretation of space imagery (K tektonike sredne-Evropeiskoi plity i ee obramlenii po dannym deshifirovaniia kosmicheskikh snimkov). V. A. Bush, R. G. Garetskii, and L. G. Kiriukhin. *Akademiia Nauk SSSR, Doklady*, vol. 239, Mar. 1, 1978, p. 146-149. In Russian.

Four-spectral-band optical scanning imagery of the Central European plate and adjoining territory obtained by the Meteor-25 satellite was evaluated. The general features of the imagery suggest a division of the territory into two principal regions, the boundary of which runs approximately from Bremen through Dresden down to Lvov. North of this line the image is marked by a light tone without clear details, while to the south and southwest the image has large dark spots corresponding to outcrops of the variscite basement. Nine basic features were identified, including Baltic paleozoic folded systems, precambrian soils of the Czech massif, the prealpine boundary dip, the alpine folded belt, and annular anomalies. P.T.H.

A78-35822 Time-resolved laser fluorosensors - A laboratory study of their potential in the remote characterization of oil. D. M. Rayner and A. G. Szabo (National Research Council, Div. of Biological Sciences, Ottawa, Canada). *Applied Optics*, vol. 17, May 15, 1978, p. 1624-1630. 11 refs. Research supported by the Department of Energy, Mines and Resources of Canada.

The fluorescence decay profiles have been determined for a number of light, crude, and heavy oils under ideal laboratory conditions to assess their utility in the remote characterization and

04 GEOLOGY AND MINERAL RESOURCES

identification of oil spills using remote laser fluorosensors. The fluorescence decay of light and crude oils can best be described by double exponential kinetics with the former having longer decay constants. The heavy oils are described by only a single exponential decay function with a lifetime less than 1 nsec. (Author)

A78-36054 # Monitoring geodetic networks by space techniques. B. H. Chovitz (NOAA, Rockville, Md.). In: International Symposium on Geodesy and Physics of the Earth, 3rd, Weimar, East Germany, October 25-31, 1976, Proceedings. Part 1.

Potsdam, Deutsche Akademie der Wissenschaften, Zentralinstitut für Physik der Erde, 1977, p. 43-58.

The present capabilities of three space techniques for observing positional variations with time are summarized: laser ranging to satellites, laser ranging to the moon, and radio interferometry. Applications of space techniques are proposed for monitoring the network of the North American Datum, monitoring polar motion, and for providing an independent measurement of the slope of mean sea level in order to solve the discrepancy between geodetic and oceanographic determinations of the height of the mean sea surface in the north-south direction. P.T.H.

A78-36081 # The Upper Bavaria network for earth tides - First measurement of 1970-1975 (Das Oberbayerische Testnetz für Erdgezeiten - Erstvermessung von 1970-1975). H. Schmitz-Hübsch (Deutsches Geodätisches Forschungsinstitut, Munich, West Germany). In: International Symposium on Geodesy and Physics of the Earth, 3rd, Weimar, East Germany, October 25-31, 1976, Proceedings. Part 2.

Potsdam, Deutsche Akademie der Wissenschaften, Zentralinstitut für Physik der Erde, 1977, p. 529-539. 7 refs. In German.

A network of 30-m deep boreholes running north to south in the Alpine foothills is used to measure the components of horizontal acceleration due to gravitation for the geological layers of the unfolded and folded molasse as well as of 'kalkalpin' (calcareous alpine). The results are analyzed by the Venedikov procedure and are determined by the arrangement of the measurements. The derived inclination vectors are invariant with respect to pendulum rotation but are correlated with borehole slope. M.L.

A78-36304 Use of Landsat-1 imagery in exploration for Keweenaw-type copper deposits. R. E. Smith, A. A. Green (Commonwealth Scientific and Industrial Research Organization, Div. of Mineralogy, Wembley, Australia), G. Robinson (Commonwealth Scientific and Industrial Research Organization, Div. of Mineral Physics, North Ryde, New South Wales, Australia), and F. R. Honey (Commonwealth Scientific and Industrial Research Organization, Div. of Land Resources Management, Wembley, Australia). (International Geological Congress, 25th, Symposium on Exploration Remote Sensing, Sydney, Australia, Aug. 1976.) *Remote Sensing of Environment*, vol. 7, Apr. 1978, p. 129-144. 14 refs.

Hydrothermally altered lava was distinguished from unaltered lava by analysis of Landsat imagery for a region of Western Australia with Keweenaw-type copper deposits. Color composites on the 1:500,000 scale proved adequate for general determinations of the one- to two-km wide altered flow tops, which may extend for 50 km or more. First-generation contrast stretched prints of the multispectral scanning bands 4, 5 and 7 enlarged to a 1:250,000 scale provided additional fineness in the discrimination. The first-generation imagery was particularly useful in distinguishing individual layers of hydrothermal alteration within a pile of lavas. J.M.B.

A78-36305 A multi-attribute method for comparing geological lineament interpretations. J. F. Huntington and A. P. Raiche (Commonwealth Scientific and Industrial Research Organization, Div. of Mineral Physics, North Ryde, New South Wales, Australia). (International Geological Congress, 25th, Symposium on Exploration Remote Sensing, Sydney, Australia, Aug. 1976.) *Remote Sensing of Environment*, vol. 7, Apr. 1978, p. 145-161. 8 refs.

A quantitative technique for analyzing the differences in geological lineament interpretations is presented. The vector association method may be of use in standardizing the often widely divergent lineament interpretations developed from satellite and aircraft reconnaissance imagery. Through classification of the location, direction and length of the lineaments, the vector association method yields similarity coefficients which provide local as well as overall comparisons of lineament interpretations. J.M.B.

A78-36306 The human perception of geological lineaments and other discrete features in remote sensing imagery - Signal strengths, noise levels and quality. K. L. Burns (Commonwealth Scientific and Industrial Research Organization, Div. of Mineral Physics, North Ryde, New South Wales, Australia) and G. H. Brown (Commonwealth Scientific and Industrial Research Organization, Div. of Mathematics and Statistics, Lindfield, New South Wales, Australia). (International Geological Congress, 25th, Symposium on Exploration Remote Sensing, Sydney, Australia, Aug. 1976.) *Remote Sensing of Environment*, vol. 7, Apr. 1978, p. 163-176.

A78-40176 Application of image principal component technique to the geological study of a structural basin in Central Spain. A. Santisteban (Madrid, Universidad Autónoma, Madrid, Spain) and L. Munoz (Madrid, Universidad Complutense, Madrid, Spain). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 228-236. 8 refs.

A method is described for obtaining the principal components of a multispectral image. It allows a simultaneous radiometric enhancement by means of a suitable finer level quantization that does not introduce artifacts. Using this method we are able to produce good photographic prints of the principal components of Landsat MSS images. The first two components alone contain nearly all the information existing on the original image while the others contain only noise. This technique was applied to the geological study of Campo Arañuelo Basin, in Central Spain, with the aim of confirming the hypothesis of different geological histories since Miocene times of this area and the remainder of Tajo Basin. (Author)

A78-40534 Summary of 1977 geothermal drilling - Western United States. J. L. Smith, C. F. Isselhardt, and J. S. Matlick (Republic Geothermal, Inc., Santa Fe Springs, Calif.). *Geothermal Energy*, vol. 6, May 1978, p. 11-19.

A survey of geothermal drilling projects conducted in 1977 is presented. Geothermal field development in California is discussed with reference to the seven new wells in the Imperial Valley, the 32 wells drilled in the geyser region, and the Coso Hot Springs area. Drilling projects in Nevada, Idaho, Utah, and New Mexico are also reviewed. It is noted that in 1977 the primary concentration was on development drilling for new dry steam plants and flow testing to determine design characteristics for hot water resource power plants. S.C.S.

A78-40535 Geothermal energy resources map of the western United States. P. J. Grim (NOAA, National Geophysical and Solar Terrestrial Data Center, Boulder, Colo.). *Geothermal Energy*, vol. 6, May 1978, p. 37-43. 10 refs. ERDA-supported research.

N78-22510 Colorado School of Mines, Golden. REMOTE SENSING APPLIED TO EXPLORATION FOR VEIN-TYPE URANIUM DEPOSITS, FRONT RANGE, COLORADO Ph.D. Thesis
James Carryl Fisher 1976 170 p
Avail: Univ. Microfilms Order No. 78-02796

A remote sensing program consisting of two main sensors, medium altitude black and white photography and low altitude color photography, adequately mapped most of the important geologic features and ore controls. Medium altitude black and white photography was useful to map major throughgoing fracture

trends, major metamorphic foliation trends major rock types, and areas of intense fault branching. Low altitude color photography was useful to map and differentiate limonitic and hematitic color anomalies, details of fault and foliation intersections, lithologies, and breccia-zone indications. Together, these two sensors could be used effectively to outline target areas which would lead to a more successful ground based uranium exploration program.

Dissert. Abstr.

N78-23520* Itek Corp., Alexandria, Va. Data Analysis Center.

PHOTOARCHAEOLOGY. RECONNAISSANCE TESTS USING COLOR, AS WELL AS OTHER FILMS, INDICATE THAT EXPLORATION STUDIES MAY BE REDUCED FROM MONTHS TO HOURS

Carl H. Strandberg *In* NASA. John F. Kennedy Space Center Remote Sensing and the Earth Dec. 1977 p 172-180
 Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 05B

Various types of films were used to detect pre-Columbian archaeological sites in South Dakota. Natural color and color IR films (scale 1/10,000) provided the best interpretation medium.

Author

N78-23522* General Electric Co., Philadelphia, Pa. Space Div.

LANDSAT DATA: A NEW PERSPECTIVE FOR GEOLOGY. A REVIEW OF THE UTILIZATION OF LANDSAT IMAGERY FOR GEOLOGICAL INTERPRETATION

Ralph N. Baker *In* NASA. John F. Kennedy Space Center Remote Sensing and the Earth Dec. 1977 p 194-204 refs
 Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 08G

Areas in which LANDSAT satellite imagery were found most useful include regional interpretations of geological structure, updating verifying of geologic maps, mineral and petroleum exploration, and the monitoring of natural hazards such as large-scale erosion and seismicity. Investigations in these areas of application demonstrated the wide variety of uses presently undertaken or envisioned for the future.

Author

N78-25044* Joint Publications Research Service, Arlington, Va.

ANNULAR STRUCTURES ON THE EARTH

V. N. Bryukhanov, M. Z. Glukhovskiy, and A. L. Stavtsev *In* its Transl. on USSR Sci. and Technol.: Phys. Sci. and Technol., No. 30 (JPRS-707141), 2 Mar. 1978 p 78-93 refs Transl. into ENGLISH from Priroda (Moscow), no. 10, 1977 p 54-65 Copyright. Avail: NTIS HC A06/MF A01

A study of space photographs has shown that annular structures are a characteristic element of the structure of the planets of the earth group, regardless of the stage of their development. The annular structures developed in the process of formation of the primary basalt crust of the planets and persisted in their primordial form in those places where endogenous and exogenous processes after crustal formation were manifested to an insignificant degree. This information leads to the assumption that the planets of the earth group developed identically in the early stages

Author

N78-25233* Jet Propulsion Lab., Calif. Inst. of Techn., Pasadena. APPLICATIONS OF AEROSPACE TECHNOLOGY TO PETROLEUM EXTRACTION AND RESERVOIR ENGINEERING

Leonard D. Jaffe, Lloyd H. Back, C. Martin Berdahl, Earl E. Collins, Jr., Paul G. Gordon, John Houseman, Marshall F. Humphrey, George C. Hsu, John D. Ham, Jack E. Marte et al 30 Oct. 1977 343 p refs

(Contract NAS7-100)

(NASA-CR-157167; JPL-Pub-78-22)

Avail: NTIS

HC A15/MF A01 CSCL 21D

Through contacts with the petroleum industry, the petroleum service industry, universities and government agencies, important petroleum extraction problems were identified. For each problem, areas of aerospace technology that might aid in its solution were also identified, where possible. Some of the problems were selected for further consideration. Work on these problems led to the formulation of specific concepts as candidate for development. Each concept is addressed to the solution of specific extraction problems and makes use of specific areas of aerospace technology.

Author

N78-25505* Georgia Southwestern Coll., Americus.

REMOTE SENSING OF GEOBOTANICAL RELATIONS IN GEORGIA Final Technical Report

Daniel D. Arden, Jr. and Raymond N. Westra Jan. 1977 103 p refs

(Contract NAS8-30884)

(NASA-CR-150709) Avail: NTIS HC A06/MF A01 CSCL 08F

The application of remote sensing to geological investigations, with special attention to geobotanical factors, was evaluated. The general areas of investigation included: (1) recognition of mineral deposits; (2) geological mapping; (3) delineation of geological structure, including areas of complex tectonics; and (4) limestone areas where ground withdrawal had intensified surface collapse.

Author

N78-26499* Sandia Labs., Albuquerque, N. Mex.

INITIAL RESPONSE OF A ROCK PENETRATOR

Donald B. Longcope and D. E. Grady Dec. 1977 30 p refs (Contract EY-76-C-04-0789)

(SAND-77-1712) Avail: NTIS HC A03/MF A01

An analysis based on elastic rod theory is given for the earlytime axisymmetric response of pointed penetrators. Results of measurements by laser interferometry of the back surface particle velocity of laboratory scale penetrators impacted by sandstone targets are presented. Values of the initial pressure on the penetrator tip are determined which give agreement between the analytical and experimental results. These initial tip pressures are found to be approximated by the stress particle velocity Hugoniot for the target material.

ERA

N78-27478* Department of Industry, London (England).

THE USE OF LANDSAT IMAGERY IN RELATION TO AIR SURVEY IMAGERY FOR TERRAIN ANALYSIS IN NORTH-WEST QUEENSLAND, AUSTRALIA, VOLUME 1 Final Report

Monica M. Cole and E. Stuart Owen-Jones, Principal Investigators 15 Dec. 1977 161 p refs Sponsored by NASA ERTS 3 Vol.

(E78-10148; NASA-CR-157242)

Avail: NTIS

HC A08/MF A01 CSCL 08B

The author has identified the following significant results. Distinctive spectral signatures discriminated areas underlain by distinctive lithological/stratigraphical units where bedrock either outcrops or is relatively near to surface in the Lady Annie-Mt. Gordon fault zone, the Mary Kathleen, and Dugald River-Naraku areas. Spectral signatures associated with discrete plant communities distinguished different types of superficial deposits over the Cloncurry Plains. Distinctive spectral signatures also revealed the presence and nature of concealed bedrock beneath cover of residuum and superficial deposits where this is relatively thin in the Cloncurry Plains. Major faults were clearly displayed in areas of outcropping and near surface bedrock. Sets of lineaments with preferred orientations were identified in the Lady Annie and Dugald River areas. Known base metal deposits occur along these features.

N78-27479* Department of Industry, London (England).

THE USE OF LANDSAT IMAGERY IN RELATION TO AIR SURVEY IMAGERY FOR TERRAIN ANALYSIS IN NORTH-WEST QUEENSLAND, AUSTRALIA, VOLUME 2 Final Report

04 GEOLOGY AND MINERAL RESOURCES

Monica M. Cole and E. Stuart Owen-Jones, Principal Investigators
15 Dec. 1977 135 p Sponsored by NASA Original contains
color imagery. Original photography may be purchased from
the EROS Data Center, Sioux Falls, S. D. 57198 ERTS 3 Vol.
(E78-10149; NASA-CR-157243) Avail: NTIS
HC A07/MF A01 CSCL 08B

N78-27480*# Department of Industry, London (England).
**THE USE OF LANDSAT IMAGERY IN RELATION TO AIR
SURVEY IMAGERY FOR TERRAIN ANALYSIS IN NORTH-
WEST QUEENSLAND, AUSTRALIA, VOLUME 3 Final
Report**

Monica M. Cole and E. Stuart Owen-Jones, Principal Investigators
15 Dec. 1977 73 p Sponsored by NASA Original contains
imagery. Original photography may be purchased from the EROS
Data Center, Sioux Falls, S. D. 57198 ERTS 3 Vol.
(E78-10150; NASA-CR-157244) Avail: NTIS
HC A04/MF A01 CSCL 08B

N78-27482*# Georgia Southwestern Coll., Americus.
**INTRODUCTORY WORKSHOPS ON REMOTE SENSING AS
RELATED TO GEOLOGICAL PROBLEMS IN GEORGIA Final
Report**

Barry F. Beck and Jack C. Carter, Principal Investigators Mar.
1978 23 p refs Workshop held at Americus, Ga., 24-25 May
1977 ERTS
(Contract NAS8-30884)
(E78-10152; NASA-CR-150710) Avail: NTIS
HC A02/MF A01 CSCL 08G

N78-27681 Texas Univ. at Austin.
**RECONNAISSANCE GEOLOGY OF THE TOMOCHIC-
OCAMPO AREA SIERRA MADRE OCCIDENTAL, CHIH-
AUHUA, MEXICO Ph.D. Thesis**

Eric Rice Swanson 1977 154 p
Avail: Univ. Microfilms Order No. 7807393

The volcanic strata of two large remote areas near Tomochic and Ocampo in the Sierra Madre Occidental of western Chihuahua were mapped in a reconnaissance fashion utilizing remote sensing and a genetic approach to mapping which emphasizes caldera recognition. Most of the major units in the Sierran areas were sampled for chemical analysis and K-Ar dating as were some mafic lavas in the volcanic Basin and Range country to the east of the Sierra. Chemical data confirm that silicic volcanic rocks of the Sierra exhibit geographically related chemical variations. Volcanic rocks of inland Mexico tend to be higher in silicon and potassium but lower in sodium, calcium, and aluminum than are similar volcanic rocks closer to the coast. Volcanism in the Sierra is probably related to convergent motion and subduction of the Farallon plate 34 to 23 m.y. ago.

Dissert. Abstr.

OCEANOGRAPHY AND MARINE RESOURCES

Includes sea-surface temperature, ocean bottom surveying imagery, drift rates, sea ice and icebergs, sea state, fish location.

A78-34216 Remote sensing in glaciology and the physics of echoes. J. F. Nye (Bristol, University, Bristol, England). In: Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, Bristol, England, April 5-9, 1976.

London, Butterworth and Co. (Publishers), Ltd., 1977, p. 189-197. 24 refs. Research supported by the Natural Environment Research Council.

The many applications of remote sensing that are now being used in glaciology are reviewed. The most highly developed application is the echo sounding of polar ice masses by radio pulses. A radio echo has a detailed structure both of amplitude and of phase; it is a pattern in three dimensions, moving upwards and changing with time as it goes. It can be observed with the aid of a laboratory analog machine that uses ultrasonic pulses in place of radio pulses. A conspicuous feature of the pattern is a complicated array of looped lines, called dislocations, along which the amplitude is zero and the phase is indeterminate. They are analogous to the dislocations found in crystals. A comprehensive theory of the scattering of pulses by a rough wavy surface, or other scattering object, which seems essential to a full understanding of active remote sensing, does not yet exist. One of the features the theory must account for is the imperfect focusing of the echoes on caustic surfaces and the relation between these surfaces and the dislocation lines. (Author)

A78-34381 Remote sensing of coastal food resources. V. Klemas and D. S. Bartlett (Delaware, University, Newark, Del.). *Environmental Management*, vol. 2, Mar. 1978, p. 119-126. 24 refs.

The food web of numerous estuaries and coastal waters is based on the primary productivity of coastal marshes that constitute centers of solar energy fixation and an important link in the mineral cycles. The fixed carbon and minerals enter the water primarily as detritus where a complex food web makes them accessible to commercially important fish and benthic communities. With the launch of Landsat, NOAA-2, and Skylab, relatively high resolution spacecraft data became available for mapping and inventorying tidal marshes and their productivity on a global scale. Using multispectral analysis techniques, classification accuracies greater than 80 percent have been obtained for most marsh plant species, and greater than 90 percent for key types such as *Spartina alterniflora*, which is the primary producer in large tide marshes of the coastal eastern USA. The capacity of remote sensors on spacecraft such as NOAA-2, Landsat, and Skylab to assess coastal food resources on a global scale is discussed from the point of view of resolution, classification accuracy, and cost effectiveness. (Author)

A78-34862 Thermal infrared studies - Forteau Bay, Labrador. R. D. Worsfold and D. Strong (Newfoundland, Memorial University, St. John's, Canada). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 171-187. 12 refs.

Remotely sensed data collected during the 1976 winter field season over a ground truth site located at Forteau Bay, Newfoundland, are considered. Ground measured verification data included meteorological information, snow cover and ice thickness, and thermal measurements. The infrared line scanner used to collect the thermal infrared data was flown in an aircraft of the Canada

Centre for Remote Sensing. Microwave scatterometer data and photographic data were also collected. Correlation between the infrared imagery and density sliced data allowed the classification of the data into five ranges. The ranges were: (1) open water and frazil ice, (2) new ice, frozen frazil, frozen slush, (3) floe boundaries, (4) shorefast ice without snow cover, rafting detail, and (5) snow cover. The study demonstrates the power of density slicing as an interpretive tool. G.R.

A78-34929 # Side looking radar for ice reconnaissance. C. Ramplee-Smith (Department of Fisheries, Ottawa, Canada) and H. G. Hengeveld (Department of the Environment, Ottawa, Canada). (*Remote Sensing Science and Technology Symposium, Ottawa, Canada, Feb. 21-23, 1977.*) *Canadian Journal of Remote Sensing*, vol. 4, Apr. 1978, p. 44-50. 9 refs.

The use of side-looking airborne radar (SLAR) to monitor sea and river ice in Canadian waters is discussed. Initial SLAR ice reconnaissance missions in the St. Lawrence River and Gulf during 1969 provided a test of the technique; ice reconnaissance in the Northwest Passage has also been undertaken to meet the needs of Arctic shipping. Wide-swath coverage, digital airborne processing and resolution of the SLAR systems are considered. For best performance in detecting new and old ice, and in distinguishing such features as ridges, leads and puddles, equipment operating in the X-band has been adopted. J.M.B.

A78-35328 HF radio oceanography - A review. D. E. Barrick (NOAA, Wave Propagation Laboratory, Boulder, Colo.). (*Inter-Union Commission on Radio Meteorology and U.S. Navy, Colloquium on Radio Oceanography, Hamburg, West Germany, Sept. 29-Oct. 6, 1976.*) *Boundary-Layer Meteorology*, vol. 13, Jan. 1978, p. 23-43. 42 refs.

The paper reviews the state of the art of oceanography conducted with the aid of radar echoes from the sea at high frequency. The basic methods and problems of HF remote sensing are examined. The progress achieved over a number of experiments in measuring sea state by first- and second-order scatter is outlined. Attention is given to both surface wave and skywave experiments. Efforts in deducing surface wind velocity components from HF echoes from sea waves are described. P.T.H.

A78-35337 * Radar imaging of the ocean surface. C. Elachi (California Institute of Technology, Jet Propulsion Laboratory, Pasadena, Calif.). (*Inter-Union Commission on Radio Meteorology and U.S. Navy, Colloquium on Radio Oceanography, Hamburg, West Germany, Sept. 29-Oct. 6, 1976.*) *Boundary-Layer Meteorology*, vol. 13, Jan. 1978, p. 165-179. 26 refs. Contract No. NAST-100.

Techniques for obtaining radar images of the ocean surface are briefly described, and examples of radar images of a variety of ocean surface wave types obtained by synthetic-aperture radar are presented and discussed. Observations described include deep-ocean waves, discrete wave trains, internal waves as surface manifestations, slicks, and eddies. P.T.H.

A78-35344 * Computed and observed ocean topography - A comparison. F. O. Vonbun, J. G. Marsh, and F. J. Lerch (NASA, Goddard Space Flight Center, Greenbelt, Md.). (*Inter-Union Commission on Radio Meteorology and U.S. Navy, Colloquium on Radio Oceanography, Hamburg, West Germany, Sept. 29-Oct. 6, 1976.*) *Boundary-Layer Meteorology*, vol. 13, Jan. 1978, p. 253-262. 16 refs.

The Goddard Space Flight Center's latest Gravity Earth Model, GEM-8, was used to construct a static sea surface. Such a surface corresponds to the surface of an ocean without the time-varying effects of atmospheric pressure, surface wind friction, tides, and currents. It conforms to a surface dictated by the earth's gravitational and rotational forces. The sea surface model is the result of analyzing more than 500,000 satellite observations together with about 1600 5 deg x 5 deg and about 38,000 1 deg x 1 deg surface

gravity anomalies. Preliminary comparisons between the computed and measured sea surface topography indicate that they agree quite well and differ by less than 1 m in many places including the Atlantic test area. Sea-surface features such as undulations caused by trenches and ridges are clearly and accurately detectable. The use of altimeter data for orbit computation reduces the uncertainty of the spacecraft height and thus the errors of the sea-surface topography. G.R.

A78-35345 * Ocean wave heights measured by a high resolution pulse-limited radar altimeter. E. J. Walsh (NASA, Wallops Flight Center, Wallops Island, Va.), E. A. Uliana, and B. S. Yaplee (U.S. Navy, Naval Research Laboratory, Washington, D.C.). (*Inter-Union Commission on Radio Meteorology and U.S. Navy, Colloquium on Radio Oceanography, Hamburg, West Germany, Sept. 29-Oct. 6, 1976.*) *Boundary-Layer Meteorology*, vol. 13, Jan. 1978, p. 263-276. 12 refs.

Data on significant wave height (SWH) taken with an airborne (2-3.5 km altitude) X-band 1-ns pulse-limited radar altimeter under various wind and sea conditions are interpreted. A heuristic discussion of the return pulse shape and the method of extracting the SWH is followed by a demonstration that the mean of the resulting SWH values is in agreement with other, independent measurements. The scatter of the SWH values is large compared to the estimates based on the statistical fluctuations in the radar signal. The discrepancy is resolved by showing that the radar is actually observing small-scale variations in the sea-surface standard deviation caused by the small number of ocean wavelengths illuminated. S.D.

A78-35346 * A review of applications of microwave radiometry to oceanography. T. T. Wilheit, Jr. (NASA, Goddard Space Flight Center, Greenbelt, Md.). (*Inter-Union Commission on Radio Meteorology and U.S. Navy, Colloquium on Radio Oceanography, Hamburg, West Germany, Sept. 29-Oct. 6, 1976.*) *Boundary-Layer Meteorology*, vol. 13, Jan. 1978, p. 277-293. 17 refs.

Following a review of the essential physics of microwave radiative transfer, oceanographic applications of this background physics are discussed using data from electrically scanning microwave radiometers on the Nimbus 5 and 6 satellites operating at 1.55-cm and 8-mm wavelengths, respectively. These data are interpreted in terms of rain rate, ice coverage, and first-year versus multiyear ice determination. It is shown that multifrequency radiometer measurements make it possible to separate the surface and atmospheric effects and to obtain useful measurements of sea surface temperature, surface wind speed, and atmospheric parameters along with improved measurements of rain and ice. S.D.

A78-35347 * Measurement of ocean temperature and salinity via microwave radiometry. H. J. C. Blume, B. M. Kendall, and J. C. Fedors (NASA, Langley Research Center, Hampton, Va.). (*Inter-Union Commission on Radio Meteorology and U.S. Navy, Colloquium on Radio Oceanography, Hamburg, West Germany, Sept. 29-Oct. 6, 1976.*) *Boundary-Layer Meteorology*, vol. 13, Jan. 1978, p. 295-308. 13 refs.

Sea-surface temperature with an accuracy of 1 C and salinity with an accuracy of 1‰ were measured with a 1.43 and 2.65 GHz radiometer system after correcting for the influence of cosmic radiation, intervening atmosphere, sea-surface roughness, and antenna beamwidth. The radiometers are a third-generation system using null-balancing and feedback noise injection. Flight measurements from aircraft over bay regions and coastal areas of the Atlantic resulted in contour maps with spatial resolution of 0.5 km. (Author)

A78-35348 * Microwave remote sensing of sea ice in the AIDJEX Main Experiment. W. J. Campbell, J. Wayenberg, J. B. Ramseyer (U.S. Geological Survey, Tacoma, Wash.), R. O. Ramseier, M. R. Vant, R. Weaver, A. Redmond, L. Arsenaault (Department of the Environment, Ottawa, Canada), P. Gloersen, and H. J. Zwally

(NASA, Goddard Space Flight Center, Greenbelt, Md.). (*Inter-Union Commission on Radio Meteorology and U.S. Navy, Colloquium on Radio Oceanography, Hamburg, West Germany, Sept. 29-Oct. 6, 1976.*) *Boundary-Layer Meteorology*, vol. 13, Jan. 1978, p. 309-337. 41 refs.

A microwave remote sensing program of sea ice in the Beaufort Sea was conducted during the Arctic Ice Dynamics Joint Experiment (AIDJEX). Several types of both passive and active sensors were used to perform surface and aircraft measurements during all seasons of the year. In situ observations were made of physical properties (salinity, temperature, density, surface roughness), dielectric properties, and passive microwave measurements were made of first-year, multiyear, and first-year/multiyear mixtures. Airborne passive microwave measurements were performed with the electronically scanning microwave radiometer while airborne active microwave measurements were performed by synthetic aperture radar, X- and L-band radar, and a scatterometer. S.C.S.

A78-35349 * Time-dependence of sea-ice concentration and multiyear ice fraction in the Arctic Basin. P. Gloersen, H. J. Zwally, A. T. C. Chang, D. K. Hall (NASA, Goddard Space Flight Center, Greenbelt, Md.), W. J. Campbell (U.S. Geological Survey, Tacoma, Wash.), and R. O. Ramseier (Department of Fisheries and Environment, Ottawa, Canada). (*Inter-Union Commission on Radio Meteorology and U.S. Navy, Colloquium on Radio Oceanography, Hamburg, West Germany, Sept. 29-Oct. 6, 1976.*) *Boundary-Layer Meteorology*, vol. 13, Jan. 1978, p. 339-359. 21 refs.

Microwave images of sea ice obtained by Nimbus-5 and the NASA CV-990 airborne laboratory are used to determine the time variation of the sea-ice concentration and multiyear ice fraction within the pack ice in the Arctic Basin. The images, constructed from data acquired from the electrically scanned microwave radiometer, are analyzed for four seasons during 1973-1975. Observations indicate significant variations in the sea-ice concentration in the spring, late fall, and early winter. Sea-ice concentrations as low as 50% were detected in large areas in the interior of the Arctic polar sea-ice pack. The applicability of passive-microwave remote sensing for monitoring the time dependence of sea-ice concentration is considered. M.L.

A78-35351 Evaluation of Multi-Frequency-Microwave-Radiometer-System performance for oceanography. L. Thrane (Danmarks Tekniske Højskole, Lyngby, Denmark). (*Inter-Union Commission on Radio Meteorology and U.S. Navy, Colloquium on Radio Oceanography, Hamburg, West Germany, Sept. 29-Oct. 6, 1976.*) *Boundary-Layer Meteorology*, vol. 13, Jan. 1978, p. 373-392. 18 refs. European Space Agency Contract No. SC/129/HQ.

A technique is presented for constructing a mathematical model of a Multi-Frequency Microwave Radiometer System. The technique combines the different responses of microwave radiometers with models of the sea surface, the effects of the earth's atmosphere and of the sky emission. A linear perturbation method and a more accurate nonlinear method are outlined for processing of data simultaneously collected by the radiometers. The mathematical model of the Radiometer System combined with the linear data-processing method is useful for predicting in-flight sensor performance. Based on a chosen performance function, an evaluation of a spaceborne Multi-Frequency Microwave Radiometer System is given. (Author)

A78-35352 * The experimental oceanographic satellite Seasat-A. J. A. Dunne (California Institute of Technology, Jet Propulsion Laboratory, Pasadena, Calif.). (*Inter-Union Commission on Radio Meteorology and U.S. Navy, Colloquium on Radio Oceanography, Hamburg, West Germany, Sept. 29-Oct. 6, 1976.*) *Boundary-Layer Meteorology*, vol. 13, Jan. 1978, p. 393-404. 25 refs. Contract No. NAS7-100.

The experimental Seasat-A satellite, scheduled for launch in 1978, is designed to provide measurements of sea-surface temperature, surface wind speed and direction, sea state and directional wave

spectra. The instrument package of the satellite includes a highly precise radar altimeter, a wind-field scatterometer, a synthetic-aperture imaging radar, a scanning multifrequency microwave radiometer and a radiometer operating in the visual and infrared. Tides, currents and storm surges on the marine geoid may be monitored through analysis of range information from the radar altimeter and a satellite ephemeris; sea-ice reconnaissance is also planned. J.M.B.

A78-35353 Radar measurements of wind and waves. (Inter-Union Commission on Radio Meteorology and U.S. Navy, Colloquium on Radio Oceanography, Hamburg, West Germany, Sept. 29-Oct. 6, 1976.) *Boundary-Layer Meteorology*, vol. 13, Jan. 1978, p. 405-412.

The capabilities of two-frequency radar, side-looking airborne radar, synthetic aperture radar and CW Doppler radar in oceanographic sensing are discussed. Determination of surface windspeed from measurements of the microwave cross-section of the sea is a principal application of the radar systems, though calibration programs and a better understanding of the physics of wavelet modulation by long waves are needed. Oceanography employing HF radio signals is also considered; attention is given to the use of shore-based antenna arrays to derive wave spectral data from Doppler spectrum sidebands. J.M.B.

A78-35355 Contributions to large-scale oceanography by radio techniques. (Inter-Union Commission on Radio Meteorology and U.S. Navy, Colloquium on Radio Oceanography, Hamburg, West Germany, Sept. 29-Oct. 6, 1976.) *Boundary-Layer Meteorology*, vol. 13, Jan. 1978, p. 417-426.

The use of satellite-borne radar altimeters and microwave radiometers to perform large-scale oceanographic surveys is discussed. Ice-sheet topographic assessments with an accuracy of one meter and investigations of oceanic eddies and the variation in the location of western boundary currents are among the present applications of radar altimeters. Satellite altimeter calibration programs based on short-arc orbits over the Northwest Atlantic are also suggested. In the field of microwave radiometry, measurements of sea-surface temperature with a one deg C accuracy, salinity to one part per thousand, wind speed to three m/sec and rain rate within a factor of two are possible. J.M.B.

A78-37058 A resolution limitation on sea-echo radar spectra inferred from point to point ionospheric Doppler broadening. M. L. Heron and R. J. Rose (North Queensland, James Cook University, Townsville, Australia). *Geophysical Research Letters*, vol. 5, May 1978, p. 379-381. 13 refs. Research supported by the Radio Research Board and Telecom Australia.

A78-38523 * # Seasat-A opens new phase in earth observations. E. Cutting and W. Pounder (California Institute of Technology, Jet Propulsion Laboratory, Pasadena, Calif.). *Astronautics and Aeronautics*, vol. 16, June 1978, p. 42-50. 9 refs.

The data output of the Seasat-A, the first satellite designed specifically for oceanographic observation, is described. Wave height and direction, ice distribution, surface wind speed and direction, ocean-surface temperature, and atmospheric water content will be monitored by the satellite. Imaging radar, microwave scatterometer, microwave radiometer and visual and infrared radiometer experiments are included in the Seasat-A observing program. Two types of orbits have been developed: a near-repeat cycle of three days, and a near-repeat cycle of 25 days. Both orbit types offer fine coverage (18.5 km crossing separations) of the earth. Synthetic aperture radar data on computer-compatible tapes and geophysical data records available through the Seasat-A mission are described. J.M.B.

A78-39638 * Remote sensing of optical properties in continuously stratified waters. H. R. Gordon (Miami, University, Coral Gables, Fla.). *Applied Optics*, vol. 17, June 15, 1978, p. 1893-1897. 6 refs. Contract No. NAS5-22963.

The radiative transfer equation is solved by Monte Carlo methods for natural waters in which the optical properties are distributed with depth. It is demonstrated that interpreting the reflectance of a continuously stratified ocean in terms of an equivalent homogeneous ocean yields the average of a particular combination of the water's optical properties over the dimensionless penetration depth. Although in general the dimensionless penetration depth cannot be remotely measured, a method is presented for estimating the actual penetration depth from the remote observations if the medium's absorption coefficient is known, independent of depth, and sufficiently large. The application of this to the remote measurement of the vertical distribution of suspended sediments is discussed in detail. (Author)

A78-40474 Lateral oscillations of the Pacific Equatorial Countercurrent. K. Wyrtki (Hawaii, University, Honolulu, Hawaii). *Journal of Physical Oceanography*, vol. 8, May 1978, p. 530-532. NSF-supported research.

Long equatorial waves recently discovered in the Pacific Ocean on satellite photographs are being linked to oscillations in sea level at Fanning Island and to the oscillatory trajectory of a drifting buoy. The drift pattern of the buoy suggests that lateral oscillations of the Equatorial Countercurrent with a period of about 34 days are responsible for the observed variations of sea level. (Author)

N78-22453# Alaska Univ., Fairbanks. **SUSPENDED SEDIMENTS AND RELATED LIMNOLOGY OF AN ALPINE LAKE SYSTEM** Year End Report. 1 Jun. 1978 - 31 Jan. 1977

V. Alexander, J. Mellor, and R. J. Barsdate 31 Jan. 1977 16 p (Contract EY-76-S-06-2229-010)

(RLO/2229/T10-2; AR-2) Avail: NTIS HC A02/MF A01

This project has the aim of first assessing the potential of remote sensing to determine changes in sediment load in arctic lakes, and then to use this technique to assess the effects of road construction on arctic freshwater aquatic habitats. The first part of the work has centered on the use of Peters and Schraeder Lakes as a natural laboratory since these lakes have a strong sediment gradient for methodology evaluation. The next stage is to expand this work to other lakes and finally to actually look at the impact of changes in sediment load due to construction activities and utilization of arctic road systems. The results of the first two years' work suggest that the method has value, and the project is now ready to approach the terminal phase in looking at the real effects of road construction in the arctic. VP-8 density slicing and densitometry of the films are the two analysis techniques in use, with Plus-X Aerographic film in an aerial mapping camera format the film of choice. Ground truth data were collected in conjunction with the aerial mapping data, and some information on the effects of sediment load on primary production regimes was also included. ERA

N78-23529*# Earth Satellite Corp., Washington, D. C. **A FEASIBILITY DEMONSTRATION OF AERIAL PHOTOGRAPHIC SUPPORT FOR MARINE ARCHAEOLOGICAL SURVEYS**

A. D. Marmelstein In NASA. John F. Kennedy Space Center Remote Sensing and the Earth Dec. 1977 p 341-350

Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 14E

The use of recutting remote sensing was demonstrated for location of shipwrecks in the Florida Keys, using selected films and filters for improved water penetration. Author

N78-23541# Swedish Meteorological and Hydrological Inst., Norrköping.

SEA ICE-75. GROUND TRUTH REPORT

Ingemar Udin Stockholm Winter Navigation Research Board 1976 77 p refs (Rept-16-2) Avail: NTIS HC A05/MF A01

A remote sensing project over sea ice in the Bay of Bothnia was carried out during March 1975. Several sensors - microwave, visual and infrared, were tested. Following background information of ice conditions and weather general ice parameters are presented. Satellite information and air photos are analyzed. At the same time as the remote sensing experiment an extensive ground truth program was carried out. Various ice parameters within three different ground truth areas, one inside the other, were studied. These small scale ice observations and measurements and the ground truth program in general are discussed.

ESA

N78-23542# Swedish Meteorological and Hydrological Inst., Norkoeeping.

SEA ICE-75. ICE DETECTION BY SLAR

R. H. J. Morra and G. P. deLoor Stockholm Winter Navigation Research Board 1976 33 p refs

(Rept-16-3) Avail: NTIS HC A03/MF A01

A sea ice remote sensing experiment was carried out in the Bay of Bothnia during March 1975 using, among other sensors, a real aperture X-band side-looking airborne radar (SLAR). The properties, possibilities, and limitations of SLAR are discussed in detail and an analysis is made of SLAR imagery in comparison with aerial photography.

ESA

N78-23543# Swedish Meteorological and Hydrological Inst., Norkoeeping.

SEA ICE-75. ANALYSIS OF SLAR DATA

Surendra Parashar Winter Navigation Research Board 1976 56 p refs Partly sponsored by Swed. Board for Space Activities

(Rept-16-4) Avail: NTIS HC A04/MF A01

Results obtained from an analysis of SLAR data collected during a sea ice remote sensing experiment in the Bay of Bothnia during March 1975 are presented. The data gathered included SLAR images of sea ice obtained by utilizing EMI X-band real-aperture radar. The formation of sea ice and its relevant characteristics and the nature of radar returns from sea ice are included for background. A brief historical note on the use of radar for mapping ice is also given.

ESA

N78-23544# Winter Navigation Research Board, Stockholm (Sweden).

SEA ICE-75. FLAR, ODAR, SHIP'S RADAR

Ture Hagman (Res. Inst. of Natl. Defence), Jerry Nilsson (Res. Inst. of Natl. Defence), and Yngve Nilsson 1976 35 p refs (Rept-16-5) Avail: NTIS HC A03/MF A01

Results from a field test on sea ice mapping by radar carried out in the Gulf of Bothnia, March 1975, are presented. Three different types of radar were used: forward looking airborne search radar (FLAR), omnidirectional helicopterborne search radar (ODAR), and shipborne radars of the icebreaker Tor. It is shown that conventional radars can map the large scale ice structure of extensive areas in sufficient detail to assist navigation and ice forecasting. The radars of an icebreaker give short range navigational information on the ice situation with high resolution in real time. Different ways of recording radar information are discussed and some recommendations on further measurements of radar signatures of sea ice are given.

Author (ESA)

N78-23545# Research Inst. of National Defence, Stockholm (Sweden).

SEA ICE-75. IR-SCANNER RESULTS

Erik Fagerlund and Gunnar Lundholm Winter Navigation Research Board 1976 22 p refs

(Rept-16-6) Avail: NTIS HC A02/MF A01

During a field experiment over an ice covered area of the Gulf of Bothnia in March 1975, several different types of remote sensing equipment were tested, including infrared thermography performed with the airborne single line scanner TEKLA in the 8 to 14 microm region. The thermal recordings were concentrated to a 5 X 5 square km test area, which was described in great detail by ground truth measurements and photography. During 14 runs at 300 to 2000 m altitude, the thermal radiation from the sea surface was recorded on photographic film and magnetic tape. The film recordings give a general survey of the apparent

temperature variations within various parts of the mapped area. By processing the tape recorded information, a more detailed analysis of some interesting objects was accomplished. The results are compared with the available ground truth and aerial photographs.

Author (ESA)

N78-23546# Winter Navigation Research Board, Stockholm (Sweden).

SEA ICE-75. RADAR ALTIMETER RESULTS

Sune Axelsson (Saab-Scania AB, Linkoepping) 1976 30 p refs

(Rept-16-7) Avail: NTIS HC A03/MF A01

The results obtained at a field experiment with radar altimetry above sea-ice, carried out in the Gulf of Bothnia, March 1975, are presented. The results indicate that the envelope detected noise of the altimetry output signal can be used for measurements on ice ridges and other large-scale surface roughnesses. The spectral characteristics of the signal also give some information about the surface roughness. The AGC-signal, which is a measure of the reflectivity of the ground surface, may be used to distinguish ice from water as well as snow-covered ice from non-covered ice. As the weather was mild during the whole test period further measurements should be carried out during a period of cold weather. Some modifications of the altimetry equipment are also recommended.

Author (ESA)

N78-23547# Swedish Meteorological and Hydrological Inst., Norkoeeping.

SEA ICE-75. DYNAMICAL REPORT

Ingemar Udin and Anders Omstedt Stockholm Winter Navigation Research Board 1976 66 p refs

(Rept-16-8) Avail: NTIS HC A04/MF A01

Field measurements on sea ice were carried out in the Bay of Bothnia during March 10-20, 1975. The forces and parameters in the equation of motion for sea ice have been studied on the mesoscale. Winds and currents were measured to calculate the wind and water stress, the ice mass distribution was studied, the tilting of the sea surface computed, temperatures at different ice types measured. From the data obtained and with classical boundary layer theory the forces in the equation of motion have been calculated and their balance studied. The results support the assumption made in a numerical ice forecasting model under development at the Swedish Meteorological and Hydrological Institute and the data obtained will be used for further development and improvements.

Author (ESA)

N78-23548# Winter Navigation Research Board, Stockholm (Sweden).

SEA ICE-75 Summary Report

Aake Blomquist (Natl. Defence Res. Inst.), Claes Pilo (Swed. Space Corp.), and Thomas Thompson (Swed. Meteorol. and Hydrol. Inst., Norkoepping) 1976 33 p refs

(Rept-16-9) Avail: NTIS HC A03/MF A01

The results of a sea ice remote sensing experiment carried out in the Bay of Bothnia during March 1975 are reported. The experimental program is outlined and the sensors used - including SLAR, FLAR, microwave and IR sensors - are described. The various ice parameters studied such as thickness, roughness, concentration, and dynamics are also discussed.

ESA

N78-23695 National Technical Information Service, Springfield, Va.

ICE AND FOG: DETECTION AND WARNING SYSTEMS. A BIBLIOGRAPHY WITH ABSTRACTS Progress Report, 1964 - Feb. 1978

Guy E. Habercom, Jr. Mar. 1978 155 p Supersedes NTIS/PS-77/0188; NTIS/PS-76/0096; NTIS/PS-75/231 (NTIS/PS-78/0181/4; NTIS/PS-77/0188; NTIS/PS-76/0096; NTIS/PS-75/231) Copyright. Avail: NTIS HC \$28.00/MF \$28.00 CSCL 04B

Sea ice, aircraft ice, bridge ice, and fog formation detecting methods are reviewed in government-sponsored research reports. Remote aerial sensing and ground based detection systems are among the methods investigated. (This updated bibliography contains 150 abstracts, 32 of which are new entries to the previous edition.)

GRA

N78-24254* National Aeronautics and Space Administration, Washington, D. C.

NASA SATELLITE TO STUDY EARTH'S OCEANS FROM SPACE

26 May 1978 56 p

(NASA-News-Release-78-77; P78-10081) Avail: NASA Scientific and Technical Information Facility, P.O. Box 8757, B.W.I. Airport, Md. 21240 CSCL 22A

The feasibility of using microwave instruments to scan the world's oceans from space in order to obtain scientific data for oceanographers, meteorologists, and commercial users of the seas will be demonstrated during the mission of the Seasat A satellite which will be launched into an 800 kilometer high near circular orbit by an Agena Atlas-Agena launch vehicle. The satellite configuration, its payload, and data collection and processing capabilities are described as well as the launch vehicle system.

A.R.H.

N78-24603# Kansas Univ., Lawrence. Lawrence Remote Sensing Lab.

BACKSCATTER PROPERTIES OF SEA ICE WITH RADAR: ARCTIC OPERATIONS DESCRIPTION AND PRELIMINARY DATA SUMMARY

R. G. Unstott, G. J. Dome, R. A. Hand, James Hague, J. Pape, and R. K. Moore Oct. 1977 161 p

(Contract N00014-76-C-1105)

(AD-A052711; RSL-TM-331-1)

Avail: NTIS

HC A08/MF A01 CSCL 17/9

Active microwave responses of sea ice and lake ice were investigated at sites located off the North Alaskan Coast in the Arctic Ocean. The experimenters were ground-based at the Naval Arctic Research Laboratory, NARL, located outside of Barrow, Alaska, during May 1977, an early spring month in the Arctic. Microwave equipment was mounted and assembled on a portable A-frame type support system which was transported to test sites via sled and snowmobile. Data were acquired at numerous microwave frequencies, receive-transmit polarizations, and angles of incidence for 5 sea ice and 2 lake ice types. This memo documents the experiment and the experimental procedure; and lists the raw experimental data.

Author (GRA)

N78-25502*# Alaska Univ., Fairbanks.

LANDSAT SURVEY OF NEAR-SHORE ICE CONDITIONS ALONG THE ARCTIC COAST OF ALASKA Final Report

William J. Stringer, Principal Investigator and Stephen A. Barrett 31 May 1978 211 p refs Sponsored by NASA ERTS

(E78-10136; NASA-CR-157148)

Avail: NTIS

HC A10/MF A01 CSCL 08L

The author has identified the following significant results. Winter and spring near-shore ice conditions were analyzed for the Beaufort Sea 1973-77, and the Chukchi Sea 1973-76. LANDSAT imagery was utilized to map major ice features related to regional ice morphology. Significant features from individual LANDSAT image maps were combined to yield regional maps of major ice ridge systems for each year of study and maps of flaw lead systems for representative seasons during each year. These regional maps were, in turn, used to prepare seasonal ice morphology maps. These maps showed, in terms of a zonal analysis, regions of statistically uniform ice behavior. The behavioral characteristics of each zone were described in terms of coastal processes and bathymetric configuration.

HYDROLOGY AND WATER MANAGEMENT

Includes snow cover and water runoff in rivers and glaciers, saline intrusion, drainage analysis, geomorphology of river basins, land uses, and estuarine studies.

A78-34212 Applications of satellite data in mapping rainfall for the solution of associated problems in regions of sparse conventional observations. E. C. Barrett (Bristol, University, Bristol, England). In: Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, Bristol, England, April 5-9, 1976. London, Butterworth and Co. (Publishers), Ltd., 1977, p. 126-142. 21 refs.

A78-34213 Remote sensing of soil moisture - User requirements and present prospects. L. F. Curtis (Bristol, University, Bristol, England). In: Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, Bristol, England, April 5-9, 1976. London, Butterworth and Co. (Publishers), Ltd., 1977, p. 143-158. 27 refs.

Remote sensing techniques applicable to the assessment of soil moisture are discussed, with emphasis on active and passive microwave systems, which may provide quantitative information on moisture states. The masking effects of vegetation, land cultivation and soil type on the microwave sensing results are considered; an FM-CW ground-based radar providing a reference library of correlations between microwave responses and soil moisture states under various conditions may be employed to solve some calibration problems. Remote sensing in the visible and near-infrared wavelengths is suggested for repetitive observations of rainstorm effects in dry areas or waterlogging in wetter regions. J.M.B.

A78-34853 Vegetation mapping from color aerial photography of Lake Champlain wetlands. W. G. Howland (Vermont, University, Burlington, Vt.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 9-23. 16 refs. U.S. Department of the Interior Grant No. A-022.

Vegetation in the Missisquoi and Lamoille River Deltas of the Lake Champlain Basin (Vermont) was mapped from available medium-high altitude color aerial photography. This study has established the present distribution of vegetation in view of expected ecological modifications resulting from future artificial lake level regulation. Photointerpretation was visual through the use of a Bausch and Lomb zoom stereoscope and a Hilger and Watts stereometer. Signatures were established for thirteen canopy types. Species composition, relative dominance, canopy height, and physical site affinities of plant associations were determined. The resulting canopy association maps show patterns distinctly correlative to deltaic surface morphology. Evidence of the impact of recent years of abnormally high lake levels on the distribution of wetland vegetation is presented, along with associated symptoms of stress. Ground control was achieved during the summers of 1975 and 1976. (Author)

A78-34861 Multilevel analysis of ecosystem alteration due to water regime changes in a south Louisiana swamp. W. A. Blanchard (Louisiana State University, Baton Rouge, La.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 161-169. 7 refs.

A78-37924 Problems in hydrology (Problemy gidrologii). Edited by V. D. Bykov, M. I. L'vovich, N. V. Somov, and R. K. Klige. Moscow, Izdatel'stvo Nauka, 1978. 240 p. In Russian.

The handbook considers various aspects of hydrology, including water-exchange and water resources. Methods for performing hydrological calculations are discussed, noting those applicable to studying rainfall drainage, the probability distribution of maximal water flow rates, and the spatial regularities of the annual flow of rivers. Several topics in space hydrology are discussed, including the modeling of water flows by remote sensing. The formation of water resources is reviewed along with data concerning the water balance. The interaction between industry and water resources is outlined. S.C.S.

A78-37925 # Space methods in hydrology (Kosmicheskie metody v gidrologii). G. P. Kalinin, Iu. V. Kurilova, and P. A. Kolosov. Leningrad, Gidrometeoizdat, 1977. 184 p. 233 refs. In Russian.

The handbook outlines remote sensing methods for monitoring earth resources including regional and global water exchange. The application of aerial photography for determining water reserves, snow and ice covers, and ground water is reviewed. Procedures for predicting hydrological processes on the basis of aerial-photography data are indicated. The use of satellite information in studies of global hydrology is considered, noting the interaction of the atmosphere and the hydrosphere, and the statistical structure of the spatial-time fields of hydrometeorological characteristics. S.C.S.

A78-40175 * Use of Landsat multispectral imagery in estimating snow areal extent and snow water content cost-effectively. S. Khorram (California, University, Berkeley, Calif.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings.

New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 218-227. 13 refs. Grant No. NGL-05-003-404.

Landsat color composites are used in conjunction with a limited amount of aerial survey data and ground-truth measurements in order to estimate snow areal extent and snow water content. The snow water content estimations are based on the inexpensive Landsat data and the much more expensively obtained information on ground snow courses. A cost-effectiveness analysis of the procedures showed the expenses involved in obtaining confidence intervals of 80, 90, 95 and 99% for the estimates. J.M.B.

N78-22454*# Cornell Univ., Ithaca, N. Y. School of Civil and Environmental Engineering. **ASSESSMENT OF AQUATIC VEGETATION WITH SATELLITE-DERIVED DATA Technical Completion Report, Jun. - Sep. 1977**

B. L. Markham, W. R. Philipson, J. Ng, and T. Liang Nov. 1977 24 p refs

(Grant NGL-33-010-171; Contract DI-14-34-0001-7068;

OWRT Proj. A-082-NY(1))

(NASA-CR-156295; PB-275768/0; W78-02401) Avail: NTIS HC A02/MF A01 CSCL 08H

LANDSAT satellite data were analyzed manually and digitally to determine whether they can provide any useful information concerning freshwater, aquatic vegetation. The study focused on central New York State, where aerial photographic coverage and field data for three lakes were available for comparison. GRA

N78-23501*# NUS Corp., Rockville, Md. **REMOTE SENSING APPLICATIONS TO A PARTIAL AREA MODEL Final Report, Apr. 1970 - Jul. 1977**

Edwin T. Engman and John R. Annett, Principal Investigators Jul. 1977 94 p refs ERTS

(Contract NAS5-23399)

(E78-10125; NASA-CR-156741; NUS-3048) Avail: NTIS HC A05/MF A01 CSCL 08B

The author has identified the following significant results. Storm volumes simulated with geometry delineated from

06 HYDROLOGY AND WATER MANAGEMENT

LANDSAT and aircraft infrared imagery were compared with calibration volumes simulated with geometry delineated by hand from soils maps. Results show that where land use is indicative of the soils in a watershed, remotely sensed data can provide good results in a partial area model. Contributing areas were not identifiable by any criteria other than land use. Good results can not be expected in areas with uniform land use with this approach.

N78-23502*# California Univ., Santa Barbara. Dept. of Geography.

REMOTE SENSING APPLICATIONS TO HYDROLOGIC MODELING IN THE SOUTHERN SIERRA NEVADA AND PORTIONS OF THE SAN JOAQUIN VALLEY, VOLUME 1
Final Report, 17 Jan. 1977 - 16 Mar. 1978

Jeff Dozier, John E. Estes, David S. Simonett, Principal Investigators, Robert Davis, James Frew, Caryn Gold, Sandra Keith, and Danny Marks May 1978 126 p refs ERTS 2 Vol.

(Grant NSG-5155)

(E78-10126; NASA-CR-156977)

Avail: NTIS

HC A07/MF A01 CSCL 08H

The author has identified the following significant results. Characteristics of LANDSAT MSS imagery present problems in using satellite radiation measurements to estimate the shortwave albedo of an alpine snow cover. Every 15 minute USGS quadrangle contains over 100,000 pixels which poses a computation problem if each pixel is to be evaluated individually. The sampling interval may be sufficiently great to mask some effects of terrain and vegetation on reflectance. Three frames of LANDSAT imagery are needed for complete coverage of the study area, yet less than one third of the area coverage from each frame covers an area of interest. Because of distortions inherent in the imagery, information regarding spacecraft altitude, attitude, and position must be statistically derived with respect to ground control points in the image whose geodetic locations are known. An inspection of shade points indicates that up to one third of the most heavily snow covered areas may saturate in bands 4 through 6. LANDSAT's 9 day repeat cycle is not optimum for snow cover reflectance modeling because the most pronounced changes in albedo occur most nearly following a new snowfall. Such a snowfall, occurring between overpasses, is inadequately represented by extrapolation from the previous overpasses.

N78-23503*# California Univ., Santa Barbara. Dept. of Geography.

REMOTE SENSING APPLICATIONS TO HYDROLOGIC MODELING IN THE SOUTHERN SIERRA NEVADA AND PORTIONS OF THE SAN JOAQUIN VALLEY, VOLUME 2
Final Report, 17 Jan. 1977 - 16 Mar. 1978

Jeff Dozier, John E. Estes, David S. Simonett, Principal Investigators, Robert Davis, James Frew, Caryn Gold, Sandra Keith, and Danny Marks May 1978 354 p ERTS 2 Vol.

(Grant NSG-5155)

(E78-10127; NASA-CR-156978)

Avail: NTIS

HC A16/MF A01 CSCL 08H

N78-23508*# Cornell Univ., Ithaca, N. Y. School of Civil and Environmental Engineering.

CORNELL UNIVERSITY REMOTE SENSING PROGRAM
Semiannual Status Report, 1 Jun. - 30 Nov. 1977

Ta Liang, Arthur J. McNair, and Warren R. Philipson Dec. 1977 118 p refs

(Grant NGL-33-010-171)

(NASA-CR-156993; SASR-11) Avail: NTIS HC A06/MF A01 CSCL 05B

Aircraft and satellite remote sensing technology were applied in the following areas: (1) evaluation of proposed fly ash disposal sites; (2) development of priorities for drainage improvements; (3) state park analysis for rehabilitation and development; (4) watershed study for water quality planning; and (5) assistance project-landfill site selection. Results are briefly summarized. Other projects conducted include: (1) assessment of vineyard-related problems; (2) LANDSAT analysis for pheasant range management;

(3) photo-historic evaluation of Revolutionary War sites; and (4) thermal analysis of building insulation. The objectives, expected benefits and actions, and status of these projects are described.

J.M.S.

N78-23521*# Geological Survey, Washington, D. C.

APPLICATION OF COMPUTER PROCESSED MULTISPECTRAL DATA TO THE DISCRIMINATION OF LAND COLLAPSE (SINKHOLE) PRONE AREAS IN FLORIDA

A. E. Coker, R. Marshall (Mich. Univ., Ann Arbor), and N. S. Thomson (Mich. Univ., Ann Arbor) In NASA John F. Kennedy Space Center Remote Sensing and the Earth Dec. 1977 p 181-193 refs Presented at the 6th Intern. Symp. on Remote Sensing of Environ., Oct. 1969 Sponsored in cooperation with Army and AF

Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 08G

Data were collected near Bartow, Florida, for the purpose of studying land collapse phenomena using remote sensing techniques. Data obtained using the multispectral scanner system consisted of various combinations of 18 spectral bands ranging from 0.4-14.0 microns and several types of photography. The multispectral data were processed on a special-purpose analog computer in order to detect moisture-stressed vegetation and to enhance terrain surface temperatures. The processed results were printed on film to show the patterns of distribution of the proposed hydrogeologic indicators.

Author

N78-23524*# Geological Survey, Washington, D. C.

OPTICAL DATA PROCESSING AND PROJECTED APPLICATIONS OF THE ERTS-1 IMAGERY COVERING THE 1973 MISSISSIPPI RIVER VALLEY FLOODS

Morris Deutsch (EROS Program) and Fred Ruggles In NASA. John F. Kennedy Space Center Remote Sensing and the Earth Dec. 1977 p 226-244 refs Prepared in cooperation with NASA. Goddard Space Flight Center

(Contract DI-14-08-0001-13185)

Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 08H

Flooding was detected along the Mississippi River and some of its tributaries by the multispectral scanner (MSS) on the ERTS-1 on at least three orbits during the spring of 1973. The ERTS data provided the first opportunity for mapping the regional extent of flooding. Special optical data processing techniques were used to produce a variety of multispectral color composites enhancing flood-plain details. One of these, a 2-color composite of near infrared bands 6 and 7, was enlarged and registered to 1:250,000-scale topographic maps and used as the basis for preparation of flood image maps. Two specifically filtered 3-color composites of MSS bands 5, 6, and 7 and 4, 5, and 7 were prepared.

Author

N78-23525*# Army Cold Regions Research and Engineering Lab., Hanover, N. H.

APPLICATIONS OF ERTS-1 IMAGERY TO TERRESTRIAL AND MARINE ENVIRONMENTAL ANALYSES IN ALASKA

D. M. Anderson, H. L. McKim, W. K. Crowder, R. K. Haugen, L. W. Gatto, and T. L. Marlar In NASA. John F. Kennedy Space Center Remote Sensing and the Earth Dec. 1977 p 245-272 refs Presented at the 3d Earth Resources Technol. Satellite-1 Symp. Vol. 1: Tech. Presentations, Sect. B, Washington, D. C., Dec. 1973

Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 08B

A method is considered for identifying and monitoring estuary in surface water, circulation patterns, and changes at different Alaskan sites.

Author

N78-23526*# Geological Survey, Washington, D. C.
WATER-MANAGEMENT MODELS IN FLORIDA FROM LANDSAT-1 DATA

A. L. Higer, E. H. Cordes, A. E. Coker, and R. H. Rogers (Bendix Aerospace Systems Div.) *In* NASA. John F. Kennedy Space Center Remote Sensing and the Earth Dec. 1977 p 273-304 refs Presented at the NASA Earth Resources Surv. Symp Vol. 1D: Water, Houston, Tex., Jun. 1975

Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 05A

ERTS-1 is described as a near real time, data relay system for south Florida water quantity and quality monitoring. An ecological model of the Shark River Slough in Everglades National Park is also presented. Author

N78-23528*# Delaware Univ., Newark.
MONITORING COASTAL WATER PROPERTIES AND CURRENT CIRCULATION WITH ERTS-1

V. Kiemas, M. Otley, C. Wethe, and R. H. Rogers (Bendix Aerospace Systems Div.) *In* NASA. John F. Kennedy Space Center Remote Sensing and the Earth Dec. 1977 p 315-340 refs Presented at the 3d Earth Resources Technol Satellite-1 Symp. Vol. 1: Tech. Presentation, Sect. B, Washington, D. C., Dec. 1973

Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 08C

Imagery and digital tapes from nine successful ERTS-1 passes over Delaware Bay during different portions of the tidal cycle were analyzed with special emphasis on turbidity, current circulation, waste disposal plumes, and convergent boundaries between different water masses. ERTS-1 image radiance correlated well with Secchi depth and suspended sediment concentration. Circulation patterns observed by ERTS-1 during different parts of the tidal cycle, agreed well with predicted and measured currents throughout Delaware Bay. Author

N78-23530*# National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, Houston, Tex.

THE MAPPING OF MARSH VEGETATION USING AIRCRAFT MULTISPECTRAL SCANNER DATA

M. Kristine Butera *In* NASA. John F. Kennedy Space Center Remote Sensing and the Earth Dec. 1977 p 351-371 refs Presented at the Earth Resources Surv. Symp. Vol. 1A: Agr. and Environ., Houston, Tex., Jun. 1975

Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 CSCL 08B

Aircraft multispectral scanner data were applied to the identification and mapping of Louisiana marsh vegetation species for salinity ozone determination. Author

N78-23532*# National Aeronautics and Space Administration, Goddard Space Flight Center, Greenbelt, Md.

KOREAN COASTAL WATER DEPTH/SEDIMENT AND LAND COVER MAPPING (1:25,000) BY COMPUTER ANALYSIS OF LANDSAT IMAGERY

K. Y. Park (Colorado State Univ., Fort Collins) and Lee D. Miller May 1978 23 p refs Presented at 7th Ann. Remote Sensing of Earth Resources Conf., Tullahoma, Tenn., 27-28 Mar. 1978 Submitted for publication

(NASA-TM-79546) Avail: NTIS HC A02/MF A01 CSCL 08B

Computer analysis was applied to single date LANDSAT MSS imagery of a sample coastal area near Seoul, Korea equivalent to a 1:50,000 topographic map. Supervised image processing yielded a test classification map from this sample image containing 12 classes: 5 water depth/sediment classes, 2 shoreline/tidal classes, and 5 coastal land cover classes at a scale of 1:25,000 and with a training set accuracy of 76%. Unsupervised image classification was applied to a subportion

in two case studies. One focuses on the impact of groundwater development on the Papago Indians in Arizona; the second, through a discussion of groundwater development in Pakistan, demonstrates the role groundwater development can play in the economic development process in developing arid countries.

GRA

N78-23537*# National Aeronautics and Space Administration, Goddard Space Flight Center, Greenbelt, Md.

APPLICATION OF REMOTE SENSING TO THE CHESAPEAKE BAY REGION. VOLUME 1: EXECUTIVE SUMMARY

W. T. Chen, G. W. Freas, Jr., G. D. Hickman (Maryland Univ., College Park), D. A. Pemberton (Maryland Univ., College Park), T. D. Wilkerson (Maryland Univ., College Park), I. Adler (Maryland Univ., College Park), and V. J. Laurie (EPA, Washington, D. C.) 1978 47 p Conf. held at Berkeley Springs, W. Va., 12-15 Apr. 1977; sponsored by NASA, EPA, and Maryland Univ., College Park (NASA-CP-6; G-7719) Avail: NTIS HC A03/MF A01 CSCL 08C

The proceedings are presented of a conference, jointly sponsored by the National Aeronautics and Space Administration, the U.S. Environmental Protection Agency, and the University of Maryland. The purpose of the Conference was to assemble representatives of federal and state government agencies engaged in research on the condition and evolution of the Chesapeake Bay to compose a status report, to present current activities and future plans, and to recommend a long-range future course of policies and programs. Author

N78-23538*# National Aeronautics and Space Administration, Goddard Space Flight Center, Greenbelt, Md.

DIELECTRIC CONSTANTS OF SOILS AT MICROWAVE FREQUENCIES-2

J. Wang, T. Schmutge, and D. Williams May 1978 34 p refs (NASA-TP-1238; G-7802-13) Avail: NTIS HC A03/MF A01 CSCL 20N

The dielectric constants of several soil samples were measured at frequencies of 5 and 19 GHz using the infinite transmission line method. The results of these measurements are presented and discussed with respect to soil types and texture structures. A comparison is made with other measurements at 1.4 GHz. At all three frequencies, the dependence of dielectric constant on soil moisture can be approximated by two straight lines. At low moisture, the slope is less than at high moisture level. The intersection of the two lines is believed to be a function of soil texture. Author

N78-23550# Arkansas Univ., Fayetteville. Water Resources Research Center.

LANDSAT LINEAR TREND ANALYSIS: A TOOL FOR GROUNDWATER EXPLORATION IN NORTHERN ARKANSAS Project Completion Report, May 1975 - 30 Jun. 1977

Harold C. MacDonald, Kenneth F. Steele, and Elizabeth Gaines Jun. 1977 118 p refs

(Contract DI-14-34-0001-6004; OWRT Proj. A-034-ARK(1))

(PB-277121/0; PUB-49; W78-03752) Avail: NTIS HC A06/MF A01 CSCL 08H

In northern Arkansas, knowledge of deep aquifers is fairly limited. The development of these deeper aquifers to their fullest potential as reliable water sources depends upon the delineation of high yield areas, a process that may be facilitated by linear trend analysis. Satellite and photolineament maps of the 13 counties were prepared by use of LANDSAT images and agricultural stabilization and conservation service photo indexes. The lineaments and fracture traces on aerial photographs and LANDSAT images are natural linear features such as aligned stream segments, soil tonal and vegetal alignments, and topographic sags. GRA

N78-23551# Arizona Univ., Tucson. Office of Arid Lands Studies.

THE IMPACT OF GROUNDWATER DEVELOPMENT IN ARID LANDS: A LITERATURE REVIEW AND ANNOTATED BIBLIOGRAPHY

Susan Jo Keith 1977 153 p

06 HYDROLOGY AND WATER MANAGEMENT

(Contract DI-14-31-0001-5254)

(PB-276908/1; OWRT-W-197(5254)(2);

ARID-LANDS-RESOURCE-IP-10; W78-03757) Avail: NTIS
HC A08/MF A01 CSCL 13B

The importance of anticipating the physical and socioeconomic effects of groundwater development in arid lands is discussed of the site analyzed and produced classification maps comparable in results in a spatial sense. The results of this test indicated that it is feasible to produce such quantitative maps for detailed study of dynamic coastal processes given a LANDSAT image data base at sufficiently frequent time intervals. Author

N78-23700*# Florida Univ., Gainesville. Coastal and Oceanographic Engineering Lab.

SATELLITE APPLICATIONS TO A COASTAL INLET STUDY, CLEARWATER BEACH, FLORIDA

Y. H. Wang, M. Smutz, B. E. Ruth, and H. K. Brooks Dec.

1977 25 p refs

(Grant NsG-7236)

(NASA-CR-156994; UFL/COEL-77/026)

Avail: NTIS

HC A02/MF A01 CSCL 08C

Two sets of LANDSAT magnetic tapes were obtained and displayed on the screen of an IMAGE 100 computer. Spectral analysis was performed to produce various signatures, their extent and location. Subsequent ground truth observations and measurements were gathered by means of hydrographic surveys and low-altitude aerial photography for interpretation and calibration of the LANDSAT data. Finally, a coastal engineering assessment based on the LANDSAT data was made. Recommendations to the City of Clearwater regarding the navigational channel alignment and dredging practice are presented in the light of the inlet stability. Author

N78-25497*# Department of the Environment, Ottawa (Ontario).

RETRANSMISSION OF HYDROMETRIC DATA IN CANADA Quarterly Report, Jan. - Mar. 1978

R. A. Halliday, Principal Investigator and I. A. Reid May 1978 9 p ref Sponsored by NASA ERTS

(E78-10131; NASA-CR-157144)

Avail: NTIS

HC A02/MF A01 CSCL 08H

The author has identified the following significant results. The project continues to demonstrate the feasibility of transmitting hydrometric data in the LANDSAT and GOES mode and using these data operationally. All elements except for the GOES downlink at PASS are functioning well.

N78-25507*# Washington Univ., St. Louis, Mo. Center for Development Technology.

PROGRAM ON STATE AGENCY REMOTE SENSING DATA MANAGEMENT (SARSDM) Final Report

Lester F. Eastwood, Jr. and Edward O. Gotway 19 May 1978 208 p refs

(Contract NAS8-32354)

(NASA-CR-150715) Avail: NTIS HC A10/MF A01 CSCL 05B

A planning study for developing a Missouri natural resources information system (NRIS) that combines satellite-derived data and other information to assist in carrying out key state tasks was conducted. Four focal applications -- dam safety, ground water supply monitoring, municipal water supply monitoring, and Missouri River basin modeling were identified. Major contributions of the study are: (1) a systematic choice and analysis of a high priority application (water resources) for a Missouri, LANDSAT-based information system; (2) a system design and implementation plan, based on Missouri, but useful for many other states; (3) an analysis of system costs, component and personnel requirements, and scheduling; and (4) an assessment of deterrents to successful technological innovation of this type in state government, and a system management plan, based on this assessment, for overcoming these obstacles in Missouri. Author

N78-25508*# Tennessee Univ., Knoxville. Dept. of Geography.

THE VERIFICATION OF LANDSAT DATA IN THE GEOGRAPHICAL ANALYSIS OF WETLANDS IN WEST TENNESSEE Final Report, 31 Oct. 1974 - 31 Mar. 1978

John Rehder and Dale Quattrochi Jun. 1978 144 p refs

(Contract NAS8-31143)

(NASA-CR-3012) Avail: NTIS HC A07/MF A01 CSCL 08F

The reliability of LANDSAT imagery as a medium for identifying, delimiting, monitoring, measuring, and mapping wetlands in west Tennessee was assessed to verify LANDSAT as an accurate, efficient cartographic tool that could be employed by a wide range of users to study wetland dynamics. The verification procedure was based on the visual interpretation and measurement of multispectral imagery. The accuracy testing procedure was predicated on surrogate ground truth data gleaned from medium altitude imagery of the wetlands. Fourteen sites or case study areas were selected from individual 9 x 9 inch photo frames on the aerial photography. These sites were then used as data control calibration parameters for assessing the cartography accuracy of the LANDSAT imagery. An analysis of results obtained from the verification tests indicated that 1:250,000 scale LANDSAT data were the most reliable scale of imagery for visually mapping and measuring wetlands using the area grid technique. The mean areal percentage of accuracy was 93.54 percent (real) and 96.93 percent (absolute). As a test of accuracy, the LANDSAT 1:250,000 scale overall wetland measurements were compared with an area cell mensuration of the swamplands from 1:130,000 scale color infrared U-2 aircraft imagery. The comparative totals substantiated the results from the LANDSAT verification procedure. Author

N78-26510*# National Oceanic and Atmospheric Administration, Washington, D. C.

APPLICATIONS OF HCMM DATA TO SOIL MOISTURE SNOW AND ESTUARINE CURRENT STUDIES Quarterly Report

Donald R. Wiesnet, Principal Investigator, David F. McGinnis, and Michael Matson 8 Jun. 1978 5 p Sponsored by NASA ERTS

(E78-10140; NASA-CR-157174; HCM-045; QR-3) Avail: NTIS HC A02/MF A01 CSCL 08C

N78-26511*# College for Civil Engineering, Bucharest (Romania). Lab. for Remote Sensing.

USE OF LANDSAT DATA FOR NATURAL RESOURCES INVESTIGATION IN THE LOWER BASIN OF DANUBE AND DANUBE DELTA Final Report, May 1975 - Nov. 1976

Nicolaie OPrescu, Principal Investigator Sep. 1977 87 p refs Sponsored by NASA Original contains color imagery. Original photography may be purchased from the EROS Data Center, Sioux Falls, S. D. 57198 ERTS

(E78-10141; NASA-CR-157175; DaDelta-1/6) Avail: NTIS HC A05/MF A01 CSCL 08F

The author has identified the following significant results. Monitoring of excess humidity was possible at the Baragan test site. Qualitative improvements of 20-50% were obtained in regards to soil inventory in the eastern Danube Delta, comparing data with conventional maps. The pedological situation was observed after drainage in impounded enclosures. The appearance of stagnate water was surveyed due to difference in color shades on LANDSAT imagery. Areas with gluey soils, such as lake bottoms rich in CaCO₃ and shell grist, were clearly represented. Sediment discharges into the sea at the Danube mouth and plumes over 100 km at sea could be easily distinguished on LANDSAT MSS 4 and 5.

N78-26513*# Minnesota Univ., Minneapolis. Space Science Center.

A STUDY OF MINNESOTA LAND AND WATER RESOURCES USING REMOTE SENSING Progress Report, 1 Jan. 1977 - 1 Jan. 1978

William G. Shepherd, Principal Investigator 31 Dec. 1977 269 p refs Original contains color imagery. Original photography may be purchased from the EROS Data Center, Sioux Falls, S. D. 57198 ERTS

(Grant NGL-24-005-263)

(E78-10143; NASA-CR-157177)

Avail: NTIS

HC A12/MF A01 CSCL 05B

The author has identified the following significant results. Both LANDSAT imagery and digital data were studied for usefulness in surveying water conditions of Minnesota lakes. Initial consideration was given to analysis of LANDSAT image densities because of the low technologic and cost requirements. The techniques employed, however, yield inconsistent and unreliable results. A set of criteria is given for using LANDSAT data in identification of three categories of particulate contaminants in Lake Superior. A linear transformation giving the relationship between the residual LANDSAT intensities and concentrations of three contaminants was obtained from correlation of remote sensing data with insitu measurements. LANDSAT imagery was found useful in placing peat bogs and fens in their respective geologic settings. Artificial disturbances and drainageways in peatlands could be recognized and classified.

N78-26514*# Mitre Corp., McLean, Va. Metrek Div.
SIMPLIFIED MULTIPLE SCATTERING MODEL FOR RADIATIVE TRANSFER IN TURBID WATER

A. H. Ghovanlou and G. N. Gupta May 1978 72 p refs
 Sponsored by NASA
 (Contract F19628-77-C-0001)
 (NASA-CR-145365) Avail: NTIS HC A04/MF A01 CSCL 20N

Quantitative analytical procedures for relating selected water quality parameters to the characteristics of the backscattered signals, measured by remote sensors, require the solution of the radiative transport equation in turbid media. Presented is an approximate closed form solution of this equation and based on this solution, the remote sensing of sediments is discussed. The results are compared with other standard closed form solutions such as quasi-single scattering approximations. G.G.

N78-26677*# National Aeronautics and Space Administration, Goddard Space Flight Center, Greenbelt, Md.

ESTIMATION OF SNOW TEMPERATURE AND MEAN CRYSTAL RADIUS FROM REMOTE MULTISPECTRAL PASSIVE MICROWAVE MEASUREMENTS

A. T. C. Chang Jun. 1978 15 p refs
 (NASA-TP-1251) Avail: NTIS HC A02/MF A01 CSCL 08L

Variation in crystal size and physical temperature of snowfield observations from space give large variations in the microwave brightness temperature. Since the brightness temperature is a function of wavelength, the microwave brightness temperature can be used to extract the snow temperature and mean crystal radius profiles. The Scanning Multichannel Microwave Radiometer (SMMR), to be launched on board the Nimbus-G and Seasat-A spacecraft, will make observations in wavelengths of 0.8, 1.4, 1.7, 2.8, and 4.6 cm. A statistical retrieval method was developed to determine the snowfield temperature profile and mean crystal size by using the scanning multifrequency microwave radiometer on board a spacecraft. The estimated errors for retrieval are approximately 1.5 K for temperature and 0.001 for crystal radius in the presence of 1 K rms noise for each SMMR channel.

Author

N78-27472*# South Carolina Univ., Columbia. Dept. of Geology.

AERIAL FIELD GUIDE

Dag Nummedal In Texas Univ. at Austin The Channeled Scabland 1978 p 169-177 refs

Avail: NTIS HC A09/MF A01 CSCL 08G

There are two overflights planned for the field conference: one for the Cheney-Palouse tract of the eastern channeled scabland, the other covering the coulees and basins of the western region. The approximate flight lines are indicated on the accompanying LANDSAT images. The first flight will follow the eastern margin of this large scabland tract, passing a series of loess remnants, gravel bars and excavated rock basins. The western scablands overflight will provide a review of the structurally controlled complex pattern of large-scale erosion and deposition characteristic of the region between the upper Grand Coulee (Banks Lake) and the Pasco Basin. G.G.

N78-27475*# South Dakota State Univ., Brookings. Remote Sensing Inst.

HCMM ENERGY BUDGET DATA AS A MODEL INPUT FOR ASSESSING REGIONS OF HIGH POTENTIAL GROUNDWATER POLLUTION Interim Report, Apr. - Jun. 1978

Donald G. Moore, Principal Investigator, J. Heilman, J. Tunheim, and V. Baumberger Jun. 1978 14 p ERTS
 (Contract NAS5-2406)

(E78-10145; NASA-CR-157232)
 HC A02/MF A01 CSCL 13B

Avail: NTIS

The author has identified the following significant results. To investigate the general relationship between surface temperature and soil moisture profiles, a series of model calculations were carried out. Soil temperature profiles were calculated during a complete diurnal cycle for a variety of moisture profiles. Preliminary results indicate the surface temperature difference between two sites measured at about 1400 hours is related to the difference in soil moisture within the diurnal damping depth (about 50 cm). The model shows this temperature difference to vary considerably throughout the diurnal cycle.

N78-27477*# Environmental Research and Technology, Inc., Concord, Mass.

INVESTIGATION OF THE APPLICATION OF HCMM THERMAL DATA TO SNOW HYDROLOGY Quarterly Progress Report, 1 Apr. - 30 Jun. 1978

James C. Barnes, Principal Investigator 30 Jun. 1978 4 p ERTS

(Contract NAS5-24316)

(E78-10147; NASA-CR-157234; QPR-3)

Avail: NTIS

HC A02/MF A01 CSCL 08L

N78-27720 South Carolina Univ., Columbia.

VARIATIONS IN TIDAL INLET PROCESSES AND MORPHOLOGY IN THE GEORGIA EMBAYMENT Ph.D. Thesis

Dennis Keith Hubbard 1977 90 p

Avail: Univ. Microfilms Order No. 7807907

Large scale sand body distributions were determined by aerial reconnaissance and inspection of oblique and vertical aerial photographs. The distribution of surface bedforms and internal sedimentary structures were determined through low tide ground reconnaissance, SCUBA observations, fathometer profiles, trenches and box cores. Based on these studies, three types of inlets were identified: tide dominated, wave dominated, and transitional.

Dissert. Abstr.

DATA PROCESSING AND DISTRIBUTION SYSTEMS

Includes film processing, computer technology, satellite and aircraft hardware, and imagery.

A78-33595 # Holographic pattern recognition (Golograficheskoe opoznavanie obrazov). G. I. Vasilenko. Moscow, Izdatel'stvo Sovetskoe Radio, 1977. 328 p. 122 refs. In Russian.

A unified treatment of the theories, techniques, and applications of automated identification devices used for the holographic pattern recognition is presented. Topics include the optical processing of information during pattern recognition, the basic theories of holographic identification of images, methods of holographic filtration of pictures, and the use of holographic image devices. Reading machines, information search systems, and methods of automating scientific research are considered.

M.L.

A78-34201 Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, University of Bristol, Bristol, England, April 5-9, 1976. Symposium sponsored by the Colston Research Society. Edited by R. F. Peel, L. F. Curtis, and E. C. Barrett (Bristol, University, Bristol, England). London, Butterworth and Co. (Publishers), Ltd. (Colston Papers. Volume 28), 1977. 286 p. \$22.

Remote sensing of the earth, the associated data processing and display, and applications of remote sensing to such subjects as structural geology, glaciology, hydrology and upper atmospheric studies are discussed. Topics of the papers include development of a multiband photographic system, passive infrared sensing of clear air turbulence, two-frequency radar applied to surface wave pattern studies, a proposed ESA satellite using passive microwave radiometry, interactive image processing, urban land-use classification, rainfall mapping, soil moisture assessments, remote sensing data as an aid to mapping Antarctica, and a European program of crop inventories and yield forecasts developed through analysis of Landsat and aerial reconnaissance data.

J.M.B.

A78-34208 An interactive image processing system. D. M. Balston (Plessey Radar, Havant, Hants., England). In: Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, Bristol, England, April 5-9, 1976. London, Butterworth and Co. (Publishers), Ltd., 1977, p. 80-90.

This paper describes an interactive image processing system which is now being developed. The major application areas for machine-aided image interpretation are discussed and broken down into two distinct but related techniques. The design principles underlying the system are discussed and the facilities which it will initially provide are described in detail. The system will be capable of accommodating additional facilities as the need arises and the associated technology becomes available. The final sections discuss the planned enhancements and close with a description of the approach to texture analysis and other spatial processing techniques.

(Author)

A78-34209 Data processing facilities of the TERRA experiment. S. Gizzi (Telespazio S.p.A., Rome, Italy). In: Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, Bristol, England, April 5-9, 1976. London, Butterworth and Co. (Publishers), Ltd., 1977, p. 91-95.

The data processing facility operating at the Telespazio station at Conca del Fucino, Italy, is described in this chapter. It is seen as a complete system presenting different aspects and offering a set of capabilities ranging from data acquisition to pre-processing to

information management. The hardware configuration is briefly described and the main functions of the system are indicated as well as the general philosophy used in designing it.

(Author)

A78-34777 # Simplified graphoanalytic means for determining adjusting elements during the transformation of spaceborne photographs (Uproshchennye grafo-analiticheskie sposoby opredeleniya ustanovochnykh elementov pri transformirovani kosmicheskikh fotosnimkov). G. B. Gonin and A. P. Boldyreva. *Geodeziya i Kartografiya*, Feb. 1978, p. 44-50. 5 refs. In Russian.

Two mathematically rigorous optical-analytic methods are developed for transferring the results of the decoding of spaceborne photographs onto cartographic bases. The first consists of transforming the images without converting the components specifying corrections for inclination angles and then reducing the transformations to given scales. The second consists of constructing photomaps of arbitrary components and scales directly on the basis of the spaceborne photographs. Both methods may be used in conjunction with simplified measurement and calculation techniques.

S.C.S.

A78-34865 Machine processing of Landsat multispectral data for low cost development of regional land cover information in Indiana. P. W. Mausel and L. Guernsey (Indiana State University, Terre Haute, Ind.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 239-258. 5 refs.

A78-34866 Computer enhancement techniques of Landsat MSS digital images for land use/land cover assessments. P. S. Chavez, Jr., G. L. Berlin (U.S. Geological Survey, Flagstaff, Ariz.), and W. B. Mitchell (U.S. Geological Survey, Reston, Va.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 259-275. 7 refs.

A description is presented of the design and the implementation of computer techniques which were developed to process standard Landsat Multispectral Scanner (MSS) data for the potential enhancement of land use/land cover information. Two scenes of the Phoenix, Arizona metropolitan region were selected for demonstration tests. The test site is centered at 33 deg 12 min N and 112 deg 09 min W and covers approximately 6,000 sq km. The MSS data were acquired on May 15, 1974 and November 29, 1974. The two employed stages of computer processing are related to image correction and image enhancement. Simulated natural color images were found to be helpful in providing a general overview of the test area in colors anomalous to normal vision. Attention is given to sun elevation variance, atmospheric haze, a striping noise pattern, dropped lines, geometric distortions, false color, natural color, color ratios, dependent processing, temporal processing, and thematic mapping.

G.R.

A78-34867 Delineation of land features in Egypt by Landsat satellite images. E. M. El Shazly, I. A. El Kassas (Atomic Energy Establishment; Remote Sensing Center, Cairo, Egypt), and M. A. Abdel Hady (Remote Sensing Center, Cairo, Egypt; Oklahoma State University, Stillwater, Okla.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 277-294. 6 refs.

The present paper gives conspicuous examples studied by Landsat satellite imagery of major land features in Egypt, and their implication on the environment and natural resources exploration and management. The land features concerned include the River Nile Basin, the depressions in the Western Desert and the drainage systems.

(Author)

A78-34875 A theoretical model for the evaluation of the interactions between Landsat MSS data and UTM maps in geometric transformations. M. E. Kirby (Intera Environmental Consultants, Ltd., Ottawa, Canada) and D. Steiner (Waterloo, University, Waterloo, Ontario, Canada; Eidgenössische Technische Hochschule, Zurich, Switzerland). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers.

Tullahoma, Tenn., University of Tennessee, 1977, p. 407-421. 7 refs. National Research Council Grant No. A-7501.

Geometrical distortions in Landsat multispectral scanning data constitute a hindrance to direct referencing of imaged data to a coordinate grid system (i.e., map projection). For referencing of Landsat data to a Universal Transverse Mercator (UTM) projection, a technique involving an affine transformation and the method of least squares has generally been adopted. A model is developed here to map the distortions found in various parts of a UTM zone when multispectral scanning data are referenced to the projection through this commonly employed technique. The errors associated with the referencing appear to be insignificant. J.M.B.

A78-34876 Video processing - An effective tool for image analysis. R. A. Levinson and R. W. Marrs (Wyoming, University, Laramie, Wyo.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers.

Tullahoma, Tenn., University of Tennessee, 1977, p. 423-440. 14 refs.

The efficient utilization of the full potential of multispectral remote-sensor data requires an employment of specialized image enhancement and analysis techniques. A description is presented of a video image analysis system which can rapidly process large amounts of image data from many sensor systems. Critical enhancement procedures which can be easily performed are related to gain and level adjustment, image mixing and differencing, ratioing, contrast-stretch, atmospheric correction, scale matching, density contouring, density areal measurement, edge enhancement, color separation, color combination functions, and false-color compositing. The video system compares quite favorably to optical and digital equipment which performs similar functions. Complex mathematical manipulation of data cannot be performed with the video image analysis system, but those functions which can be performed are accomplished very rapidly and at modest cost. G.R.

A78-34931 # EROS Data Center Landsat digital enhancement techniques and imagery availability, 1977. W. G. Rohde, J. K. Lo, and R. A. Pohl (Technicolor Graphic Services, Inc.; U.S. Geological Survey, EROS Data Center, Sioux Falls, S. Dak.). (Remote Sensing Science and Technology Symposium, Ottawa, Canada, Feb. 21-23, 1977.) *Canadian Journal of Remote Sensing*, vol. 4, Apr. 1978, p. 63-76.

Digital enhancement techniques which have been adopted for processing Landsat data are discussed, with attention given to radiometric restoration, geometric correction, contrast enhancement and edge enhancement. Correction algorithms for such radiometric anomalies as striping, poor data lines and atmospheric scattering effects are described; systematic correction of geometric distortions due to earth rotation and variable line lengths are also mentioned. In addition, enhancement of boundaries between features exhibiting subtle brightness differences at their edges (edge enhancement) and contrast enhancement to extend the distribution of brightness values on computer compatible tapes receive consideration. J.M.B.

A78-36270 Solar stereo Landsat imagery. V. C. Miller (Indiana State University, Terre Haute, Ind.). *ITC Journal*, no. 1, 1978, p. 158-166.

Unlike conventional stereophotography in which the same shadows photograph differently because of different camera positions, differences in Landsat shadows are caused by different positions of the sun. Although simultaneous viewing of the two halves of the Landsat solar stereogram of a portion of south-central Pennsylvania recorded on two different dates and at two different

solar elevations is rendered somewhat difficult by the differences in overall image tone and in vegetation, the differences in the illumination intensities on east- and west-facing slopes, and particularly differences in the shadows, create a definite stereoscopic effect called solar stereo. Three examples of Landsat stereopairs are presented, where both images of each pair are taken from the same position but on different dates. It is shown that the resulting differences in the shadows cast produces the stereoscopic impression. S.D.

A78-36271 Current status and perspectives of active microwave imaging for geoscience application. F. Leberl (Graz, Technische Universität, Graz, Austria). *ITC Journal*, no. 1, 1978, p. 167-190. 39 refs.

The future of the side-looking radar (SLR) for remote-sensing geoscience applications is examined. The evidence presented leads to the conclusion that SLR will have continued applications for surveillance and in the geosciences, possibly even to a greater extent than at present. This conclusion is reached by reviewing the history of imaging radar, a description of the work of major research centers in the field, and an analysis of the advantages and limitations of SLR. The latter may just be at the beginning, and requirements may emerge for more information and training opportunities relating to radar imaging and interpretation. S.D.

A78-36456 Digital analysis of Landsat images and applications. H. Ochiai (Toba Merchant Marine College, Toba, Japan), S. Takeuchi, and K. Ohi (Fujitsu Laboratories, Ltd., Kawasaki, Japan). *Fujitsu Scientific and Technical Journal*, vol. 14, Mar. 1978, p. 1-18. 8 refs.

Digital image analysis techniques for remote sensing applications are discussed. New techniques for image enhancement in false color display and for thematic analysis are outlined along with some illustrative examples using actual Landsat imagery. The false color display allows images to be readily interpreted by enhancing their spectral characteristics through digital processing, while the thematic analysis adopts simple techniques without limiting the statistical distribution form of the data. The discussed thematic analysis techniques include classification per pixel, classification per area, and similarity analysis. The effectiveness of the thematic analysis is demonstrated by applying it to the extraction of yearly variation in land use and to the survey of ocean environment. S.D.

A78-36643 Reflexive prediction and digital terrain modeling. V. Kratky (National Research Council, Ottawa, Canada). *Photogrammetric Engineering and Remote Sensing*, vol. 44, May 1978, p. 569-574. 5 refs.

An estimation process, called reflexive prediction, which was formulated by Bjerhammar (1975) is considered. Bjerhammar presents four versions of the procedure. Two of these, including pure prediction without filtering and prediction with least squares filtering, can be conveniently applied to grid-structured sets of data points. The least squares condition of minimizing the sum of squares of corrections is used to obtain an expression in array algebra formulation which is an equivalent to a well-known condition in the conventional matrix-vector formulation considered by Kratky (1976). The employment of the considered approach in the case of an application of Bjerhammar's reflexive prediction method to data sets of a grid pattern makes it possible to reduce drastically computer time and memory requirements for solutions in large models. G.R.

A78-37973 An Adcock system with active antennas for mobile applications (Ein Adcocksystem mit aktiven Antennen für den mobilen Einsatz). G. Bodemann (Telefunken AG, Ulm, West Germany) and H. Lindenmeier (München, Technische Universität, München, West Germany). *Wissenschaftliche Berichte AEG-Telefunken*, vol. 50, no. 4-5, 1977, p. 158-165. 13 refs. In German.

For certain tasks of radio reconnaissance in the RF region, an Adcock system which can be conveniently transported is needed. An ideal mobile Adcock system should consist of small field probes

which receive only the primary field and which are completely independent of the environment and the soil characteristics. This ideal can be closely approached by making use of active antennas with special characteristics. A description is presented of an active antenna which was especially developed for this application, taking into account also a compound 8-Adcock. The Adcock with a height of 2 m for the active antennas has the same sensitivity as the passive antennas with a height of 10 m. G.R.

A78-40161 Comparing soil boundaries delineated by digital analysis of multispectral scanner data from high and low spatial resolution systems. S. J. Kristof, M. F. Baumgardner, A. L. Zachary, and E. R. Stoner (Purdue University, West Lafayette, Ind.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 52-63. 5 refs.

A78-40172 Correlation of intensity variations and false color displays of multispectral digital images. J. Burkle and E. Barón (IBM de América Latina, Centro Científico, Mexico City, Mexico). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 190-193.

It is noted that when viewed by a multispectral sensor, ground resolution elements may manifest mixtures of object categories in such a way that image pixels are not representative of any category. A method is derived for the correlation of intensity variations and false color displays. The technique indicates whether a particular image may be represented by a linear mixture model. In addition, it is found that false color displays may filter the effects of intensity variations caused by shadows or changes in incident light conditions so that uniform combined colors are produced for homogeneous areas. The results of these effects are evaluated for a series of Landsat images. S.C.S.

A78-40177 A least-square error approach to Landsat image classification. A. Y. Hung (TRW Defense and Space Systems Group, Redondo Beach, Calif.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 240-249. 15 refs.

A nonparametric classifier based on a least-square-error approach has been developed to discriminate features or substances in Landsat imagery even when the functional form of the class distributions is unknown. Software implementation of the nonparametric classification is described, and an application of the technique to the classification of geological features in a region of Nevada is presented. The least-square-error classifier provides better results than the density-slice technique and may be a useful alternative to parametric Bayes classification. J.M.B.

A78-40178 A four-dimensional histogram approach to the clustering of Landsat data. M. Goldberg and S. Shlien (Canada Centre for Remote Sensing, Ottawa, Canada). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 250-259. 10 refs.

Unsupervised classification of Landsat data in spectrally distinct sets may be accomplished by use of a four-dimensional histogram in table form. The classification algorithm described here is designed to be implemented in a timesharing system and therefore requires a minimum of computer core memory. At least 280,000 pixels may be clustered at a time with the algorithm. Because of the high speed of the clustering operation (two minutes for the 280,000-pixel unit), the algorithm is suitable for an interactive system. J.M.B.

A78-40182 The use of analysis of variance procedures for defining ground conditions of categories generated in an automatic analysis of Landsat MSS digital data. S. J. Daus and M. J. Cosentino (California, University, Berkeley, Calif.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 298-306. 5 refs.

A78-40184 ISURSL levels classification - A low cost approach to multispectral data analysis. R. F. Hyde, S. N. Goward, and P. W. Mausel (Indiana State University, Terre Haute, Ind.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 322-332. 6 refs.

An economical levels classification of multispectral remote sensing data has been developed; identification of numeric boundaries in a multidimensional feature space is the key component of the classification algorithm. Single and multidimensional histogram analysis provides a sophisticated means for identifying the levels boundaries. Applications of the levels classification to a land cover inventory of Indiana, coastal area ecological zone mapping, a land use inventory, and a forest survey are reported. J.M.B.

A78-40185 Advancements in machine-assisted analysis of multispectral data for land use applications. P. H. Swain (Purdue University, West Lafayette, Ind.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 336-343. 7 refs. U.S. Geological Survey Contract No. 14-08-0001-14725.

Results are reported of a three-year study participated in by the Laboratory for Applications of Remote Sensing of Purdue University, the Center for Advanced Computation of the University of Illinois, and the Geographic Applications Program of the U.S. Geological Survey. The outcome of the study has been a demonstration of the feasibility of applying digital analysis of satellite data to land use inventory and mapping. Advancements have been made in the areas of data analysis techniques, data processing products, and education and training of personnel within the potential user agency. (Author)

A78-40205 Imaging sensors for RPVs. N. Sherman and K. Stich (U.S. Army, Night Vision Laboratory, Fort Belvoir, Va.). In: Airborne reconnaissance - Tactical/real time; Proceedings of the Seminar, Reston, Va., April 18-21, 1977. Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers, 1977, p. 26-37.

Mission requirements for mini RPVs are given which set the boundary conditions for electro-optical sensor operation. Sensor performance goals are postulated and from these objectives a class of sensor is identified. These include high performance thermal imaging and silicon television as well as more austere intensified solid state imagers and pyroelectric vidicons. Current development status and improvements for these devices is forecast. Finally some system design features are given for various stabilization schemes. (Author)

A78-41359 # Algorithms for thematic interpretation of multispectral aerospace video information (Algoritmy tematischeskogo deshifirovaniia mnogospektral'noi aerokosmicheskoi videoinformatsii). V. I. Borisenko and L. S. Chesalin. *Kosmicheskie Issledovaniia*, vol. 16, May-June 1978, p. 388-393. In Russian.

An algorithm and procedure are described for identifying quasi-uniform Landsat-patterns and automatically classifying them with respect to a spectral criterion. Owing to its low memory requirements, the algorithm can be realized on medium-size computers. V.P.

07 DATA PROCESSING AND DISTRIBUTION SYSTEMS

A78-41468 Nighttime images of the earth from space. T. A. Croft (SRI International, Menlo Park, Calif.). *Scientific American*, vol. 239, July 1978, p. 86-96, 98.

Nighttime images of the earth from space can be supplied by the Air Force meteorological satellite and the three Landsat spacecraft launched by NASA in 1972, 1975, and 1978. The Air Force satellite is well suited for conducting a wide-ranging survey of the entire earth, whereas the Landsat system can provide high-resolution color pictures of specific areas selected from the survey. The nighttime satellite images show bright gas flares in many parts of the world, but by far the greatest concentration of them is in the vicinity of the Persian Gulf. The burning of waste gas in oil fields is responsible for the observed flares. Pictures made at local midnight on February 6, 1974 are presented. They show a moonlit panorama of an expanse of earth stretching from northwestern Africa to southeastern Asia. Attention is given to city lights of the countries bordering the English Channel and the North Sea, bright lights in the Sea of Japan which coincide with the known position of the Japanese squid-fishing fleet at this time, and agricultural and natural fires. G.R.

A78-43056 Contextual pattern classification for remotely sensed multispectral data. T. S. Yu and K. S. Fu (Purdue University, West Lafayette, Ind.). In: Modeling and simulation. Volume 8 - Proceedings of the Eighth Annual Pittsburgh Conference, Pittsburgh, Pa., April 21, 22, 1977. Part 1. Pittsburgh, Pa., Instrument Society of America, 1977, p. 469-473. 17 refs.

A technique employing contextual information in recognition systems for evaluating multispectral data obtained by remote sensing is discussed with reference to the minimization of the simple Bayes risk. Attention is given to a compound decision process, which generalizes the data so that evaluations of individual information cells can be made. An experiment involving data on a 128 x 128 format (200-327 lines, 120-247 columns) is described in terms of the simple decision, four neighbor, and eight neighbor rule. Overall accuracy improved as the number of neighbors for an individual cell was increased. D.M.W.

A78-43064 Simulation of imaging radar systems. J. C. Holtzman, V. H. Kaupp, J. L. Abbott, V. S. Frost, and R. L. Martin (Kansas, University, Lawrence, Kan.). In: Modeling and simulation. Volume 8 - Proceedings of the Eighth Annual Pittsburgh Conference, Pittsburgh, Pa., April 21, 22, 1977. Part 1. Pittsburgh, Pa., Instrument Society of America, 1977, p. 591-598. 9 refs. Grant No. DAAG53-76-C-0154.

A closed system model has been developed for digital simulation of imaging radars. All system and terrain parameters are treated rigorously in this model. The model properly accounts for radar layover, shadow, dielectric and geometric variations, range compression, and etc. Stereo pairs of simulated radar images are shown to demonstrate the validity of the model. (Author)

N78-22345*# Geological Survey, Washington, D. C. **CALCULATION OF EVAPOTRANSPIRATION USING COLOR-INFRARED PHOTOGRAPHY** John Edwin Jones 1977 40 p refs Sponsored by NASA (NASA-CR-156157; GSPP-655-0) Avail: NTIS MF A01; SOD HC CSCL 14E

Data from 38 color-infrared photographic missions flown during a five year period over the Gila River Phreatophyte Project in southeastern Arizona were analyzed to determine the possibility of identifying and measuring vegetative parameters and their associated hydrologic variables by spectral analysis of the photographs. The derived spectra equations are discussed, and a table of 24 statistical parameters describing the spectral and hydrologic variables is included. Author

N78-22433 Pennsylvania Univ., Philadelphia. **THE DETECTION OF COLOR BOUNDARIES BY MEANS OF CHROMATIC DISPERSION** Ph.D. Thesis Bruce Watts Bevan 1977 202 p Avail: Univ. Microfilms Order No. 78-06556

A general technique for detecting the boundaries between objects of different color was developed. It is based on the principle that a color boundary imaged through a color dispersing prism will yield a color spectrum at the boundary which measures the difference between the two colors. Therefore, this colored band both indicates the presence of a boundary between different colors and also quantifies or records the difference between the colors. This colored band will be recorded as light or dark banding on a spectrum-integrating imager, such as a camera with black and white film, so that a color boundary will be detectable even though the two colors yield the same photographic gray density on the film. Dissert. Abstr.

N78-22434 General Electric Co., Philadelphia, Pa. **IMAGE PROCESSING INVESTIGATIONS** G. J. Chafaris, F. Alyea, D. L. Dietrich, and J. Birkemeier 21 Dec. 1977 189 p refs (IR/D Proj. 14RO-DT1-400) (DOC-77SD8002) Avail: GE Space and RESD Libraries, P.O. Box 8555, Phila., Pa. 19101; Attn: Larry Chasen, Mgr., Rm. L-1343 HC \$17.50

Four investigations aimed at improving LANDSAT image/data processing and analysis techniques are described. These are: (1) an investigation of the effects of radiometric compression/decompression on LANDSAT data; (2) an investigation of the advantages/disadvantages of maximum likelihood classification of LANDSAT data; (3) an investigation of the sensitivity of thematic mapper measurements to atmospheric parameters and (4) an investigation that developed a convolution matrix processor that improves GE IMAGE 100 operations. Author

N78-22435*# Geological Survey, Denver, Colo. **THERMAL SURVEILLANCE OF ACTIVE VOLCANOES USING THE LANDSAT-1 DATA COLLECTION SYSTEM. PART 3: HEAT DISCHARGE FROM MOUNT ST. HELENS, WASHINGTON Final Report, 1972 - 1975**

Julius D. Friedman and David Frank, Principal Investigators May 1977 34 p refs Original contains imagery. Original photography may be purchased from the EROS Data Center, Sioux Falls, S. D. 57198 ERTS (NASA Order S-70243-AG) (E78-10122; NASA-CR-156972) Avail: NTIS HC A03/MF A01 CSCL 08K

The author has identified the following significant results. Two thermal anomalies, A at 2740 m altitude on the north slope, and B between 2650 and 2750 m altitude on the southwest slope at the contact of the dacite summit dome of Mount St. Helens, Washington were confirmed by aerial infrared scanner surveys between 1971 and 1973. LANDSAT 1 data collection platform 6166, emplaced at site B anomaly, transmitted 482 sets of temperature values in 1973 and 1974, suitable for estimating the differential radiant emission as 84 W/sq m, approximately equivalent to the Fourier conductive flux of 89 W/sq m in the upper 15 cm below the surface. The differential geothermal flux, including heat loss via evaporation and convection, was estimated at 376 W/sq m. Total energy yield of Mount St. Helens probably ranges between 0.1 and 0.4 x 10 to the 6th power W.

N78-22436*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, Md. **DISTRIBUTED-SWITCH DICKE RADIOMETER Patent Application** Curt A. Levis, inventor (to NASA) (Ohio State Univ., Columbus) Filed 29 Mar. 1978 19 p Sponsored by NASA (NASA-Case-GSC-12219-1; US-Patent-Appl-SN-891356) Avail: NTIS HC A02/MF A01 CSCL 14B

A radiometer was designed with an array of transducers which simultaneously feed a number of processing channels that are periodically connected to be responsive to noise sources at a predetermined noise temperature. The noise sources are utilized to control the gain of the processing channels to enable each processing channel to derive an output that is an accurate replica of the amplitude and phase of the radiometric signal supplied to it. The array of antenna elements or subapertures transduces electromagnetic energy from a terrestrial or atmospheric region

being monitored into electric signals. Output signals from each channel, indicative of radiation from the region being monitored, are combined in a beam former that derives one or more signals that are replicas of the radiant energy from subregions of the total region being monitored. The signals derived from the beam former are amplitude detected to derive the required information. NASA

N78-22437*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, Md.
GENERATION AND PHYSICAL CHARACTERISTICS OF THE LANDSAT-1, -2 AND -3 MSS COMPUTER COMPATIBLE TAPES

Valerie L. Thomas Dec. 1977 83 p Revised
(NASA-TM-78018; X-563-75-223-Rev) Avail: NTIS
HC A05/MF A01 CSCL 05B

The generation and format of the LANDSAT 1, 2, and 3 system corrected multispectral scanner computer compatible tapes are discussed. Included in the discussion are the spacecraft sensors, scene characteristics, the transmission of data, and the conversion of the data to computer compatible tapes. Also included in the discussion are geometric and radiometric corrections, tape formats, and the physical characteristics of the tape. Author

N78-22441*# General Electric Co., Philadelphia, Pa. LANDSAT Operations Control Center.

LANDSAT-1 AND LANDSAT-2 FLIGHT EVALUATION REPORT, 23 JANUARY - 23 APRIL 1977

23 May 1977 217 p refs
(Contract NAS5-21808)
(NASA-CR-156750; DOC-77SDS4228) Avail: NTIS
HC A10/MF A01 CSCL 05B

The LANDSAT operations from launch through orbital instrument observations are reviewed. Orbital parameters, power subsystem, attitude control subsystem, and command/clock subsystem are discussed. Other subsystems are also considered, such as telemetry, orbit adjust, electrical interface, thermal, wideband telemetry, multispectral scanner, and data collection. J.A.M.

N78-22450# Control Data Corp., Minneapolis, Minn. Digital Image Systems Div.

IMAGE COMPRESSION TECHNIQUES Final Technical Report, 30 Jun. 1977 - 30 Jun. 1978

A. E. Labonte and C. J. McCallum Dec. 1977 104 p refs
(Contract F30602-76-C-0350)
(AD-A050679; RADC-TR-77-405) Avail: NTIS
HC A06/MF A01 CSCL 14/5

Timely transmission of large format digital imagery over narrow bandwidth lines requires efficient and high compression of the digitized images. The techniques developed, Micro-Adaptive Picture Sequencing (MAPS), are a two-dimensional, spatial adaptive technique which uses the Redundant Area Coding (REARC) concept along with a very versatile algorithm developed by Control Data Corporation. Compression ratios of 30:1 have been achieved with MSE ranging from .548 to 2.534 percent for a broad variety of visible and radar imagery. Author (GRA)

N78-22457# Geological Survey, Reston, Va.
US GEOLOGICAL SURVEY SOURCES OF PHOTOGRAPHS AND IMAGES OF BIOSPHERE RESERVES TAKEN FROM SPACECRAFT AND AIRCRAFT: 19-ORGAN PIPE CACTUS NATIONAL MONUMENT

Janet M. Bonner 1977 76 p
(PB-276550/1) Avail: NTIS HC A05/MF A01 CSCL 08B

Each data report in this series lists remotely sensed data gathered from spacecraft and aircraft available for a single biosphere reserve. Computer listings of data are provided by the EROS Data Center of the U.S. Geological Survey, which contains in its archives all of the listed material in photographic form and, in the case of LANDSAT images, can make available computer-compatible magnetic tapes of any LANDSAT scene. GRA

N78-22805 Maryland Univ., College Park.
AUTOMATIC CLOUD CLASSIFICATION AND SEGMENTATION Ph.D. Thesis

Josephine Ann Parikh 1977 424 p
Avail: Univ. Microfilms Order No. 78-04502

A comparative study of statistical pattern recognition techniques demonstrated a need for application of image segmentation techniques prior to the feature extraction process. Segmentation models for identification of cloud-type objects were defined and tested on sample sets of meteorological satellite data. Significant improvement in classification accuracy was achieved by incorporating the most promising of the segmentation techniques into a statistical pattern recognition model based on cloud segment features. Dissert. Abstr.

N78-23409# Engins Matra, Velizy (France). Lab. de Traitement des Images.

STUDY OF IMAGE ON-BOARD PROCESSING METHODS

Gabriel E. Lowitz and Alain G. Spiwack Paris ESA 15 Dec. 1977 216 p refs
(Contracts ESTEC-2898)
(Rept-60/382; ESA-CR(P)-1031) Avail: NTIS
HC A10/MF A01

Image data compression techniques that could be implemented onboard satellites were studied. Classical image processing techniques considered are digital pulse code modulation systems, run length coding systems, transform coding, and syntactic coding. Theoretical aspects include natural dimension reduction and Karhunen-Loeve preprocessing; structure of black and white and multispectral images; syntactic data compression by class extraction; and Matra clustering algorithm. Onboard implementation and simulation results are discussed. In annexes a clustering technique based on the partitioning of the data histogram, stability and dimensionality of Karhunen-Loeve multispectral image expansions, and an iterative procedure for the KL transform of a sequence of adjacent data blocks are presented. ESA

N78-23498*# Geological Survey, Denver, Colo.
THERMAL SURVEILLANCE OF ACTIVE VOLCANOES USING THE LANDSAT-1 DATA COLLECTION SYSTEM. PREFACE AND PART 1: THE SURTSEY, ICELAND, TEMPERATURE DATA RELAY EXPERIMENT VIA LANDSAT-1 Final Report, 1972 - 1975

Jules D. Friedman, David Frank, Duane M. Preble, and Sveinn Jakobsson, Principal Investigators (Museum of Natural History, Reykjavik, Iceland) Dec. 1975 89 p refs Submitted for publication Original contains imagery. Original photography may be purchased from the EROS Data Center, Sioux Falls, S. D. 57198 ERTS
(NASA Order S-70243-AG)
(E78-10121; NASA-CR-156971) Avail: NTIS
HC A05/MF A01 CSCL 08K

The author has identified the following significant results. Combined aerial IR surveys and DCP heat flux estimates at Mt. Baker, Washington, revealed that recurrent snow, ice, and debris avalanches were in part induced by subglacial geothermal emission and led to the prediction that geothermally-induced volcanic events would occur again at Mt. Baker. On March 10, 1975, the prediction was substantiated when significant and sudden increase in subglacial steam emission perforated the crater glacier in Sherman Crater at Mt. Baker. Analysis of stereographic pairs of LANDSAT MSS images led to the discovery of three large ring structures (the largest, 34 km in diameter) that were interpreted as volcanic centers and possible collapsed calderas or volcanotectonic depressions of post Miocene age in Lassen volcanic region.

N78-23499*# Geological Survey, Denver, Colo.
THERMAL SURVEILLANCE OF ACTIVE VOLCANOES USING THE LANDSAT-1 DATA COLLECTION SYSTEM. PART 4: LASSEN VOLCANIC REGION Final Report, 1972 - 1975

Jules D. Friedman and David Frank, Principal Investigators Apr. 1978 83 p refs Original contains imagery. Original photography may be purchased from the EROS Data Center, Sioux Falls, S. D. 57198 ERTS

07 DATA PROCESSING AND DISTRIBUTION SYSTEMS

(NASA Order S-70243-AG)

(E78-10123; NASA-CR-156973)

Avail: NTIS

HC A05/MF A01 CSCL 08K

The author has identified the following significant results. Analysis of LANDSAT 1 MSS images of October 6, 24, and 25, 1972 of the Lassen volcanic region, California, revealed the existence of three large geomorphic rings between Lassen Peak and Lake Almanor. Ring 1, about 16 x 33 km and 490 sq km in area, was centered on the North Branch of the North Fork of the Feather River. Ring 2, 18 x 20.5 km and 300 sq km in area, was concentric to and enclosed by ring 1. Ring 3, 23 x 11 km and 230 sq km in area, was centered on Butt Mountain and cuts ring 1 on the south. All three rings consisted of composite curvilinear features that represent geologic features of two categories: (1) geologically mapped structures and volcanic landforms, and (2) landforms and lines of geomorphic origin that were inferred to represent the surface expression of subsurface structures. Stream-valley and lake-shoreline continuations of mapped faults, escarpments, and aligned segments of stream valleys were included in the 2d category. The rings overlap a gravity low 5300 sq km in area, and might be the surface expression of volcanotectonic collapse structures that followed eruption of voluminous ash flow tuffs beginning in Miocene times.

N78-23500* Geological Survey, Denver, Colo.

THERMAL SURVEILLANCE OF ACTIVE VOLCANOES USING THE LANDSAT-1 DATA COLLECTION SYSTEM. PART 5 ELECTRONIC THERMAL SENSOR AND DATA COLLECTION PLATFORM TECHNOLOGY Final Report, 1972 - 1975

Duane M. Preble, Jules D. Friedman, and David Frank, Principa Investigators Feb. 1976 64 p refs ERTS

(NASA Order S-70243-AG)

(E78-10124; NASA-CR-156974)

Avail: NTIS

HC A04/MF A01 CSCL 08K

The author has identified the following significant results. Five LANDSAT data collection platforms were integrated electronically with thermal sensing systems, emplaced and operated in an analog mode at selected thermal significant volcanic and geothermal sites. The DCP's transmitted 3260 messages comprising 26,080 ambient, surface, and near surface temperature records at an accuracy of + or - 1.15 C for 1121 instrument days between November 14, 1972 and April 17, 1974. In harsh, windy, high altitude volcanic environments, the DCP functioned best with a small dipole antenna. Sixteen kg of alkaline batteries provided a viable power supply for the DCP systems, operated at a low duty cycle, for 5 to 8 months.

N78-23505* IBM Federal Systems Div., Gaithersburg, Md.
THEMATIC MAPPER DESIGN PARAMETER INVESTIGATION Final Report, Jun. 1976 - Jan. 1978

C. P. Colby, Jr. and S. G. Wheeler Jan. 1978 147 p refs (Contract NAS5-23585)

(NASA-CR-156756; FSD-780001)

Avail: NTIS

HC A07/MF A01 CSCL 08B

This study simulated the multispectral data sets to be expected from three different Thematic Mapper configurations, and the ground processing of these data sets by three different resampling techniques. The simulated data sets were then evaluated by processing them for multispectral classification, and the Thematic Mapper configuration, and resampling technique which provided the best classification accuracy were identified.

Author

N78-23512* National Aeronautics and Space Administration, John F. Kennedy Space Center, Cocoa Beach, Fla.

THE NATURE OF LIGHT

In its Remote Sensing and the Earth Dec. 1977 p 18-25

Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 20F

Basic information about the sun, what light is, and the atmospheric effects on light transmission are presented. Author

N78-23527* Virginia Univ., Charlottesville.

HIGH-ALTITUDE AERIAL PHOTOGRAPHS AID IN INVESTIGATIONS

Robert Dolan and Linwood Vincent In NASA. John F. Kennedy Space Center Remote Sensing and the Earth Dec. 1977 p 305-314 refs Sponsored in cooperation with NASA. Wallops Station and USGS

Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 08C

Results of crescentic features study of sandy coasts, using high altitude aerial photography are presented. Author

N78-24594# Indian Space Research Organization, Ahmedabad. Image Processing and Analysis Div.

A PROGRAMMING SYSTEM FOR DIGITAL IMAGE PROCESSING OF REMOTELY SENSED DATA

Bangalore, India Apr. 1977 65 p refs

(ISRO-SAC-TR-04-77) Avail: NTIS HC A04/MF A01

The programming system designed for processing of multispectral data and multiband photographs is described and defined in terms of preprocessing and picture handling, pattern recognition and statistical analysis routines, data management, input/output routines, and computer programming. M.V.

N78-26516# Giddings (L. E., Jr.), Houston, Tex.

BOLIVIA FROM SPACE: IMAGES AND OTHER INFORMATION FROM SATELLITES, WITH CATALOGS

L. E. Giddings, Jr. Jan. 1977 275 p

(Giddings-77-01) Avail: NTIS HC A12/MF A01

Information about Bolivia is presented that was obtained from manned and unmanned satellites. A comprehensive catalog of photographs taken from the Gemini, Apollo, and Skylab manned missions is included. Information available from unmanned satellites includes the LANDSAT earth resources technology satellites, the ITOS/NOAA polar orbiting meteorological satellites, and the SMS/GOES geosynchronous orbiting meteorological satellites. Some information on future satellites is also reported. Sample images of all types of data are included. G.G.

N78-27473 Maryland Univ., College Park.

LINEAR FEATURE DETECTION AND MAPPING Ph.D. Thesis

Gordon James VanderBrug 1977 263 p

Avail: Univ. Microfilms Order No. 78-08196

The methods developed are applicable to many types of pictures, but the examples used in the dissertation are all taken from remote sensory imagery. In such imagery, roads, rivers, and geologically significant structures known as lineaments all appear as linear features. The approach taken involves several steps: (1) detection of the features on a local basis using a local matching process; (2) iterative enhancement of the local feature detection output using contextual information; (3) representation of the resulting curve segments in a data structure; and (4) merging the segments, as guided by the data structure, to yield global linear features. Dissert. Abstr.

N78-27495# Army Engineer Topographic Labs., Fort Belvoir, Va.

ELEVATION DATA COMPACTION BY POLYNOMIAL MODELING

James R. Jancaitis Apr. 1978 47 p refs

(AD-A054003; ETL-0140) Avail: NTIS HC A03/MF A01 CSCL 08/2

This report details the status of ongoing research directed towards development of a near-term production implementation of digital data compression of terrain elevation information. The first section discusses the important data characteristics, the major applications, and the compression needs. The second section discusses the various published terrain representations, their capabilities and limitations. The third section presents an overview of the Polynomial Terrain Model's characteristics and construction. The next section contained the development plan identified for production implementation of the polynomial modeling technique, and the remaining sections report on the status of various phases of this development. The results showed that the Polynomial Matrix method is the most promising of the various digital terrain formats (DFT). Author (GRA)

INSTRUMENTATION AND SENSORS

Includes data acquisition and camera systems and remote sensors.

A78-34124 * **Stratospheric ozone measurement with an infrared heterodyne spectrometer.** M. M. Abbas (NASA, Goddard Space Flight Center, Infrared and Radio Astronomy Branch, Greenbelt; Maryland, University, College Park, Md.), T. Kostiuik, M. J. Mumma, D. Buhl, V. G. Kunde, and L. W. Brown (NASA, Goddard Space Flight Center, Infrared and Radio Astronomy Branch, Greenbelt, Md.). *Geophysical Research Letters*, vol. 5, Apr. 1978, p. 317-320. 13 refs.

Measurements of a stratospheric ozone concentration profile are made by detecting infrared absorption lines with a heterodyne spectrometer. The infrared spectrometer is based on a line-by-line tunable CO₂ lasers, a liquid-nitrogen cooled HgCdTe photomixer, and a 64-channel spectral line receiver. The infrared radiation from the source is mixed with local-oscillator radiation. The difference frequency signal in a bandwidth above and below the local-oscillator frequency is detected. The intensity in each sideband is found by subtracting sideband contributions. It is found that absolute total column density is 0.32 plus or minus 0.02 cm-atm with a peak mixing ratio at about 24 km. The (7,1,6)-(7,1,7) O₃ line center frequency is identified as 1043.1772/cm. Future work will involve a number of ozone absorption lines and measurements of diurnal variation. Completely resolved stratospheric lines may be inverted to yield concentration profiles of trace constituents and stratospheric gases. S.C.S.

A78-34203 **Collection and analysis of spectral reflectance data and their use in the design of a multiband photographic system.** R. J. Drewett (Plessey Radar, Havant, Hants., England). In: Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, Bristol, England, April 5-9, 1976. London, Butterworth and Co. (Publishers), Ltd., 1977, p. 15-25. Research supported by the Home Office.

The basic concepts of a complete multiband photographic system are discussed, stressing the importance of spectral reflectance data in the choosing of camera filters, and the need for high-quality output material. A system to provide these needs has been developed, and the elements of the system are described. The paper concludes with a section on current and potential applications in the field of remote sensing. (Author)

A78-34205 **Remote sensing by radar.** K. G. Corless (Royal Radar Establishment, Malvern, Worcs., England). In: Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, Bristol, England, April 5-9, 1976. London, Butterworth and Co. (Publishers), Ltd., 1977, p. 38-53. 6 refs.

Side-looking airborne imaging radar, synthetic aperture radar, pulse Doppler radar and two-frequency radar systems are described. Radar measurements of range, range rate and the spatial Fourier transform of range are given attention. In addition, applications of two-frequency radar to the identification of surface wave patterns, as well as the spaceborne uses of synthetic aperture radars, are mentioned. J.M.B.

A78-34206 **Passive microwave radiometry from a European spacecraft.** H. M. Mooney, E. P. L. Windsor (British Aircraft Corp., Ltd., Bristol, England), E. Nilsson, and L. Thrane. In: Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, Bristol, England, April 5-9, 1976. London, Butterworth and Co. (Publishers), Ltd., 1977, p. 54-68.

Applications of passive microwave radiometry to remote sensing of the terrestrial environment were examined in a feasibility study for an ESA satellite to be orbited after 1980. The chief reason for selecting a microwave rather than infrared sensing system was the all-weather performance of the former. Use of the ESA satellite for ship routing, air quality assessments, sea surface temperature and wind speed determinations, glaciology studies, arid zone studies and weather forecasting were given particular attention. A sun-synchronous orbit with a recurrence period of four days was envisaged. In addition, the study focused on horns, reflectors and phased arrays as antenna options, and on noise-injection and dual-reference designs for the radiometer. J.M.B.

A78-34207 **A critical review of the Quantimet 720 image analyser in remote sensing.** B. L. Wignall (Image Analysing Computers, Royston, Yorks., England). In: Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, Bristol, England, April 5-9, 1976. London, Butterworth and Co. (Publishers), Ltd., 1977, p. 71-79. 8 refs.

The Quantimet 720 is a general purpose image analyzer. It works on a television principle using nonstandard scan parameters designed to optimize the measurement processes. The basis of the measurements is selection of regions of interest by gray level thresholding, although this can be augmented by use of some textural information and also a wide range of interaction techniques. The instrument can also be used to digitize images for software analysis. A number of instruments are in regular use for remote sensing applications which include studies of ice and snow cover, afforestation, water resources and crop diseases and yields. (Author)

A78-34855 **The role of ground truth data and an approach to its collection.** T. H. L. Williams. In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 39-49. 8 refs.

Ground truth data has two main functions in remote sensing studies; (1) the provision of training and calibration information for ongoing surveys and (2) in a ground-based research facility for investigations into sensor response/environmental parameters relationships. A ground truth data collection system was developed at the University of Bristol to fulfill the general requirements of both these functions. It was designed with three objectives in mind: speed of operation for rapid per-site coverage, simplicity of operation for use by semi-skilled personnel, and with a low cost factor to enable multiple systems to be used. It is based on a Land-Rover with attached telescopic mast. The mast carries a six-channel radiometer and 35 mm camera mounted on a servomechanism. Techniques developed include the use of photographic quadragram and data storage techniques, automated continuous soil moisture measurement, soil surface roughness description and the use of low level aerial photography as a means of collecting synoptic data. (Author)

A78-34859 * **Characteristic vector analysis as a technique for signature extraction of remote ocean color data.** G. W. Grew (NASA, Langley Research Center, Hampton, Va.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 109-144. 10 refs.

Characteristic vector analysis is being used to extract spectral signatures of suspended matter in the ocean from remote ocean color data collected with MOCS (Multichannel Ocean Color Sensor), a multispectral scanner. Spectral signatures appear to be obtainable either directly from characteristic vectors or through a transformation of these eigenvectors. Quantification of the suspended matter associated with each resulting signature seems feasible using associated coefficients generated by the technique. This paper presents eigenvectors associated with algae, 'sediment', acid waste, sewage sludge, and oil. The results suggest an efficient method of transmitting from satellites multispectral data of pollution in our oceans. (Author)

A78-34873 A camera system for small format aerial photography. J. C. Rea and M. Ashley (Maine, University, Orono, Me.). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference. 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 365-374. 19 refs.

A camera control system suited for operation of any electrically operated small-format camera used in aerial reconnaissance is described. The control system includes intervalometers, connecting cables and a mount adaptable to light aircraft. Sequential firing of a single camera, simultaneous firing of two or more cameras, and independent firing of two cameras are among the options made available by the control unit. The control system is economical and does not interfere with the pilot's activities during flight. J.M.B.

A78-34879 Feature selection and sample classification algorithms of INPE. R. Kumar (Conselho Nacional de Desenvolvimento Científico e Tecnológico, Instituto de Pesquisas Espaciais, São José dos Campos, São Paulo, Brazil). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 487-497. 18 refs.

In the remote sensing of earth resources, the problem of feature selection reduces to the following. Given a set of N features (e.g., multispectral channels), find a subset consisting of n channels which provides an optimal trade off between classification cost and classification accuracy. An algorithm for feature selection based on B-distance (derived from Bhattacharyya distance) has been developed. This algorithm can be used for Landsat data, aircraft multispectral scanner (MSS) data and Skylab MSS data. In addition, a branch and bound algorithm to select the best subset of n features from a set of N features without exhaustive search is also being developed. A sample classifier based on B-distance has been developed. B-distance is computed between a test field and each of the training classes and classified into the class for which the B-distance is minimum. (Author)

A78-34910 * # System implementation for Earth Radiation Budget Satellite System. J. E. Cooper and C. V. Woerner (NASA, Langley Research Center, Hampton, Va.). *American Meteorological Society, Conference on Atmospheric Radiation, 3rd, Davis, Calif., June 28-30, 1978, Paper. 5 p.* 13 refs.

A description is presented of the instrument system which is needed for the Earth Radiation Budget Satellite System (ERBS). The system is to be composed of instruments on two of NOAA's near-polar sun-synchronous Tiros-N/NOAA A through G series of operational satellites and on a NASA midinclination satellite of the Applications Explorer Mission (AEM) type referred to as ERBS-A/AEM. The Tiros-N/NOAA satellites will be in nominal 833 km altitude circular orbits with orbital inclinations of 98 deg. The AEM satellite will be in a circular orbit with an inclination of approximately 56 deg and a nominal altitude of 600 km. Each satellite will carry wide field-of-view (WFOV) and medium field-of-view (MFOV) sensors, a sensor for measuring the solar constant, and a narrow field-of-view (NFOV) cross-track scanner. The conceptual design of the W/MFOV instrument is discussed along with the conceptual design of the scanner. G.R.

A78-34926 # Applications of satellite thermal infrared measurements to earth's resources studies. J. Cihlar and A. K. McQuillan (Canada Centre for Remote Sensing, Ottawa, Canada). (*Remote Sensing Science and Technology Symposium, Ottawa, Canada, Feb. 21-23, 1977.*) *Canadian Journal of Remote Sensing*, vol. 4, Apr. 1978, p. 10-28. 87 refs.

The application of thermal infrared measurements to earth resources studies in Canada is discussed, with emphasis on the capabilities of the Advanced Very High Resolution Radiometer of Tiros-N and the Heat Capacity Mapping Mission, scheduled for launch in 1978. Astronomical, atmospheric, topographic, surface and

subsurface parameters affecting thermal infrared data are considered. Among the applications contemplated for this type of remote sensing are groundwater assessments, mapping of thermal patterns in bodies of water, soil moisture analyses, plant stress surveys, forest fire monitoring, and investigations of sea ice, snow cover and permafrost zones. J.M.B.

A78-34930 # Passive electro-optical remote sensors at the Canada Centre for Remote Sensing. H. H. Zwick (Canada Centre for Remote Sensing, Ottawa, Canada). (*Remote Sensing Science and Technology Symposium, Ottawa, Canada, Feb. 21-23, 1977.*) *Canadian Journal of Remote Sensing*, vol. 4, Apr. 1978, p. 51-62. 13 refs.

The basic design parameters of passive electrooptical sensors used at the Canada Centre for Remote Sensing are reviewed; photometers, spectrometers and imaging devices, most of which operate in the 0.4- to 14-micron spectral region, figure in the review. Parameters studied include spectral resolution, throughput, instantaneous field of view, number of sensors, transmission, integration/acquisition time and outputs. In addition, the resolving power of each sensor is studied as a function of radiance response or a signal-to-noise parameter. J.M.B.

A78-35181 # Technical description of remote-sensing data receivers and transmitters for balloon experiments (*Description technique de récepteurs et d'émetteurs de télémesure pour expériences ballon*). R. Tissier (CNRS, Laboratoire de Géophysique Externe, Saint-Maur-des-Fossés, Val-de-Marne, France). *SBARMO Bulletin*, vol. 6, Dec. 1977, p. 263-304. 11 refs. In French.

A balloon-borne receiver and transmitter and a ground-based receiver and transmitter designed for a maximum transmission distance of 700 km are described. The remote sensing communications system employs PCM transmission and FM; a tolerance for temperatures in the range -40 C to plus 50 C is specified for the balloon-borne equipment. A 200-250 mW transmitter is the chief component of the balloon-borne communications package. A receiver operating in the 135-140 MHz range provides on-ground reception. J.M.B.

A78-35338 Processing of ocean wave data from a synthetic aperture radar. R. A. Shuchman and J. S. Zelenka (Michigan, Environmental Research Institute, Ann Arbor, Mich.). (*Inter-Union Commission on Radio Meteorology and U.S. Navy, Colloquium on Radio Oceanography, Hamburg, West Germany, Sept. 29-Oct. 6, 1976.*) *Boundary-Layer Meteorology*, vol. 13, Jan. 1978, p. 181-191. 10 refs. Grant No. NOAA-04-6-158-44078; Contract No. N00014-76-C-1048.

The processing of data obtained by synthetic aperture radar (SAR) on ocean waves is examined, and the effect of defocusing caused by moving ocean waves is analyzed. Conventional processing of Doppler data from moving ocean waves produces images that are defocused in the azimuthal direction. The defocusing is corrected by readjusting the azimuthal focus an amount proportional to the relative velocity of the wave trains. In addition to varying azimuth focus, the effects of varying the Doppler center frequency, the range focus, and the number of coherently averaged images on SAR wave imagery were also observed. P.T.H.

A78-35932 Tutorial review of synthetic-aperture radar /SAR/ with applications to imaging of the ocean surface. K. Tomiyasu (GE Valley Forge Space Center, Philadelphia, Pa.). *IEEE, Proceedings*, vol. 66, May 1978, p. 563-583. 65 refs.

This review paper shows how an airborne (or spaceborne) synthetic-aperture radar (SAR) - comprising a pulsed microwave transmitter, antenna, and a phase-coherent receiver - can produce high-resolution two-dimensional images of radar-mapped areas. A major feature is that the antenna beam is typically at right angles to the velocity vector. The discussion covers the synthetic aperture,

relevant range and cross-range (azimuth) ambiguities, signal processing, phase errors, mapping rate, SNR, radar image of ocean waves, and radar-frequency dependence for a fixed resolution. High resolution in range is obtained using wideband transmitted pulses, and high resolution in azimuth is achieved by signal processing the coherent phase history of target-reflected signals collected for the integration time period. SAR images of ocean waves are reported which correlate well with optical photographs and visual observations. A SAR is expected to measure the directional spectra of oceanic waves. S.D.

A78-36196 # Estimates of the effectiveness of using AFU-75 cameras in photographic satellite tracking and satellite geodesy (Nekotorye otsenki effektivnosti primeneniia kamer AFU-75 v fotograficheskoi sputnikometrii i sputnikovoi geodezii). K. Lapushka, L. Lautsenieks, and I. Balodis (Astronomicheskaiia Observatoriia, Riga, Latvian SSR). *Nauchnye Informatsii*, no. 35, 1977, p. 80-99. 20 refs. In Russian.

Analysis of a large number of satellite photographs taken with AFU-75 cameras shows that this camera has sufficient power and accuracy to be used for photographing nearly all types of satellites used in geodesy and studies of atmosphere and earth dynamics. The rms error for one direction to a satellite is ± 0.7 to ± 1.1 arcsec for active satellites, ± 0.7 to ± 1.1 arcsec for bright satellites, and ± 0.7 to ± 1.1 arcsec for faint satellites. The average camera accuracy over all photographing conditions with high-grade code is ± 0.7 to ± 1.1 arcsec, and for processing photographs with mixed first- and second-grade codes it is ± 0.7 to ± 1.6 arcsec. P.T.H.

A78-36307 Recent advances in the application of thermal infrared scanning to geological and hydrological studies. D. A. Pratt, C. D. Ellyett, E. C. McLauchlan, and P. McNabb (Newcastle University, Newcastle, New South Wales, Australia). (*International Geological Congress, 25th, Symposium on Exploration Remote Sensing, Sydney, Australia, Aug. 1976.*) *Remote Sensing of Environment*, vol. 7, Apr. 1978, p. 177-184.

The thermal scanner on board Landsat-C and the Heat Capacity Mapping Mission provide opportunities for the application of thermal infrared scanning to geological and hydrological studies. Calibration of scanners by internal black-body reference sources is described; digital and analog processing techniques for thermal infrared imagery are also discussed. Density slicing, contrast stretching, boundary enlargement and contouring are among the processing methods considered. In addition, attention is given to theoretical investigations of soil and rock temperature in an active thermal environment, and studies of the relationship between diurnal surface temperature variations and ground thermal properties. J.M.B.

A78-36644 The Space Oblique Mercator projection. J. P. Snyder. *Photogrammetric Engineering and Remote Sensing*, vol. 44, May 1978, p. 585-596. 5 refs.

The Space Oblique Mercator projection, a concept that was originated by Colvocoresses in 1974, has been mathematically implemented as the first map projection to provide continuous mapping of satellite imagery true to scale along the groundtrack, and within a few millionths of accurate conformal projection. Specifically designed for Landsat (formerly ERTS) imagery, it is also suitable for other satellites with broader scans. Formulas are given for both sphere and ellipsoid. A unique feature is the need for a curved groundtrack and skewed scan lines on the SOM projection, although they would be straight and parallel, respectively, on a normal oblique cylindrical projection. (Author)

A78-36925 Effect of f-number and other parameters on FLIR performance in nearly BLIP systems. H. Barhydt (Hughes Aircraft Co., Culver City, Calif.). *Optical Engineering*, vol. 17, Mar.-Apr. 1978, p. SR-28 to SR-32. 13 refs.

The article discusses the effect of the f-number and related parameters on the performance of forward looking infrared sensors (FLIRs) in the case of nearly background limited performance (BLIP) systems. It is noted that in nearly BLIP systems the detectivity of an appropriately cold shielded detector array varies with the f-number in a manner which eliminates the f-number dependence to the first order. Other performance-determining characteristics in nearly BLIP systems include wavelength interval, sizing parameters, and various efficiency factors. An expression is derived for the noise equivalent temperature difference which is also associated with the minimum resolvable temperature difference and the minimum detectable temperature difference. S.C.S.

A78-38460 # Near-infrared remote-sensing radiometer (Tele-radiometr dlia blizhnego infrakrasnogo diapazona). V. K. Veismann and Ch. I. Villmann. *Meteorologicheskoe Issledovaniia*, no. 23, 1977, p. 57-60. 16 refs. In Russian.

The paper describes the design, principle of operation, and absolute calibration of a four-channel near-infrared radiometer for remote-sensing applications. The basic metrological characteristics of the instrument are: (1) absolute energetic sensitivity, (2) relative spectral sensitivity characteristics, and (3) directivity characteristics. The dependence of photoresistor sensitivity on temperature is plotted, and directivity curves are presented for one channel of the radiometer. B.J.

A78-40203 Electronic solid state wide angle camera system - ESSWACS. G. T. Burton (RCA, Burlington, Mass.). In: *Airborne reconnaissance - Tactical/real time*; Proceedings of the Seminar, Reston, Va., April 18-21, 1977. Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers, 1977, p. 10-19. Contract No. F33615-76-C-1276.

A system for real time wide angle reconnaissance from low flying, high performance aircraft is described. The system combines a multiple lens - linear CCD array, airborne sensor head, an air to ground data link; and a ground based, dry silver film, laser beam recording system that produces hard copy imagery on the ground within 30 seconds of data acquisition. The airborne sensor employs five lenses, each with its own CCD array to cover a 140 degree ground swath. Resolution from 1000 feet in a push broom mode is 0.75 foot. Data from the five arrays and synchronization, V/H and roll data are multiplexed into a single data line for airborne storage or direct transmission to the ground. On the ground, sync, roll and V/H are extracted as the video information is buffered in a dual line buffer. Using the sync and roll data to derive control signals the buffered data is processed to correct for optical image distortion and system time base instabilities. The resultant video signal drives a high performance laser beam recorder. (Author)

A78-40487 SCIMP - A scanning interferometric multiplex photometer. G. G. Shepherd, A. J. Deans, and Y. P. Neo (York University, Toronto, Canada). *Canadian Journal of Physics*, vol. 56, June 1978, p. 681-686. 20 refs. Research supported by the National Research Council of Canada and Canada Centre for Remote Sensing.

An interference filter photometer concept is described in which equally-spaced spectral elements of equal width are generated. The method takes advantage of the wavelength shift of off-axis radiation transmitted by the filter, and is accomplished by the use of masks in the location of the field stop. This technique lends itself to multiplexing, using Fourier or Hadamard coding, but a direct spectral configuration is also possible. The advantages of the concept and a comparative analysis of signal-to-noise ratio are described. The technique has been employed in ground based airglow studies, airborne remote sensing, and rocket measurements of airglow and aurora. (Author)

A78-41189 In situ measurement of water transparency. J. W. Sheldon (Florida International University, Miami, Fla.). *Photogrammetric Engineering and Remote Sensing*, vol. 44, June 1978, p. 717-720. 5 refs. Research supported by the Florida Atlantic University and Florida International University.

This paper describes how the well-known modulation transfer function theory and experimental technique can be employed to monitor suspended particulates in the aqueous environment by using instrumentation that rivals the Secchi disk in simplicity, but which has many advantages over this older method. The design of a simple low-cost underwater camera-light source-target system is reported and its use is demonstrated by observing the temporal variation in the transparency of Biscayne Bay water during the passage of a barge-tug vehicle. (Author)

A78-41208 # Remarks on calibration of photogrammetric cameras (Kilka uwag o kalibracji kamer fotogrametrycznych). A. Majde. *Geodezja i Kartografia*, vol. 27, no. 2, 1978, p. 155-160. In Polish.

The merits of different methods of calibrating photogrammetric cameras are judged in terms of the method of determining the interior orientation parameters. It is shown that during processing of aerial photographs of rather large area, only the distortions of the central projection have significant effect. The optimal method recommended in this case is to take the position of the interior projective center obtained by interior calibration and determine the distribution of the total distortions on the basis of photographs of the test field. P.T.H.

N78-22429 Oklahoma State Univ., Stillwater.
THE TEMPORAL CORRELABILITY OF DIGITAL THERMAL INFRARED SCANNER DATA Ph.D. Thesis
Edmund Henry Conrow 1976 210 p
Avail: Univ. Microfilms Order No. 78-01228

The correlatability of thermal patterns obtained by terrain mapping with a scanning radiometer was explored. The NOAA-3 vhr thermal IR digital data was utilized to determine whether invariant and/or mean-biased consistent thermal features on the earth's surface can be detected. After geometric registration, point-by-point differencing was used in day/day, day/night, and night/night analyses to determine if the correlation between data sets was sufficiently high to warrant further investigation for application to position-location systems. In addition, an investigation was made to determine if observed physical and environmental factors would have an effect on the degree of correlatability between data sets. Dissert. Abstr.

N78-22442*# Old Dominion Univ., Norfolk, Va. School of Engineering.
LABORATORY REQUIREMENTS FOR IN-SITU AND REMOTE SENSING OF SUSPENDED MATERIAL Final Report
Chin Y. Kuo and Robert Y. K. Cheng Mar. 1978 90 p refs (Contract NAS1-11707)
(NASA-CR-145367; TR-76-C2) Avail: NTIS HC A05/MF A01 CSCL 08H

Recommendations for laboratory and in-situ measurements required for remote sensing of suspended material are presented. This study investigates the properties of the suspended materials, factors influencing the upwelling radiance, and the various types of remote sensing techniques. Calibration and correlation procedures are given to obtain the accuracy necessary to quantify the suspended materials by remote sensing. In addition, the report presents a survey of the national need for sediment data, the agencies that deal with and require the data of suspended sediment, and a summary of some recent findings of sediment measurements. Author

N78-22443# Deutsches Geodaetisches Forschungsinstitut, Munich (West Germany).
SYSTEMATIC IMAGE ERRORS [SYSTEMATISCHE BILDFEHLER]
Bayerische Akad. der Wiss. 1977 70 p refs In GERMAN
Proc. of a Photogrammetry Conf. held at Bonn, 5 Dec. 1975 (Ser-B-226; ISBN-3-7696-8528-8) Avail: NTIS HC A04/MF A01

Papers are presented concerning adjustment of systematic errors in photogrammetry. The compensation of systematic image errors by photoflight dispositions, together with bundle adjustment, is discussed. Partial calibration based on a test field is reviewed. A simultaneous block adjustment method with self-calibration is outlined. Computer techniques are discussed for extensive image associations using the bundle method. Results of photogrammetric fixed point determination are presented.

N78-22444# Deutsches Geodaetisches Forschungsinstitut, Munich (West Germany).
COMPENSATION OF SYSTEMATIC IMAGE ERRORS BY PHOTOFLIGHT DISPOSITIONS? [KOMPENSATION SYSTEMATISCHER BILDFEHLER DURCH DIE BILDFLUGANORDNUNG?]
Joachim Thomas *In its Systematic Image Errors* 1977 p 12-22 refs Partly in GERMAN and ENGLISH

Copyright. Avail: NTIS HC A04/MF A01

The question is being considered of whether a compensation of systematic image errors is to be reached by manifold flying and subsequent simultaneous bundle adjustment. Fundamental connections between types of systematic image errors and optimal compensating flight dispositions were found based on extensive empirical investigations. The resulting compensation can be reduced to the arithmetic mean (of all photooverlaps) of the systematic errors in the image plane. A graphical and an algebraic method were developed to determine the average of two-dimensional errors in a two-dimensional distribution. Partly new flight dispositions for compensation of systematic image errors were conceived based on both methods. Author (ESA)

N78-22445# Deutsches Geodaetisches Forschungsinstitut, Munich (West Germany).
PARTIAL CALIBRATION OF A PHOTOGRAMMETRY SYSTEM USING TEST FIELDS [TEILKALIBRIERUNG EINES PHOTOGRAMMETRISCHEN SYSTEMS UNTER VERWENDUNG VON TESTFELDERN]
L. Mauelshagen *In its Systematic Image Errors* 1977 p 23-38 refs In GERMAN

Copyright. Avail: NTIS HC A04/MF A01

Partial calibration based on a test field is discussed as a method for the treatment of the systematic image errors in photogrammetry. The mathematical model determining the photogrammetric mapping by the projection relations between measured image and photographic object is described. Practical results of partial calibrations are outlined. These show that considerable accuracy improvements in block adjustment may be expected as a result of the elimination of systematic image errors. ESA

N78-22446# Deutsches Geodaetisches Forschungsinstitut, Munich (West Germany).
BLOCK ADJUSTMENT WITH SELF CALIBRATION [BLOCKAUSGLEICHUNG MIT SELBSTKALIBRIERUNG]
H. Ebner *In its Systematic Image Errors* 1977 p 39-54 refs In GERMAN

Copyright. Avail: NTIS HC A04/MF A01

A block adjustment method with self-calibration is described for photogrammetry. The method is simultaneous in that the systematic image or model deformations are compensated by additional parameters of the adjustment. A strategy is proposed based on a sufficiently general functional and stochastic model, and on suitable statistical tests, with which the significance of calculated correction terms is rigidly tested. A certain standardization of the method is aimed at. Practical test results of bundle block adjustments and of block adjustments with independent models are described, which demonstrate the performance of the proposed simultaneous self-calibration strategy. ESA

N78-22447# Deutsches Geodaetisches Forschungsinstitut, Munich (West Germany).
CONCEPT FOR THE CALCULATION OF EXTENSIVE IMAGE ASSOCIATIONS USING THE BUNDLE METHOD [KONZEPT

ZUR BERECHNUNG GROSSER BILDOVERBAEENDE MIT HILFE DER BUENDELMETHODE]

Juergen Mueller *In its Systematic Image Errors* 1977 p 55-65
In GERMAN

Copyright. Avail: NTIS HC A04/MF A01

A computer program system is proposed for calculation of extensive image associations in photogrammetry using the bundle method. The capabilities of data processing for block triangulation are demonstrated. A modular approach to the development of the system is discussed in which first the central functions are established (construction of image file, file management), and then the attached separate processing programs. ESA

N78-22448# Deutsches Geodaetisches Forschungsinstitut, Munich (West Germany).

FIRST RESULTS OF PHOTOGRAMMETRIC FIXED POINT CONCENTRATION HORDORF [ERSTE ERGEBNISSE DER PHOTOGRAMMETRISCHEN FESTPUNKTVERDICHTUNG HORDORF]

W. Tegeler *In its Systematic Image Errors* 1977 p 66-70
refs In GERMAN

Copyright. Avail: NTIS HC A04/MF A01

The trigonometric points of third and fourth order, all reference points, and the height points were determined using photogrammetry for a test area of 6 km by 12 km. Photoflights were carried out with two different cameras. Block adjustment took place by using the bundle method. Results are presented. ESA

N78-23125# Indian Space Research Organization, Bangalore. Satellite Centre.

ORBIT SELECTION FOR EARTH RESOURCES SATELLITES
C. K. Raja Singh and P. S. Goel Jan. 1977 14 p refs
(ISRO-ISAC-TN-05-77) Avail: NTIS HC A02/MF A01

Orbit parameters for earth resources satellites were determined. A proper choice of the orbit parameters is essential so as to reap better results from the mission. The basic concepts of satellite orbits, such as the elements of orbit and effects of the asphericity of the earth on orbital elements were explained. Expressions for calculating the orbit period, orbit regression, apseline rotation were given. The factors affecting the life of the orbit are discussed. The relationship between orbit life time versus altitude for Aryabhata and Rohini type of satellite configuration was also included. Various types of orbits such as sun synchronous, recursive, repetitive coverage were examined. The requirements of different payloads and their influence on the selection of orbit are summarized. The equations describing sun synchronism and ground trace were stated. Using these equations design charts relating the various parameters for different cases were drawn. Use of the charts was illustrated with a few examples. Author

N78-23329# Heriott-Watt Univ., Edinburgh (Scotland).

REMOTE SENSING

G. E. Peckham *In AGARD Recent Advan. in Radio and Opt. Propagation for Mod. Commun., Navigation and Detection Systems* Apr. 1978 14 p refs

Avail: NTIS HC A12/MF A01

The way in which emitted or reflected electromagnetic radiation is used to obtain information about the atmosphere, land, and sea is briefly described. The use of infrared scanners and radiometers on satellites to examine the land surface and properties of the atmosphere including temperature and composition, is considered. Author

N78-23405# Army Missile Research and Development Command, Redstone Arsenal, Ala. Technology Lab.

REAL-TIME ACOUSTICAL HOLOGRAPHY SYSTEMS

Virgil G. Irelan, Bobby R. Mullinix, and John G. Castle Oct. 1977 61 p refs

(DA Proj. 1L3-62303-A-214)

(AD-A052000; DRDMI-T-78-10)

Avail: NTIS

HC A04/MF A01 CSCL 14/5

The existing system for Acoustical Real Time Holographic Image Reproduction is described, together with operating

instructions. Its novel features include: (1) large diameter (approximately 4 in.) ultrasonic beam and correspondingly large image area; (2) high intensity of the ultrasonic beam and therefore, improved penetrability for thick test objects; and (3) excellent damping in the water tanks and therefore, less background noise during real time viewing. Preliminary nondestructive testing measurements indicate that the system resolution is close to the theoretical diffraction limit for the acoustical wavelengths (in the water medium) of 0.3, 0.5, and 1.5 mm. For discerning flaws in samples with high internal scattering, the real-time feature is necessary. For highly reflecting test objects, an improvement in penetration has been demonstrated using a coating to reduce the reflection coefficient of the test object. Preliminary data are presented using 3 MHz beams through ceramic and foam test plates with the images recorded photographically. The Acoustical Real Time Holographic Image Reproduction system is ready to be tested as a nondestructive testing method for flaws in silica radomes. Author (GRA)

N78-23406# California Univ., Livermore. Lawrence Livermore Lab.

ELECTRIC AND MAGNETIC SENSING SYSTEMS: APPLICATIONS

F. Chilton (Science Applications, Palo Alto, Calif.), L. Wood, and R. Buntzen (Naval Ocean Systems Center, San Diego, Calif.) Sep. 1977 42 p

(Contract W-7405-eng-48)

(UCID-17597) Avail: NTIS HC A03/MF A01

The underlying principles of electric and magnetic sensing were reviewed. Recent advances in the associated technologies are discussed and some insight into the use of such systems in ocean surveillance was provided. ERA

N78-23504*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena. INSTRUMENT TECHNOLOGY FOR REMOTE-SURFACE EXPLORATION, PROSPECTING AND ASSAYING, PART 2

Roy G. Brereton 28 Oct. 1977 89 p refs

(NASA-CR-156997; JPL-1710-7-Pr-A)

Avail: NTIS

HC A05/MF A01 CSCL 14B

The capability to specify new instrument/mechanism technology needs, for effective remote surface exploration, prospecting and assaying (EPA), requires first, an understanding of the functions or major elements of such a task, and second an understanding of the scientific instruments and support mechanisms that may be involved. An analog or task model was developed from which the various functions, operational procedures, scientific instruments, and support mechanisms for an automated mission could be derived. The task model led to the definition of nine major functions or categories of discrete operational elements that may have to be accomplished on a mission of this type. Each major function may stand alone as an element of an EPA mission, but more probably a major function will require the support of other functions, so they are inter-related. Author

N78-23510*# National Aeronautics and Space Administration. John F. Kennedy Space Center, Cocoa Beach, Fla.

THE BASICS OF REMOTE SENSING; FORWARD

In its Remote Sensing and the Earth Dec. 1977 p 1-9

Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 14E

Significant early developments of remote sensing are traced, as well as important contributions of the space program. Author

N78-23513*# National Aeronautics and Space Administration. John F. Kennedy Space Center, Cocoa Beach, Fla.

REMOTE SENSORS

In its Remote Sensing and the Earth Dec. 1977 p 26-41

Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 14E

08 INSTRUMENTATION AND SENSORS

A variety of photographic and nonphotographic sensors are briefly described which were used for remote sensing purposes.

Author

N78-23514* National Aeronautics and Space Administration. John F. Kennedy Space Center, Cocoa Beach, Fla.

REMOTE SENSING PLATFORMS

In its Remote Sensing and the Earth Dec. 1977 p 42-59

Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 14B

A multitude of remote sensing platforms are examined, including surface observations, balloons, various aircraft, spacecraft, and satellites.

Author

N78-23515* National Aeronautics and Space Administration. John F. Kennedy Space Center, Cocoa Beach, Fla.

THE ANALYSIS OF REMOTELY SENSED DATA

In its Remote Sensing and the Earth Dec. 1977 p 60-72

Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 05B

Variables involved in data analysis and equipment used to process information are discussed. Standard photointerpretation keys for railroad trains and trees are included.

J.A.M.

N78-23531* Earth Satellite Corp., Washington, D. C. **SOLID WASTE AND REMOTE SENSING. PRELIMINARY STUDIES SUGGEST THAT SMALL-SCALE AERIAL REMOTE-SENSING RECORDS AND, IN PARTICULAR, AERIAL PHOTOGRAPHS CAN CONTRIBUTE TO REGIONAL SOLID-WASTE MANAGEMENT AND PLANNING**

Donald Garofalo and Frank J. Nobber *In NASA. John F. Kennedy Space Center Remote Sensing and the Earth* Dec. 1977 p 372-393 refs Presented at the Ann. Conv. of the Am. Soc. of Photogrammetry, Washington, D. C., Mar. 1973

Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 13B

Preliminary results of a study exploring the use of aerial remote sensing techniques for solid waste management and planning purposes were considered.

Author

N78-23552 Bureau of Mineral Resources, Geology and Geophysics, Canberra (Australia).

DIGITAL DATA ACQUISITION SYSTEM IN GEOPHYSICAL SURVEY AIRCRAFT VH-BNG

D. N. Downie 1977 72 p refs

(BMR-185; BMR-MF8; ISBN-0-642-03115; Cat-77-6502-7;

R77/198) Avail: Issuing Activity

The system records information from one magnetic channel, four gamma-ray spectrometer channels, and two Doppler navigation channels, in addition to altitude and fiducial numbers. Sampling rate is one second, except for magnetic data, which are sampled every 0.2 seconds. The integrated system is built around a Hewlett-Packard 2114B general-purpose computer, interfaced to a 16 channel digital input multiplexer and magnetic tape recorder. A visible and permanent analogue record of the input data is maintained by chart recorders, to enable the operator to monitor data quality and to assist later in interpretation of the data. The chart drive motors can be run at five fixed speeds or coupled to the Doppler signal so that chart speed is proportional to ground speed. The Doppler signals are also coupled to a display unit which assists the pilot to follow the planned flight path. The system is extremely reliable, and error-free flights are common.

Author

N78-24519* ITT Aerospace/Optical Div., Fort Wayne, Ind. **ADVANCED VERY HIGH RESOLUTION RADIOMETER** Final Engineering Report, Jan. 1973 - Dec. 1976

[1978] 325 p refs

(Contract NAS5-21900)

(NASA-CR-156764) Avail: NTIS HC A14/MF A01 CSCL 14B

The program covered the design, construction, and test of a Breadboard Model, Engineering Model, Protoflight Model, Mechanical/Structural Model, and a Life Test Model. Special bench test and calibration equipment was also developed for use on the program. Initially, the instrument was to operate from a 906 n.mi. orbit and be thermally isolated from the spacecraft. The Breadboard Model and the Mechanical/Structural Model were designed and built to these requirements. The spacecraft altitude was changed to 450 n.mi., IFOVs and spectral characteristics were modified, and spacecraft interfaces were changed. The final spacecraft design provided a temperature-controlled Instrument Mounting Platform (IMP) to carry the AVHRR and other instruments. The design of the AVHRR was modified to these new requirements and the modifications were incorporated in the Engineering Model. The Protoflight Model and the Flight Models conform to this design.

Author

N78-24522* National Physical Research Lab., Pretoria (South Africa).

A NEW MEASURING SYSTEM FOR REALIZING PHOTOMETRIC AND RADIOMETRIC SCALES

Franz Hengstberger, Eberhard Thain, and Richard Turner 1977 33 p refs

(CSIR-RR-332; ISBN-0-7988-1146-3)

Avail: NTIS HC A03/MF A01

A project is reviewed for the design and construction of a complete measuring system, capable of forming the basis of South Africa's national measuring scale in the fields of light and optical radiation measurement. The nucleus of this system was a new absolute radiometer. In order to cope effectively with the different tasks to be performed, the measuring system consisted of two independent subsystems, each of which was based on the same type of plug-in detector module. Filter holders, shutter modules, detector modules, and various other attachments were completely interchangeable between the two subsystems. One of these was designed for maximum flexibility and was built up on an optical bench.

Author

N78-24604* Applied Science Technology, Inc., Arlington, Va. **MULTI-SENSOR SYSTEM (MUSS) FOR AIRBORNE SURVEILLANCE OF INSHORE WATERS**

G. Daniel Hickman Nov. 1977 44 p refs

(Contract N00014-76-C-1042)

(AD-A052544; AST-7701) Avail: NTIS HC A03/MF A01 CSCL 15/7

Data were assembled and listed in this report on state-of-the-art aircraft sensors which could be integrated to form a Multi-Sensor System (MUSS) for surveillance of inshore waters. The following sensor categories are included: radars (active, imaging), optical multispectral spectrometers (passive, imaging), infrared scanners (passive, imaging), infrared radiometers/spectrometers (passive, non-imaging), cameras and active laser systems. The MUSS might be required to perform the following missions: (1) collect data on previously uncharted areas; (2) collect data on previously charted areas using different sensors, and (3) collect data for update and/or verification of archival data. The principal beach parameters which must be measured by the MUSS include: length, width, gradient, surf and tidal range and nearshore currents. It is possible that the MUSS would also be able to yield information on the type of sediment and trafficability of the nearshore zone in addition to locating obstacles in the surf zone and mapping the ground cover.

Author (GRA)

N78-24605* Aerojet ElectroSystems Co., Azusa, Calif. **TRANSFER, INSTALLATION AND FLIGHT TESTING OF THE MODIFIED AIRBORNE OIL SURVEILLANCE SYSTEM (AOSS II) IN A HC-130 B AIRCRAFT** Final Report

D. C. Meck, J. J. Bommarito, R. S. Schwantje, and A. T. Edgerton
 Aug. 1977 147 p
 (Contract DOT-CG-52660-A)
 (AD-A052434; AESC-5546; USCG-D-60-77) Avail: NTIS
 HC A07/MF A01 CSCL 15/4

The prototype airborne oil surveillance system (AOSS I) developed for the U.S. Coast Guard by Aerojet ElectroSystems under Contract DOT-CG-22170A was modified and transferred from a HU-16 aircraft to a HC-130B aircraft. The added capabilities of the new system configuration were verified by a flight test program. Modifications to the system included (1) the addition of a high resolution aerial reconnaissance camera, (2) the addition of a dual look (left and right) capability for the SLAR, (3) automatic SLAR target position location, (4) an airborne remote temperature measurement capability, (5) simultaneous multispectral recording capability for the IR-UV line scanner data, and (6) improved processing of passive microwave imager data. The proven system capabilities of AOSS I combined with the added capabilities incorporated into AOSS II provide a unique and valuable system to support all U.S. Coast Guard missions. The system is currently operational and based at Elizabeth City, North Carolina. GRA

N78-27485*# National Aeronautics and Space Administration. Langley Research Center, Langley Station, Va.

SEASAT-A SATELLITE SCATTEROMETER (SASS) VALIDATION AND EXPERIMENT PLAN

Lyle C. Schroeder, ed. May 1978 106 p refs
 (NASA-TM-78751) Avail: NTIS HC A06/MF A01 CSCL 14B

This plan was generated by the SeaSat-A satellite scatterometer experiment team to define the pre-and post-launch activities necessary to conduct sensor validation and geophysical evaluation. Details included are an instrument and experiment description/performance requirements, success criteria, constraints, mission requirements, data processing requirement and data analysis responsibilities. J.A.M.

N78-27647# Environmental Monitoring and Support Lab., Las Vegas, Nev.

OVERHEAD ENVIRONMENTAL MONITORING WITH LIGHT UTILITY AIRCRAFT: DEMONSTRATION AND EVALUATION OF THE SYSTEM

Gordon E. Howard, Jr. and Frank R. Wolle Jan. 1978 29 p refs
 (PB-278748/9; EPA-600/4-78-008) Avail: NTIS
 HC A03/MF A01 CSCL 13B

The U.S. Environmental Protection Agency (EPA) is seeking to provide its 10 Regional Offices with a low cost remote sensing capability through development of a self contained sensor module called the Enviro-Pod (Pod). The design, development and manufacture of the prototype was accomplished by the U.S. Air Force Avionics Laboratory through an interagency agreement with the EPA. As presently configured, the Pod module contains two identical KA-85A panoramic cameras. One is mounted in the conventional vertical position and the second in an oblique position looking 45 degrees forward of the aircraft. The Pod has been successfully demonstrated in Washington, D.C., Boston, Atlanta, Philadelphia, and New York for EPA staff officials and personnel from eight other Federal agencies. Use of the Pod is foreseen in enforcement, compliance, episodic, and emergency monitoring activities. Results of feasibility demonstrations are summarized and a program is recommended for the production and suitability testing of the Pod module. Possible future sensor configurations for the Pod are also presented. GRA

09 GENERAL

Includes economic analysis.

A78-34202 **The costs and benefits of space observations.**
B. Lovell. In: Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, Bristol, England, April 5-9, 1976. London, Butterworth and Co. (Publishers), Ltd., 1977, p. 1-12.

An account is presented of the development of communications satellites (beginning with Telstar in 1962), maritime navigation satellites, and remote sensing satellites (such as the Landsat series). Attention is also given to the Large Space Telescope, a NASA project which has been subject to numerous modifications and delays over the years. In addition, the recommendations of the United Nations Committee on the Peaceful Uses of Space, especially those regarding applications of remote sensing, are reviewed; recommended applications of satellite sensing systems to geological exploration and disaster warning are mentioned. J.M.B.

A78-34219 **A European earth resources space programme.**
J. Plevin (ESA, Paris, France). In: Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, Bristol, England, April 5-9, 1976. London, Butterworth and Co. (Publishers), Ltd., 1977, p. 263-275. 6 refs.

European utilization of data from existing and planned NASA remote sensing satellites is discussed, and European contributions to future remote resources monitoring programs are reported. Crop inventories, land use classification and mapping, snow melt and soil moisture studies and coastal zone surveys are cited as primary European applications for remote sensing data. The need for a high-resolution all-weather remote sensing capability is emphasized, since much of Europe is under nearly continuous cloud cover. In addition, Spacelab capabilities for cartographic mapping and geological surveys are mentioned. Development of Landsat data reception and preprocessing facilities in Europe also receives attention. J.M.B.

A78-34851 **Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers.** Edited by F. Shahrokhi (Tennessee, University, Tullahoma, Tenn.). Tullahoma, Tenn., University of Tennessee, 1977. 626 p. \$30.

Near-real time monitoring of Iowa corn with Landsat is considered along with vegetation mapping from color aerial photography of Lake Champlain wetlands, relations between ground truth and airborne measurements for thermal infrared remote sensing over vegetated surfaces, the role of ground truth data and an approach to its collection, Lagrangian drifter design for the determination of surface currents by remote sensing, and characteristic vector analysis as a technique for signature extraction of remote ocean color data. Attention is given to the remote sensing of algae, the multilevel analysis of ecosystem alteration due to water regime changes in a south Louisiana swamp, thermal infrared studies in Labrador, the monitoring of noxious aquatic plants, the computer enhancement of Landsat MSS digital images for land use assessments, a computer processed map of North Dakota, the determination of atmospheric formation characteristics by means of microwave radiometry, a solar energy estimation procedure using remote sensing techniques, and airborne thermography for crop water stress assessment. G.R.

A78-34904 * # **Remote sensing R&D planning.** L. S. Keafer, Jr. (NASA, Langley Research Center, Hampton, Va.). *Annual Remote Sensing of Earth Resources Conference, 7th, University of Tennessee, Tullahoma, Tenn., Mar. 27-29, 1978, Paper.* 17 p. 13 refs.

A NASA method is described for forecasting remote sensing needs in the last decade of this century and for planning the necessary space system technology R&D. Five- and ten-year plans for earth observations in various disciplines are extrapolated forward to circa 1995 via a scenario which envisions major advances in remote sensing and information management. Space system studies identify the 'technology drivers', and development programs are initiated to develop the enabling technology. An example is given for a multipurpose large-aperture microwave radiometer spacecraft. (Author)

A78-34927 # **A poor man's digital image interpretation system.** F. G. Peet and J. M. Wightman (Department of the Environment, Forest Management Institute, Ottawa, Canada). (*Remote Sensing Science and Technology Symposium, Ottawa, Canada, Feb. 21-23, 1977.*) *Canadian Journal of Remote Sensing*, vol. 4, Apr. 1978, p. 29-31. 10 refs.

Basic hardware for the interpretation of Landsat digital data has been assembled for a small research organization; the total cost of the hardware is less than \$100,000. A magnetic tape drive, a disk drive, a microprogrammable minicomputer, a terminal, a lineprinter and a TV display constitute the digital processing system. Preprocessing, classification and filtering functions of the system are described. J.M.B.

A78-36499 **Introduction to the mathematics of inversion in remote sensing and indirect measurement.** S. Twomey (Arizona, University, Tucson, Ariz.). Amsterdam, Elsevier Scientific Publishing Co. (Developments in Geomathematics, No. 3), 1977. 253 p. 143 refs. \$65.

The mathematical description of the response of a real physical remote sensing system is considered along with examples of real inversion problems, simple problems involving inversion, a theory of large linear systems, the physical and geometric aspects of vectors and matrices, and the information content of indirect sensing measurements. A description is presented of algebraic and geometric aspects of functions and function space, taking into account the norms and length of orthogonality, approximation by sums of functions, integral equations, the Fourier transform and Fourier series, and the spectral form of the fundamental integral equation of inversion. Linear inversion methods and other inversion techniques are discussed, giving attention to the quadrature inversion, the least squares solution, constrained linear inversion, sample applications of constrained linear inversion, the algebraic nature of constrained linear inversion, the geometric nature of constrained linear inversion, the synthesis approach to inversion, the solution in terms of kernels, the Prony algorithm, the Landweber iteration, and iterative, non-linear methods of inversion. G.R.

A78-36649 **Internationalization of remote sensing technology.** C. K. Paul (Agency for International Development, Washington, D.C.). *Photogrammetric Engineering and Remote Sensing*, vol. 44, May 1978, p. 625-632.

The work of the Agency for International Development (AID) in connection with the transfer of remote sensing technology to the developing countries is discussed, taking into account two census projects, one in Kenya and the second in Bolivia. Developments regarding a controversy between Katz and NASA with respect to the value of earth-resources surveys by satellites are considered. Katz speculates that NASA's satellites do not really address earth resources problems, and hence, as tools, are inferior to aircraft in conducting international surveys. However, despite these criticisms, a great interest in Landsat imagery was shown by developing countries and by international assistance agencies. The NAS Committee on Remote Sensing for Development recommended that an international mechanism be established to promote consultation on technical and managerial aspects of remote sensing among user countries. G.R.

A78-40155 * **Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, Purdue University, West Lafayette, Ind., June 21-23, 1977, Proceedings.** Symposium sponsored by IEEE,

09 GENERAL

American Society of Agronomy, NASA, et al. Edited by D. B. Morrison and D. J. Scherer. New York, Institute of Electrical and Electronics Engineers, Inc., 1977. 370 p. Members, \$18.75; non-members, \$25.

Papers are presented on a variety of techniques for the machine processing of remotely sensed data. Consideration is given to preprocessing methods such as the correction of Landsat data for the effects of haze, sun angle, and reflectance and to the maximum likelihood estimation of signature transformation algorithm. Several applications of machine processing to agriculture are identified. Various types of processing systems are discussed such as ground-data processing/support systems for sensor systems and the transfer of remotely sensed data to operational systems. The application of machine processing to hydrology, geology, and land-use mapping is outlined. Data analysis is considered with reference to several types of classification methods and systems. S.C.S.

A78-40156 Some applications of remote sensing technology for international funding agencies. P.-M. Adrien (Inter-American Development Bank, Washington, D.C.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 3-8. 24 refs.

The paper discusses remote sensing technology with reference to international funding agencies. It is noted that funds from the Inter-American Development Bank have been used for a variety of projects in Latin America including agriculture, industry, transportation, and housing studies. The project cycle in each case consists of preparation, analysis, implementation, and appraisal phases. Remote sensing techniques have been used for the identification of resources, vegetative cover, crops, and land-use projects. Studies in the digital analysis of remotely sensed data have also been reported. Future work will concentrate on the further application of the Landsat program. S.C.S.

A78-40168 * Parametric design of ground data processing/support systems for advanced sensor systems. C. Denny, E. M. Johnson (Ford Aerospace and Communications Corp., Houston, Tex.), and E. L. Davis (NASA, Langley Research Center, Hampton, Va.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 150-159.

A parametric system design technique has been applied to ground data processing/support systems for advanced sensor applications. The system establishes a direct link between budget analysts and system planners. Three primary phases are identified: the definition of requirements, system design, and system costing. The system is evaluated for three cases: (1) a study of ground data handling systems for earth resource satellites, (2) a ground data mass storage and processing system for agricultural remote-sensing studies, and (3) a parametric study of shuttle era data processing support required for atmospheric and space physics. S.C.S.

A78-40169 A remote sensing system for a nationwide data-bank. H. D. Foster, J. Bos, and W. C. Richie (H. Dell Foster Co., San Antonio, Tex.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 160-171.

The paper discusses a remote sensing system which has been developed for a nationwide data bank. Eight instruments, including minicomputers and optomechanical devices, are used to convert aerial photography data into a digital data file on magnetic tape. The data file comprises a series of X-Y-Z real-world coordinates divided into descriptive primary levels and line-type identification. The output consists of a graphic manuscript file and a digital data-bank file. Component specifications are noted. S.C.S.

A78-40170 * On the transfer of remote sensing technology to an operational data system. J. D. Tarbet, L. H. Bradford, Jr. (Ford Aerospace and Communications Corp., Houston, Tex.), T. T. White (NASA, Johnson Space Center, Earth Observations Div., Houston, Tex.), and R. F. Purnell, Jr. (U.S. Department of Agriculture, Houston, Tex.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings. New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 172-176.

Data processing techniques for the transfer of remote sensing technology to an operational data system are evaluated. The study is aimed at developing a scheme for the improvement of the quantifying cost/performance ratio, noting the timeliness of the results, the ease of system development, system operating costs, and accuracy. The method is applicable to the Production Area and Yield Estimation System (PAYES) and the Large Area Crop Inventory Experiment (LACIE). S.C.S.

A78-40174 * Estimating costs and performance of systems for machine processing of remotely sensed data. R. J. Ballard and L. F. Eastwood, Jr. (Washington University, St. Louis, Mo.). In: Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, West Lafayette, Ind., June 21-23, 1977, Proceedings.

New York, Institute of Electrical and Electronics Engineers, Inc., 1977, p. 208-214. 8 refs. Contract No. NAS5-20680.

This paper outlines a method for estimating computer processing times and costs incurred in producing information products from digital remotely sensed data. The method accounts for both computation and overhead, and may be applied to any serial computer. The method is applied to estimate the cost and computer time involved in producing Level II Land Use and Vegetative Cover Maps for a five-state midwestern region. The results show that the amount of data to be processed overloads some example computer systems, but that the processing is feasible on others. (Author)

A78-43070 Remote sensing: Principles and interpretation. F. F. Sabins, Jr. (Chevron Oil Field Research Co., La Habra; Southern California, University; California, University, Los Angeles, Calif.). San Francisco, W. H. Freeman and Co., 1978. 437 p. 236 refs. \$25.

Various types of remote sensing, and the applications to which each type is best suited, are discussed together with a review of the physical principles involved in specific remote sensing techniques. Among the techniques considered are: aerial photography, manned satellite imagery (especially from Skylab), Landsat imagery (with attention to multispectral scanning), thermal IR imagery, radar imagery, and digital image processing. The overall effectiveness of remote sensing is evaluated in terms of resource exploration, and the detection of natural and environmental hazards, e.g., earthquake danger zones and patterns of air and water pollution. D.M.W.

N78-22432*# New Mexico Univ., Albuquerque. Technology Application Center.

QUARTERLY LITERATURE REVIEW OF THE REMOTE SENSING OF NATURAL RESOURCES Quarterly Report. Oct. - Dec. 1977

Charles B. Fears, ed. and Michael H. Inglis, ed. Dec. 1977. 174 p. refs. Sponsored by NASA (NASA-CR-156158; RS77-09604; QR-4) Copyright. Avail: NTIS HC A08/MF A01 for foreign requestors only. Domestic orders, Univ. of New Mexico, Tech. Application Center, Albuquerque CSCL 08F

The Technology Application Center reviewed abstracted literature sources, and selected document data and data gathering techniques which were performed or obtained remotely from space, aircraft or groundbased stations. All of the documentation was related to remote sensing sensors or the remote sensing of the natural resources. Sensors were primarily those operating within the 10 to the minus 8 power to 1 meter wavelength band. Included are NASA Tech Briefs, ARAC Industrial Applica-

tions Reports, U.S. Navy Technical Reports, U.S. Patent reports, and other technical articles and reports. Author

N78-22971* National Aeronautics and Space Administration, Washington, D. C.

APPLICATION OF SPACE TECHNOLOGY TO THE STUDY OF THE USE OF NATURAL RESOURCES IN THE REPUBLIC OF PANAMA

Nidia Avila deNichols Mar. 1978 11 p refs Transl. into ENGLISH of conf. paper from the UN/FAO Regional Training Seminar (Bolivia), 1-9 Dec. 1977 p 1-7 Presented at the UN/FAO Regional Training Seminar on the Appl. of Satellite Remote Sensing, La Paz, Bolivia, 1-9 Dec. 1977 p 1-7 Transl. by Scientific Translation Service, Santa Barbara, Calif. (Contract NASw-2791)

(NASA-TM-75089) Avail: NTIS HC A02/MF A01 CSCL 08F The status of satellite remote sensing techniques used in the Republic of Panama up to November, 1977 is reviewed. Author

N78-23118# Royal Norwegian Council for Scientific and Industrial Research, Oslo.

SPACE ACTIVITY IN NORWAY Annual Report 1976

Jun. 1977 34 p refs Presented at the 20th COSPAR Plenary Meeting and Assoc. Activities, Tel Aviv, Israel, 13-18 Jun. 1977

(SAD-65-T) Avail: NTIS HC A03/MF A01

The scientific program, application program, and other space activities related to satellite geodesy, earth resources, etc., for 1976 in Norway are presented as well as activities planned for 1977, and beyond 1977. ESA

N78-23509* National Aeronautics and Space Administration, John F. Kennedy Space Center, Cocoa Beach, Fla.

REMOTE SENSING AND THE EARTH

Craig A. Brosius (School Board of Brevard County, Fla.), Janette C. Gervin, and James M. Ragusa Dec. 1977 497 p refs Original contains color illustrations

(NASA-TM-79444) Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue Rockledge, Florida 32955 at \$9.74 per copy CSCL 14E

A text book on remote sensing, as part of the earth resources Skylab programs, is presented. The fundamentals of remote sensing and its application to agriculture, land use, geology, water and marine resources, and environmental monitoring are summarized.

N78-23511* National Aeronautics and Space Administration, John F. Kennedy Space Center, Cocoa Beach, Fla.

APPLICATIONS TO EARTH RESOURCES

In its Remote Sensing and the Earth Dec. 1977 p 10-17

Avail: NTIS MF A01; HC avail. from the School Board of Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 05B

Remote sensing technology applications to such diverse areas as agriculture, range and forestry; land use; mineral resources; water resources; marine resources; and the environment are discussed. Author

N78-23519* Michigan State Univ., East Lansing.

IMPROVED RESOURCE USE DECISIONS AND ACTIONS THROUGH REMOTE SENSING

R. Hill-Rowley, M. Boylan, W. Enslin, and R. Vlasin *In NASA*. John F. Kennedy Space Center Remote Sensing and the Earth Dec. 1977 p 147-171 Presented at the NASA Earth Resources Surv. Symp. Vol. 1C: Land Use and Marine Resources, Houston, Tex., Jun. 1975

Avail: NTIS MF A01; HC avail. from the School Board of

Brevard County, Instructional Services Div., Project Remote Sensing, 1274 South Florida Avenue, Rockledge, Florida 32955 at \$9.74 per copy CSCL 08F

Remote sensing was applied to the varied needs of government agencies and private organizations for the purpose of assisting decision makers that were responsible for actions concerning resource users. Seven case situations are presented. Author

N78-23533* Alaska Univ., Fairbanks. Geophysical Institute.

APPLICATIONS OF REMOTE SENSING DATA IN ALASKA: A COOPERATIVE PROGRAM OF THE UNIVERSITY OF ALASKA WITH USER ORGANIZATIONS, INCLUDING LOCAL STATE AND FEDERAL GOVERNMENT AGENCIES Annual Report, 1 Jul. 1975 - 30 Jun. 1976

J. M. Miller 30 Jun. 1976 182 p Original contains color illustrations (Grant NGL-02-001-092)

(NASA-CR-156996) Avail: NTIS HC A09/MF A01 CSCL 05B

The development of the coastal-zone-related issues is generating an increasing need for information which is greater in quantity of natural resource data, greater in quality of detail of data, and more frequent in collection of data owing to the need to monitor certain aspects of programs. The array, detail, and frequency of information acquisition required to develop natural resources and to implement and maintain the resulting programs demand improved techniques of data gathering, processing, and interpretation which is conducive to the use of remote-sensing techniques. As Alaska, both in the state and federal domain, gears up to meet the energy-related issues facing the nation there will be a growing role for efforts which adapt state-of-the-art tools to solving existing problems. Author

N78-23536# Electrotechnical Lab., Tokyo (Japan).

REMOTE SENSING TECHNOLOGY

Yasuo Komamiya, Kazuo Kurokawa, Kenjiro Sakurai, Eizo Teranishi, Yoshimichi Aiyama, Shoen Kataoka, Hiroyuki Fujisada, Munekazu Takano, Hiroshi Shiomi, Kiyoshi Takahisa et al May 1977 277 p refs In JAPANESE; ENGLISH summary (Rept-192) Avail: NTIS HC A13/MF A01

The current and future prospects of remote sensing technology are surveyed. This report describes remote sensing technology as it relates to the following topics: pollution; land surface and oceans, fundamental technology supporting remote sensing; fundamental properties of electromagnetic radiation and atmospheric effects on remote sensing; passive image sensors; active sensors, microwave sensors, laser radar; acoustic emission and radiant rays; satellite remote sensors and positioning of various platforms; information processing, data processing, data acquisition; and modelling techniques for understanding the cause-and-effect between behavior and environment. Author

N78-23540# International Institute for Applied Systems Analysis, Laxenburg (Austria).

ON MEASURES OF NATURAL RESOURCE SCARCITY

Anthony C. Fisher Aug. 1977 33 p refs (IIASA-RR-17-19) Avail: NTIS HC A03/MF A01

The properties of a number of suggested economic measures (price, cost, and rent) of natural resource scarcity and their behavior as a resource depleted over time are studied. The effect on the current value of each measure of a change in the current estimate of the resource stock is also examined. ESA

N78-24040# Joint Publications Research Service, Arlington, Va.

COSMONAUTS STUDY THE EARTH

G. A. Ivanyan and K. Ya. Kondratyev *In its* Transl. on USSR Sci. and Technol. (JPRS-71181) 25 May 1978 p 59-68 Transl. into ENGLISH from Priroda (Moscow), no. 12, 1977 p 48-55

Copyright. Avail: Issuing Activity

The great possibilities of space observation of earth stem from the highly developed capacity of human vision to distinguish

extremely fine variation in the color and brightness of various surfaces and atmospheric formations, and to detect objects and follow their movements. Because of manned space flight, a number of geophysical phenomena were observed for the first time. Soviet cosmonauts reported the vertically rayed structure of diurnal radiation in the upper atmosphere, the luminescence in the areas of the southern magnetic pole, the existence of a luminescence layer on the nocturnal side of the earth (whisker effect), and the specular reflection of solar radiation by the atmosphere when the sun is low in the horizon. Many of these observations became the foundation of the theory of the twilight halo of the earth. One of the most interesting visual observations was made of mesospheric (silver) clouds during the flight of Soyuz-9. Activities of the Skylab crew in using EREP instrumentation is described, as well as the special observations they elected to make. A.R.H.

N78-24041# Joint Publications Research Service, Arlington, Va.

VISUAL OBSERVATION OF THE NATURAL ENVIRONMENT FROM AN ORBITAL STATION

L. V. Denisov *In its* Transl. on USSR Sci. and Technol. (JPRS-71181) 25 May 1978 p 69-75 Transl. into ENGLISH from Priroda (Moscow), no. 12, 1977 p 56-61

Copyright. Avail: Issuing Activity

The first systematic Soviet experiment in the visual evaluation of the state of the natural environment was performed in two stages of the manned flight program in the Salyut-5 station during the summer of 1976 and the winter of 1977. The distinguishing characteristic of the experiment was the use of a specially designed optical view-finding instrument. The aim of the experiment was the development of methodological foundations for visual observation of earth. Space photographs on a scale of 1:2,500,000 were used in training and during the flight. Top priority was accorded to observations of geological objects, such as the Sevan fault, the Baykal rift system, and active volcanoes. Snow and ice conditions in the mountainous regions of Central Asia and South America, dust storms in the Takla Makan desert, forest and grass fires, and flooded jungle areas were also observed. Environmental pollution near petroleum refineries, dust clouds from open-pit mines, and the saturation and color contrasts on the water surface of the world oceans were explored. A.R.H.

N78-24257*# National Aeronautics and Space Administration, Washington, D. C.

PRINCIPAL CHARACTERISTICS OF A NATIONAL SATELLITE FOR EARTH OBSERVATION: PROJECT SPOT

Jun. 1978 49 p Transl. into ENGLISH from Report Centre Spatiale de Toulouse, France, Apr. 1978 p 1-55 Transl. by SCITRAN, Santa Barbara, Calif. Original doc. prep. by Centre Natl. d'Etudes Spatiales, Toulouse (Contract NASw-2791)

(NASA-TM-75108) Avail: NTIS HC A03/MF A01 CSCL 22B

A preliminary user document for the French SPOT Earth mapping satellite to be operational in 1984 is presented. The mission is very similar to the LANDSAT series. Author

N78-25016# Pennsylvania Univ., Philadelphia. Dept. of Economics.

WORLD DEMAND FOR RAW MATERIALS IN 1985 AND 2000

W. Malenbaum Oct. 1977 161 p

(Grant NSF AER-75-23687)

(PB-277707; NSF/RA-770421)

Avail: NTIS

HC A08/MF A01 CSCL 05A

The future demand for the following minerals and metals in 1985 and in 2000 that are important inputs for industrial output throughout the world is analyzed: aluminum, chrome, cobalt, copper, iron, manganese, nickel, platinum, steel, tin, tungsten, and zinc. Together, they account for 80-90 percent of the value of world mineral production. Objectives are: (1) to provide realistic estimates of demand for these twelve materials in the future periods for the world, and for the ten component regions into which the world is divided; and (2) to contribute to methodology for such projections through application of intensity-of-use

procedures. Strong support is provided of the relevance of the intensity-of-use method for deriving estimates of future demand for materials, including estimates for regions of the world with limited economic data. GRA

N78-25115*# National Aeronautics and Space Administration, Washington, D. C.

SKYLAB: A CHRONOLOGY

Roland W. Newkirk, Ivan D. Ertel, and Courtney G. Brooks 1977 476 p refs

(NASA-SP-4011; LC-77-608101) Avail: NTIS MF A01; SOD HC \$7.00 CSCL 22A

The Skylab Program was specifically designed to conduct a series of experiments from beyond the earth's atmosphere. Since the number and types of experiments conducted during the operational phase of Skylab were constantly changing, rather than encumber the body of the chronology with these changes, a lengthy appendix on experiments is included in this document. This appendix identifies the principle investigators and coinvestigators; gives the types, numbers, and descriptions of the experiments; explains the purpose of the various experiments; and, where possible, gives the results or findings of the experiments. The body of the Skylab chronology is divided into three parts: early space station activities, Apollo applications, and Skylab development and operations. Author

N78-25496*# Cornell Univ., Ithaca, N. Y. Remote Sensing Program.

CORNELL UNIVERSITY REMOTE SENSING PROGRAM Semiannual Status Report, 1 Dec. 1977 - 31 May 1978

Ta Liang, Arthur J. McNair, and Warren R. Philipson, Principal Investigators Jun. 1978 260 p refs Original contains color imagery. Original photography may be purchased from the EROS Data Center, Sioux Falls, S. D. 57198 ERTS

(Grant NGL-33-010-171)

(E78-10130; NASA-CR-157004; SASR-12) Avail: NTIS HC A12/MF A01 CSCL 08B

The author has identified the following significant results. Available aerial photographs were used to characterize mosquito breeding sites in Oswego County, New York. Numerous wetlands are contained within this county; this area is the only inland area in North America to have confirmed outbreaks of eastern equine encephalitis. This photocharacterization of primary mosquito breeding sites will be used to develop effective spraying. Large scale color and color infrared aerial photographs were used to assess changes in aquatic vegetation that accompanied phosphorus reduction in an eutrophic lake in New York.

N78-26512*# Humboldt State Coll., Arcata, Calif. Center for Community Development.

DEVELOPING AND DEMONSTRATING AN INSTITUTIONAL MECHANISM FOR TRANSFERRING REMOTE SENSING TECHNOLOGY TO 14 WESTERN STATES USING NORTHERN CALIFORNIA AS THE TEST SITE Progress Report, 1 Jun. - 31 May 1978

Donna Hankins, Principal Investigator 31 May 1978 25 p refs Sponsored by NASA ERTS

(E78-10142; NASA-CR-157176; Rept-2) Avail: NTIS HC A02/MF A01 CSCL 05B


N78-26982# General Accounting Office, Washington, D. C. Program Analysis Div.

FEDERAL REGULATORY PROGRAMS AND ACTIVITIES 16 Mar. 1978 239 p

(PB-278489/0) Avail: NTIS HC A11/MF A01 CSCL 05A

An inventory of Federal regulatory programs and activities by agency and authorizing legislation is presented. Federal agencies with regulatory activity or program responsibilities were identified. Agencies were classified by substantive areas, such as power and energy, and natural resources and environment. Agencies were also classified by type of regulatory activity and degree of regulation. GRA

Typical Subject Index Listing



The subject heading is a key to the subject content of the document. The title is used to provide a description of the subject matter. When the title is insufficiently descriptive of the document content, the title extension is added, separated from the title by three hyphens. The (NASA or AIAA) accession number and the page number are included in each entry to assist the user in locating the abstract in the abstract section (of this supplement). If applicable, a report number is also included as an aid in identifying the document. Under any one subject heading, the accession numbers are arranged in sequence with the AIAA accession numbers appearing first.

A

ABSORPTION SPECTROSCOPY

Detection of atmospheric pollutants by quantitative analytical spectroscopy using a continuously scanned tunable dye laser p0187 A78-36920

ABSTRACTS

Quarterly literature review of the remote sensing of natural resources [NASA-CR-156158] p0226 N78-22432

ACOUSTICAL HOLOGRAPHY

Real-time acoustical holography systems [AD-A052000] p0221 N78-23405

ADJUSTING

Block adjustment with self calibration p0220 N78-22446

AERIAL PHOTOGRAPHY

Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, University of Bristol, Bristol, England, April 5-9, 1976 p0211 A78-34201

Collection and analysis of spectral reflectance data and their use in the design of a multiband photographic system p0217 A78-34203

Passive infrared sensing of the environment p0185 A78-34204

Remote sensing by radar p0217 A78-34205

A critical review of the Quantimet 720 image analyser in remote sensing p0217 A78-34207

Remote sensing of coastal food resources p0199 A78-34381

Geodetic connection of materials from a nonphotographic aerial survey p0191 A78-34391

Aerial detection of oak wilt in Iowa p0179 A78-34869

Reflectance and photographic characteristics of three citrus varieties for discrimination purposes p0180 A78-34871

A camera system for small format aerial photography p0218 A78-34873

An all-purpose change-detection and recording system --- graphical aerial photographic data transfer for map updates p0191 A78-34874

Airborne thermography for crop water stress assessment p0180 A78-34886

Effect of sun elevation upon remote sensing of ocean color over an acid waste dump site p0186 A78-34903

Image enhancement for vegetative pattern change analysis p0180 A78-36647

Constructing locality profiles by a photogrammetric method --- Russian book p0192 A78-37598

Aerial phototopography / 2nd enlarged edition / --- Russian book p0192 A78-37888

The employment of auxiliary data in the photogrammetric survey of regions without control points --- German thesis p0192 A78-38064

Manual for interpreting aerial photographs for soil investigations --- Russian book p0180 A78-40125

Machine processing of aerial data for Agricultural Resources Inventory and Survey Experiment p0181 A78-40167

Map intensification from small format camera photography --- for timber mapping p0182 A78-41188

Remarks on calibration of photogrammetric cameras p0220 A78-41208

Remote sensing: Principles and interpretation --- Book on aerial and satellite photography p0226 A78-43070

Systematic image errors --- photogrammetry conference proceedings [SER-8-228] p0220 N78-22443

Compensation of systematic image errors by photoflight dispositions? p0220 N78-22444

Partial calibration of a photogrammetry system using test fields p0220 N78-22445

Block adjustment with self calibration p0220 N78-22446

US Geological Survey sources of photographs and images of biosphere reserves taken from spacecraft and aircraft: 19-organ Pipe Cactus National Monument [PB-276550/1] p0215 N78-22457

High-altitude aerial photographs aid in investigations p0216 N78-23527

A feasibility demonstration of aerial photographic support for marine archaeological surveys p0201 N78-23529

Overhead environmental monitoring with light utility aircraft: Demonstration and evaluation of the system [PB-278748/9] p0223 N78-27647

AERIAL RECONNAISSANCE

Perspectives offered by remote sensing in agricultural resources management p0179 A78-34218

Processing of ocean wave data from a synthetic aperture radar p0218 A78-35338

Measurement of ocean temperature and salinity via microwave radiometry p0200 A78-35347

Airborne monitoring of surface water pollutants by fluorescence spectroscopy p0186 A78-36303

Correlation of land use and cover with meteorological anomalies p0187 A78-37309

An Adcock system with active antennas for mobile applications p0212 A78-37973

Electronic solid state wide angle camera system - ESSWACS --- for real time aerial reconnaissance p0219 A78-40203

Imaging sensors for RPVs p0213 A78-40205

Remote sensors p0221 N78-23513

Multi-Sensor System (MUSS) for airborne surveillance of inshore waters [AD-A052544] p0222 N78-24604

Transfer, installation and flight testing of the modified Airborne Oil Surveillance System (AOSS II) in a HC-130 B aircraft [AD-A052434] p0222 N78-24605

Aerial field guide p0209 N78-27472

AEROSOLS

Analytical inversions in remote sensing of particle size distributions. I - Multispectral extinctions in the anomalous diffraction approximation. II Angular and spectral scattering in diffraction approximations p0187 A78-37180

Continuous in situ monitoring of ambient particulate sulfur using flame photometry and thermal analysis p0188 A78-41232

Aerosol size distributions and aerosol volume formation for a coal-fired power plant plume p0188 A78-41254

Airborne sampling system for plume monitoring p0188 A78-41280

Airborne lidar aerosol measurements during the ASSESS II mission p0188 A78-41462

AEROSPACE SCIENCES

Aerospace technology can be applied to exploration 'back on earth' --- offshore petroleum resources p0195 A78-33123

AEROSPACE SYSTEMS

Remote sensing R&D planning p0225 A78-34904

AEROSPACE TECHNOLOGY TRANSFER

Application of space technology to the study of the use of natural resources in the Republic of Panama [NASA-TM-75089] p0227 N78-22971

Applications of aerospace technology to petroleum extraction and reservoir engineering [NASA-CR-157167] p0197 N78-25233

AFRICA

Delineation of land features in Egypt by Landsat satellite images p0211 A78-34867

A first interpretation of East African swiddening via computer-assisted analysis of 3 Landsat tapes p0180 A78-40159

Application of digital analysis of MSS data to agroenvironmental studies [E78-10133] p0183 N78-25499

Application of digital analysis of MSS data to agro-environmental studies --- Africa, New Jersey, Philippines, and Kansas [E78-10151] p0184 N78-27481

AGRICULTURE

Perspectives offered by remote sensing in agricultural resources management p0179 A78-34218

Modeling the benefits to world agriculture from remote sensing p0182 A78-43067

Remote sensing and the earth [NASA-TM-79444] p0227 N78-23509

Applications to earth resources p0227 N78-23511

Utilization of LANDSAT imagery for mapping vegetation on the millionth scale p0183 N78-23517

Application of digital analysis of MSS data to agroenvironmental studies [E78-10133] p0183 N78-25499

Requirements of a global information system for corn production and distribution [E78-10137] p0183 N78-25503

Research in remote sensing of agriculture, earth resources, and man's environment --- North Dakota, Kansas, and Indiana [E78-10138] p0183 N78-25504

Use of LANDSAT data for natural resources investigation in the lower basin of Danube and Danube Delta [E78-10141] p0208 N78-26511

Image data security in the concept of the Agricultural Real Time Imaging Satellite System (ARTISS) [NLR-TR-76010-U] p0184 N78-26527

Application of digital analysis of MSS data to agro-environmental studies --- Africa, New Jersey, Philippines, and Kansas [E78-10151] p0184 N78-27481

The potential benefit of improving the dissemination of agricultural weather information to the Mississippi cotton farmer [E78-10153] p0184 N78-27483

AGROMETEOROLOGY

A Landsat Agricultural Monitoring Program p0180 A78-40160

The potential benefit of improving the dissemination of agricultural weather information to the Mississippi cotton farmer [E78-10153] p0184 N78-27483

AIR POLLUTION

Air pollution measurement by Fourier transform spectroscopy p0185 A78-34666

A study of gaseous pollutants in the Houston, Texas area p0186 A78-35684

Remote pollution probing by laser-induced luminescence techniques p0186 A78-36918

Detection of atmospheric pollutants by quantitative analytical spectroscopy using a continuously scanned tunable dye laser p0187 A78-36920

Flight-testing of a continuous laser remote sensing system p0187 A78-39632

Experimental results on the SO₂ transfer in the Mediterranean obtained with remote sensing devices p0188 A78-41301

Remote sensing of air pollutants by correlation spectroscopy - Instrumental response characteristics p0188 A78-43161

A kilometer pathlength Fourier-transform infrared system for the study of trace pollutants in ambient and synthetic atmospheres p0188 A78-43162

Spectral measurements of gaseous sulfuric acid using tunable diode lasers [PB-278985/7] p0189 N78-27654

AIR SAMPLING

A study of gaseous pollutants in the Houston, Texas area p0186 A78-35684

Continuous in situ monitoring of ambient particulate sulfur using flame photometry and thermal analysis p0188 A78-41232

Airborne sampling system for plume monitoring p0188 A78-41280

AIR WATER INTERACTIONS

Computed and observed ocean topography - A comparison p0199 A78-35344

AIRBORNE EQUIPMENT

Side looking radar for ice reconnaissance p0199 A78-34929

- Passive electro-optical remote sensors at the Canada Centre for Remote Sensing p0218 A78-34930
Ocean wave heights measured by a high resolution pulse-limited radar altimeter p0200 A78-35345
Planned operation of a multidisciplinary airborne lidar p0187 A78-39631
Flight-testing of a continuous laser remote sensing system p0187 A78-39632
Airborne sampling system for plume monitoring p0188 A78-41280
Airborne lidar aerosol measurements during the ASSESS II mission p0188 A78-41462
Simulation of imaging radar systems p0214 A78-43064
Digital data acquisition system in geophysical survey aircraft VH-BNG [BMR-185] p0222 N78-23552
- AIRBORNE/SPACEBORNE COMPUTERS**
Use of the Fast Fourier Transform in evaluation of laser Raman and fluorescence decay times --- airborne lidar for remote identification of oil slicks on water p0187 A78-36921
- AIRCRAFT DETECTION**
Multi-Sensor System (MUSS) for airborne surveillance of inshore waters [AD-A052544] p0222 N78-24604
- ALABAMA**
The use of four band multispectral photography to identify forest cover types p0180 A78-34870
- ALASKA**
Remote sensing and the earth [NASA-TM-79444] p0227 N78-23509
Applications of ERTS-1 imagery to terrestrial and marine environmental analyses in Alaska p0206 N78-23525
Applications of remote sensing data in Alaska: A cooperative program of the University of Alaska with user organizations, including local, state and federal government agencies [NASA-CR-156996] p0227 N78-23533
LANDSAT survey of near-shore ice conditions along the Arctic coast of Alaska [E78-10136] p0203 N78-25502
- ALGAE**
The remote sensing of algae p0185 A78-34860
- ALGORITHMS**
Feature selection and sample classification algorithms of INPE --- for multispectral scanner remote sensing data p0218 A78-34879
The Maximum Likelihood Estimation of Signature Transformation /MLEST/ algorithm --- for affine transformation of crop inventory data p0181 A78-40162
Algorithms for thematic interpretation of multispectral aerospace video information p0213 A78-41359
- ALPS MOUNTAINS (EUROPE)**
The Upper Bavaria network for earth tides - First measurement of 1970-1975 p0196 A78-36081
- ALTIMETERS**
The prediction and mapping of geoidal undulations from GEOS-3 altimetry --- gravity anomalies [NASA-CR-141439] p0193 N78-23507
- ANNULI**
Annular structures on the earth p0197 N78-25044
- ANTARCTIC REGIONS**
Antarctic mapping from satellite imagery p0191 A78-34217
- ANTENNA DESIGN**
An Adcock system with active antennas for mobile applications p0212 A78-37973
- APOLLO APPLICATIONS PROGRAM**
Skylab: A chronology [NASA-SP-4011] p0228 N78-25115
- APPLICATIONS EXPLORER SATELLITES**
System implementation for Earth Radiation Budget Satellite System p0218 A78-34910
- APPLICATIONS OF MATHEMATICS**
Investigation of the application of array of algebra to terrain mod [AD-A054007] p0194 N78-27494
- AQUICULTURE**
Remote sensing of coastal food resources p0199 A78-34381
Monitoring of noxious aquatic plants p0185 A78-34863
- ARCHAEOLOGY**
Photoarchaeology. Reconnaissance tests using color, as well as other films, indicate that exploration studies may be reduced from months to hours p0197 N78-23520
A feasibility demonstration of aerial photographic support for marine archaeological surveys p0201 N78-23529
- ARCTIC OCEAN**
Time-dependence of sea-ice concentration and multiyear ice fraction in the Arctic Basin p0200 A78-35349
Backscatter properties of sea ice with radar: Arctic operations description and preliminary data summary [AD-A052711] p0203 N78-24603
- ARCTIC REGIONS**
Side looking radar for ice reconnaissance p0199 A78-34929
Suspended sediments and related limnology of an alpine lake system --- Peters Lake and Schraeder Lake [RLO/2229/T10-2] p0201 N78-22453
LANDSAT survey of near-shore ice conditions along the Arctic coast of Alaska [E78-10136] p0203 N78-25502
- ARID LANDS**
The impact of groundwater development in arid lands: A literature review and annotated bibliography [PB-276908/1] p0207 N78-23551
The Kenya rangeland ecological monitoring unit [E78-10132] p0189 N78-25498
Dryland pasture and crop conditions as seen by HCMM --- Chichasha, Oklahoma [E78-10134] p0183 N78-25500
- ARIZONA**
Computer enhancement techniques of Landsat MSS digital images for land use/land cover assessments p0211 A78-34866
Calculation of evapotranspiration using color-infrared photography --- remote sensing in Arizona [NASA-CR-156157] p0214 N78-22345
US Geological Survey sources of photographs and images of biosphere reserves taken from spacecraft and aircraft: 19-organ Pipe Cactus National Monument [PB-276550/1] p0215 N78-22457
Change in land use in the Phoenix (1:250,000) quadrangle, Arizona between 1970 and 1973: ERTS as an aid in a nationwide program for mapping general land use p0193 N78-23518
The impact of groundwater development in arid lands: A literature review and annotated bibliography [PB-276908/1] p0207 N78-23551
Geologic application of thermal-inertia mapping from satellite --- Arizona and Powder River, Wyoming [E78-10146] p0194 N78-27476
- ARKANSAS**
LANDSAT linear trend analysis: A tool for groundwater exploration in northern Arkansas [PB-277121/0] p0207 N78-23550
- ASSAYING**
Instrument technology for remote-surface exploration, prospecting and assaying, part 2 [NASA-CR-156997] p0221 N78-23504
- ASSESS PROGRAM**
Airborne lidar aerosol measurements during the ASSESS II mission p0188 A78-41462
- ASTRONAUTS**
Cosmonauts study the earth --- as well as astronauts in Skylab p0227 N78-24040
- ATLANTIC OCEAN**
Effects of detector threshold, location of the sun, and flight altitude upon spectral variations in remote sensing over water p0185 A78-34857
Characteristic vector analysis as a technique for signature extraction of remote ocean color data p0217 A78-34859
Thermal infrared studies - Forteau Bay, Labrador --- coastal ice mapping p0199 A78-34862
Side looking radar for ice reconnaissance p0199 A78-34929
Measurement of ocean temperature and salinity via microwave radiometry p0200 A78-35347
Contributions to large-scale oceanography by radio techniques p0201 A78-35355
Monitoring coastal water properties and current circulation with ERTS-1 p0207 N78-23528
- ATMOSPHERIC ATTENUATION**
Stratospheric ozone measurement with an infrared heterodyne spectrometer p0217 A78-34124
- ATMOSPHERIC COMPOSITION**
A kilometer pathlength Fourier-transform infrared system for the study of trace pollutants in ambient and synthetic atmospheres p0188 A78-43162
- ATMOSPHERIC DIFFUSION**
Remote sensing of air pollutants by correlation spectroscopy - Instrumental response characteristics p0188 A78-43161
- ATMOSPHERIC EFFECTS**
Computed and observed ocean topography - A comparison p0199 A78-35344
- ATMOSPHERIC TEMPERATURE**
Applications of HCMM satellite data to the study of urban heating patterns [E78-10135] p0189 N78-25501
- ATMOSPHERIC WINDOWS**
Remote sensing --- satellite sensors which use electromagnetic radiation p0221 N78-23329
- AUSTRALIA**
Use of Landsat-1 imagery in exploration for Keweenaw-type copper deposits p0196 A78-36304
The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 1 [E78-10148] p0197 N78-27478
The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 2 [E78-10149] p0197 N78-27479
The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 3 [E78-10150] p0198 N78-27480
- BACKSCATTERING**
Backscatter properties of sea ice with radar: Arctic operations description and preliminary data summary [AD-A052711] p0203 N78-24603
- BALLOON-BORNE INSTRUMENTS**
Technical description of remote-sensing data receivers and transmitters for balloon experiments p0218 A78-35181
- BANDPASS FILTERS**
SCIMP - A scanning interferometric multiplex photometer p0219 A78-40467
- BAY ICE**
Sea ice-75 [REPT-16-9] p0202 N78-23548
- BEAUFORT SEA (NORTH AMERICA)**
Microwave remote sensing of sea ice in the AIDJEX Main Experiment --- Arctic Ice Dynamics Joint Experiment p0200 A78-35348
LANDSAT survey of near-shore ice conditions along the Arctic coast of Alaska [E78-10136] p0203 N78-25502
- BEDROCK**
The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 1 [E78-10148] p0197 N78-27478
- BIBLIOGRAPHIES**
The impact of groundwater development in arid lands: A literature review and annotated bibliography [PB-276908/1] p0207 N78-23551
Ice and fog: Detection and warning systems. A bibliography with abstracts --- weather conditions [NTIS/PS-78/0181/4] p0202 N78-23695
- BLIGHT**
Aerial detection of oak wilt in Iowa p0179 A78-34869
- BOLIVIA**
Bolivia from space: Images and other information from satellites, with catalogs [GIDDINGS-77-01] p0216 N78-26516
- BOUNDARIES**
The detection of color boundaries by means of chromatic dispersion p0214 N78-22433
- BREADBOARD MODELS**
Advanced very high resolution radiometer [NASA-CR-156764] p0222 N78-24519
- C**
- CADAstral MAPPING**
First results of photogrammetric fixed point concentration Hordorf p0221 N78-22448
- CALDERAS**
Reconnaissance geology of the Tomochic-Ocampo area Sierra Madre Occidental, Chihuahua, Mexico --- Skylab photography of calderas and lava p0198 N78-27681
- CALIBRATING**
Near-infrared remote-sensing radiometer p0219 A78-38460
Remarks on calibration of photogrammetric cameras p0220 A78-41208
Partial calibration of a photogrammetry system using test fields p0220 N78-22445
Block adjustment with self calibration p0220 N78-22446
Establishment of calibration base lines [PB-277130/1] p0193 N78-22456
- CALIFORNIA**
Summary of 1977 geothermal drilling - Western United States p0196 A78-40534
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1 --- Lassen volcanic region, California, Surtsey, Iceland and Mt. St. Helens and Mt. Baker, Washington [E78-10121] p0215 N78-23498
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 4: Lassen volcanic region [E78-10123] p0215 N78-23499
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 5: Electronic thermal sensor and data collection platform technology [E78-10124] p0216 N78-23500
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 --- including geographic description of the Fergana area of the U.S.S.R. [E78-10126] p0206 N78-23502
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2 [E78-10127] p0206 N78-23503
Remote sensing and the earth [NASA-TM-79444] p0227 N78-23509
The basics of remote sensing; forward p0221 N78-23510
Usefulness of LANDSAT data for monitoring plant development and range conditions in California's annual grassland p0183 N78-23516
Application of digital analysis of MSS data to agroenvironmental studies [E78-10133] p0183 N78-25499

SUBJECT INDEX

Developing and demonstrating an institutional mechanism for transferring remote sensing technology to 14 western states using northern California as the test site
[E78-10142] p0228 N78-26512

CAMERAS
A camera system for small format aerial photography p0218 A78-34873
Estimates of the effectiveness of using AFU-75 cameras in photographic satellite tracking and satellite geodesy p0219 A78-36196
Remarks on calibration of photogrammetric cameras p0220 A78-41208

CANADA
Applications of satellite thermal infrared measurements to earth's resources studies p0218 A78-34926
Passive electro-optical remote sensors at the Canada Centre for Remote Sensing p0218 A78-34930
Retransmission of hydrometric data in Canada [E78-10131] p0208 N78-25497

CATALOGS
Bolivia from space: Images and other information from satellites, with catalogs [GIDDINGS-77-01] p0216 N78-26516

CELESTIAL GEODESY
Monitoring geodetic networks by space techniques p0196 A78-36054
Estimates of the effectiveness of using AFU-75 cameras in photographic satellite tracking and satellite geodesy p0219 A78-36196
Use of earth satellites for the construction of geodetic networks --- Russian book p0192 A78-37889
Current status and developmental trends of satellite geodesy p0192 A78-40460

CENTRAL EUROPE
Tectonics of the Central European plate and surrounding area on the basis of data from interpretation of space imagery p0195 A78-35497

CESSNA AIRCRAFT
Airborne sampling system for plume monitoring p0188 A78-41280

CHAPARRAL
Evaluation of a Fire Behavior Information Integration System for Southern California Chaparral Wildlands p0179 A78-34382

CHESAPEAKE BAY (US)
Measurement of ocean temperature and salinity via microwave radiometry p0200 A78-35347
Application of Remote Sensing to the Chesapeake Bay Region. Volume 1: Executive summary [NASA-CP-6] p0207 N78-23537

CHLOROPHYLLS
Mapping of chlorophyll a distributions in coastal zones p0186 A78-36648

CHUCKCHI SEA
LANDSAT survey of near-shore ice conditions along the Arctic coast of Alaska [E78-10136] p0203 N78-25502

CITRUS TREES
Reflectance and photographic characteristics of three citrus varieties for discrimination purposes p0180 A78-34871

CLIMATOLOGY
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 --- including geographic description of the Fergana area of the U.S.S.R. [E78-10126] p0206 N78-23502

CLOUDS (METEOROLOGY)
Automatic cloud classification and segmentation p0215 N78-22805

COAL UTILIZATION
Aerosol size distributions and aerosol volume formation for a coal-fired power plant plume p0188 A78-41254

COASTAL ECOLOGY
Remote sensing of coastal food resources p0199 A78-34381
Mapping of chlorophyll a distributions in coastal zones p0186 A78-36648
Korean coastal water depth/sediment and land cover mapping (1:25,000) by computer analysis of LANDSAT imagery [NASA-TM-79546] p0207 N78-23532
SkyLab/ERAP application to ecological, geological, and oceanographic investigations of Delaware Bay [NASA-CR-144910] p0194 N78-27486
Variations in tidal inlet processes and morphology in the Georgia embayment p0209 N78-27720

COASTAL WATER
Monitoring coastal water properties and current circulation with ERTS-1 p0207 N78-23528
Korean coastal water depth/sediment and land cover mapping (1:25,000) by computer analysis of LANDSAT imagery [NASA-TM-79546] p0207 N78-23532
Satellite applications to a coastal inlet study, Clearwater Beach, Florida [NASA-CR-156994] p0208 N78-23700

COASTS
High-altitude aerial photographs aid in investigations p0216 N78-23527
LANDSAT survey of near-shore ice conditions along the Arctic coast of Alaska [E78-10136] p0203 N78-25502

COLOR
The detection of color boundaries by means of chromatic dispersion p0214 N78-22433

COLOR PHOTOGRAPHY
Calculation of evapotranspiration using color-infrared photography --- remote sensing in Arizona [NASA-CR-156157] p0214 N78-22345

COLORADO
Remote sensing applied to exploration for vein-type uranium deposits, Front Range, Colorado p0196 N78-22510

COMMUNICATION SATELLITES
The costs and benefits of space observations p0225 A78-34202

COMPRESSING
Image compression techniques [AD-A050679] p0215 N78-22450

COMPUTER GRAPHICS
Mapping offshore oil leases --- interactive computer graphics [LA-UR-77-2892] p0194 N78-27500

COMPUTER PROGRAMMING
A programming system for digital image processing of remotely sensed data [ISRO-SAC-TR-04-77] p0216 N78-24594

COMPUTER PROGRAMS
An interactive system for agricultural acreage estimates using Landsat data p0181 A78-40166
A four-dimensional histogram approach to the clustering of Landsat data p0213 A78-40178

COMPUTER TECHNIQUES
Computer enhancement techniques of Landsat MSS digital images for land use/land cover assessments p0211 A78-34866
Computer training procedures for the Western Washington forest productivity study utilizing Landsat data p0182 A78-40179
ISURSL levels classification - A low cost approach to multispectral data analysis p0213 A78-40184
Concept for the calculation of extensive image associations using the bundle method p0220 N78-22447
Korean coastal water depth/sediment and land cover mapping (1:25,000) by computer analysis of LANDSAT imagery [NASA-TM-79546] p0207 N78-23532

COMPUTERIZED SIMULATION
Evaluation of a Fire Behavior Information Integration System for Southern California Chaparral Wildlands p0179 A78-34382
Modeling the benefits to world agriculture from remote sensing p0182 A78-43067

CONFERENCES
Remote sensing of the terrestrial environment: Proceedings of the Twenty-eighth Symposium, University of Bristol, Bristol, England, April 5-9, 1978 p0211 A78-34201
Remote sensing of earth resources, Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tulsa, Oklahoma, Tenn., March 29-31, 1977, Technical Papers p0225 A78-34851
Symposium on Application of Remotely Sensed Data to Land Resources Planning, Ann Arbor, Mich., May 20, 1977, Proceedings p0186 A78-35020
International Symposium on Geodesy and Physics of the Earth, 3rd, Weimar, East Germany, October 25-31, 1976, Proceedings, Parts 1, 2 & 3 p0191 A78-36051
Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, Purdue University, West Lafayette, Ind., June 21-23, 1977, Proceedings p0225 A78-40155
Systematic image errors --- photogrammetry conference proceedings [SER-B-226] p0220 N78-22443
Application of Remote Sensing to the Chesapeake Bay Region, Volume 1: Executive summary [NASA-CP-6] p0207 N78-23537

CONIFERS
Ten-Ecosystem Study (TES) site 4, Sandoval County, New Mexico [E78-10110] p0182 N78-23497

CONTROL EQUIPMENT
A camera system for small format aerial photography p0218 A78-34873

COORDINATE TRANSFORMATIONS
The relation between the point coordinates of a place and its imagery for a pair of radar images p0191 A78-34393
The definition of the telluroid p0192 A78-38217

COPPER
Use of Landsat-1 imagery in exploration for Keweenaw-type copper deposits p0196 A78-36304

CORN
Near real-time monitoring of Iowa corn with Landsat p0179 A78-34852
Requirements of a global information system for corn production and distribution [E78-10137] p0183 N78-25503
Research in remote sensing of agriculture, earth resources, and man's environment --- North Dakota, Kansas, and Indiana [E78-10138] p0183 N78-25504

CORRELATION DETECTION
Linear feature detection and mapping p0216 N78-27473

DATA BASES

COSMONAUTS
Cosmonauts study the earth --- as well as astronauts in Skylab p0227 N78-24040

COST EFFECTIVENESS
The costs and benefits of space observations p0225 A78-34202
Parametric design of ground data processing/support systems for advanced sensor systems p0226 A78-40168
Use of Landsat multispectral imagery in estimating snow areal extent and snow water content cost-effectively p0205 A78-40175

COST ESTIMATES
Estimating costs and performance of systems for machine processing of remotely sensed data p0226 A78-40174

COTTON
The potential benefit of improving the dissemination of agricultural weather information to the Mississippi cotton farmer [E78-10153] p0184 N78-27483

CROP GROWTH
Near real-time monitoring of Iowa corn with Landsat p0179 A78-34852
Airborne thermography for crop water stress assessment p0180 A78-34886
A Landsat Agricultural Monitoring Program p0180 A78-40160
Stratified acreage estimates in the Illinois crop-acreage experiment p0181 A78-40163
A table look-up procedure for rapidly mapping vegetation cover and crop development p0182 A78-40181
Hand-held radiometer red and photographic infrared spectral measurements of agricultural crops [NASA-TM-78091] p0182 N78-22438
Usefulness of LANDSAT data for monitoring plant development and range conditions in California's annual grassland p0183 N78-23516
Requirements of a global information system for corn production and distribution [E78-10137] p0183 N78-25503
Research in remote sensing of agriculture, earth resources, and man's environment --- North Dakota, Kansas, and Indiana [E78-10138] p0183 N78-25504
Heat capacity mapping mission [E78-10139] p0184 N78-26509

CROP IDENTIFICATION
A critical review of the Quantimet 720 image analyser in remote sensing p0217 A78-34207
Perspectives offered by remote sensing in agricultural resources management p0179 A78-34218
Reflectance and photographic characteristics of three citrus varieties for discrimination purposes p0180 A78-34871
Image enhancement for vegetative pattern change analysis p0180 A78-36647
Crop identification and area estimation by computer-aided analysis of Landsat data p0181 A78-40165
Landsat digital data application to forest vegetation and land use classification in Minnesota p0182 A78-40180
High-altitude versus Landsat imagery for digital crop identification p0182 A78-41190
Modeling the benefits to world agriculture from remote sensing p0182 A78-43067

CROP INVENTORIES
A European earth resources space programme p0225 A78-34219
The Maximum Likelihood Estimation of Signature Transformation /MLEST/ algorithm --- for affine transformation of crop inventory data p0181 A78-40162
Two phase sampling for wheat acreage estimation p0181 A78-40164
Crop identification and area estimation by computer-aided analysis of Landsat data p0181 A78-40165
An interactive system for agricultural acreage estimates using Landsat data p0181 A78-40166
Machine processing of aerial data for Agricultural Resources Inventory and Survey Experiment p0181 A78-40167
On the transfer of remote sensing technology to an operational data system p0226 A78-40170

CRUDE OIL
Applications of aerospace technology to petroleum extraction and reservoir engineering [NASA-CR-157167] p0197 N78-25233

D

DATA ACQUISITION
Data processing facilities of the TERRA experiment p0211 A78-34209
Analog and digital processing of multispectral data for geologic application p0195 A78-34214
The role of ground truth data and an approach to its collection p0217 A78-34855
Remote sensing technology [REPT-192] p0227 N78-23536
Digital data acquisition system in geophysical survey aircraft VH-BNG [BMR-185] p0222 N78-23552

DATA BASES
A remote sensing system for a nationwide data-bank p0226 A78-40169

DATA COLLECTION PLATFORMS

DATA COLLECTION PLATFORMS

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 5: Electronic thermal sensor and data collection platform technology [E78-10124] p0216 N78-23500
Remote sensing platforms p0222 N78-23514

DATA COMPRESSION

Study of image on-board processing methods [REPT-60/382] p0215 N78-23409
Elevation data compaction by polynomial modeling [AD-A054003] p0216 N78-27495

DATA CORRELATION

The temporal correlatability of digital thermal infrared scanner data p0220 N78-22429

DATA MANAGEMENT

Program on State Agency Remote Sensing Data Management (SARSDM) --- Missouri [NASA-CR-150716] p0208 N78-25507
The verification of LANDSAT data in the geographical analysis of wetlands in west Tennessee [NASA-CR-3012] p0208 N78-25508

DATA PROCESSING

Data processing facilities of the TERRA experiment p0211 A78-34209
A computer processed / Landsat/ land cover map of North Dakota p0191 A78-34868
Evaluation of Multi-Frequency-Microwave-Radiometer-System performance for oceanography p0200 A78-35351

Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, Purdue University, West Lafayette, Ind., June 21-23, 1977. Proceedings p0225 A78-40155
A first interpretation of East African swiddening via computer-assisted analysis of 3 Landsat tapes p0180 A78-40159

Crop identification and area estimation by computer-aided analysis of Landsat data p0181 A78-40165
An interactive system for agricultural acreage estimates using Landsat data p0181 A78-40166

Parametric design of ground data processing/support systems for advanced sensor systems p0226 A78-40168
A four-dimensional histogram approach to the clustering of Landsat data p0213 A78-40178

Algorithms for thematic interpretation of multispectral aerospace video information p0213 A78-41359
Image processing investigations [DOC-77SDB002] p0214 N78-22434

Concept for the calculation of extensive image associations using the bundle method p0220 N78-22447

DATA RECORDING

An all-purpose change-detection and recording system --- graphical aerial photographic data transfer for map updates p0191 A78-34874

DATA REDUCTION

Feature selection and sample classification algorithms of INPE --- for multispectral scanner remote sensing data p0218 A78-34879

The use of analysis of variance procedures for defining ground conditions of categories generated in an automatic analysis of Landsat MSS digital data p0213 A78-40182
Advancements in machine-assisted analysis of multispectral data for land use applications p0213 A78-40185

DATA SAMPLING

Rural landscape assessment - A comparative evaluation of high platform remote sensing p0185 A78-34864
Two phase sampling for wheat acreage estimation p0181 A78-40164

DATA SYSTEMS

Parametric design of ground data processing/support systems for advanced sensor systems p0226 A78-40168
On the transfer of remote sensing technology to an operational data system p0226 A78-40170

DAYTIME

Investigation of the application of HCMM thermal data to snow hydrology [E78-10147] p0209 N78-27477

DECIDUOUS TREES

Aerial detection of oak wilt in Iowa p0179 A78-34869

DECISION MAKING

Improved resource use decisions and actions through remote sensing p0227 N78-23519

DELAWARE

Skytab/ERAP application to ecological, geological, and oceanographic investigations of Delaware Bay [NASA-CR-144910] p0194 N78-27486

DELAWARE RIVER BASIN (US)

Monitoring coastal water properties and current circulation with ERTS-1 p0207 N78-23528
Skytab/ERAP application to ecological, geological, and oceanographic investigations of Delaware Bay [NASA-CR-144910] p0194 N78-27486

DELTA

Use of LANDSAT data for natural resources investigation in the lower basin of Danube and Danube Delta [E78-10141] p0208 N78-26511

DEMAND (ECONOMICS)

World demand for raw materials in 1985 and 2000 [PB-277707] p0228 N78-25016

DEPLETION

On measures of natural resource scarcity [IIASA-RR-17-19] p0227 N78-23540

DEPTH MEASUREMENT

Korean coastal water depth/sediment and land cover mapping (1:25,000) by computer analysis of LANDSAT imagery [NASA-TM-79546] p0207 N78-23532

DEVELOPING NATIONS

Guidelines for using Landsat data for rural land use surveys in developing countries p0186 A78-36268
Internationalization of remote sensing technology p0225 A78-36649

DICKE RADIOMETERS

Distributed-switch dicke radiometer [NASA-CASE-GSC-12219-1] p0214 N78-22436

DIFFRACTION

Analytical inversions in remote sensing of particle size distributions. I - Multispectral extinctions in the anomalous diffraction approximation. II Angular and spectral scattering in diffraction approximations p0187 A78-37180

DIGITAL DATA

Computer enhancement techniques of Landsat MSS digital images for land use/land cover assessments p0211 A78-34866

A poor man's digital image interpretation system --- Landsat imagery p0225 A78-34927

Reflexive prediction and digital terrain modelling p0212 A78-36643

Correlation of intensity variations and false color displays of multispectral digital images p0213 A78-40172

Digital data acquisition system in geophysical survey aircraft VH-BNG [BMR-185] p0222 N78-23552

DIGITAL FILTERS

Digital analysis of Landsat images and applications p0212 A78-36456

DIGITAL SIMULATION

Simulation of imaging radar systems p0214 A78-43064

DIGITAL SYSTEMS

Digital analysis of multispectral aerial and Landsat data for land use planning in Britain p0185 A78-34210
Estimating costs and performance of systems for machine processing of remotely sensed data p0226 A78-40174

Landsat digital data application to forest vegetation and land use classification in Minnesota p0182 A78-40180

Image compression techniques [AD-A050679] p0215 N78-22450

A programming system for digital image processing of remotely sensed data [ISRO-SAC-TR-04-77] p0216 N78-24594

DIGITAL TECHNIQUES

EROS Data Center Landsat digital enhancement techniques and imagery availability, 1977 p0212 A78-34931

Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, Purdue University, West Lafayette, Ind., June 21-23, 1977. Proceedings p0225 A78-40155

Comparing soil boundaries delineated by digital analysis of multispectral scanner data from high and low spatial resolution systems p0213 A78-40161

A remote sensing system for a nationwide data-bank p0226 A78-40169

DISPERSING

The detection of color boundaries by means of chromatic dispersion p0214 N78-22433

DISTANCE MEASURING EQUIPMENT

Establishment of calibration base lines [PB-277130/1] p0193 N78-22456

DISTORTION

A theoretical model for the evaluation of the interactions between Landsat MSS data and UTM maps in geometric transformations p0212 A78-34875

DOPPLER EFFECT

A resolution limitation on sea-echo radar spectra inferred from point to point ionospheric Doppler broadening p0201 A78-37058

DRAINAGE

Remote sensing applications to a partial area model --- Patuxent River, Maryland [E78-10125] p0205 N78-23501

Investigation of the application of HCMM thermal data to snow hydrology [E78-10147] p0209 N78-27477

DRAINAGE PATTERNS

Cornell University remote sensing program --- application to waste disposal site selection, study of drainage patterns, and water quality management. [NASA-CR-156993] p0206 N78-23508

DRILLING

Summary of 1977 geothermal drilling - Western United States p0196 A78-40534

DYE LASERS

Detection of atmospheric pollutants by quantitative analytical spectroscopy using a continuously scanned tunable dye laser p0187 A78-36920

DYNAMIC CHARACTERISTICS

Sea Ice-75. Dynamical report [REPT-16-8] p0202 N78-23547

E

EARTH (PLANET)

Remote sensing and the earth [NASA-TM-79444] p0227 N78-23509

The earth's gravity field and ocean dynamics [NASA-TM-79540] p0193 N78-24600

EARTH ALBEDO

The net radiation budget of the St. Louis metropolitan area p0187 A78-37304

EARTH MOVEMENTS

The Upper Bavaria network for earth tides - First measurement of 1970-1975 p0196 A78-36081

EARTH PLANETARY STRUCTURE

Visual observation of the natural environment from an orbital station --- salyut-5 p0228 N78-24041

EARTH RESOURCES

Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977. Technical Papers p0225 A78-34851

Applications of satellite thermal infrared measurements to earth's resources studies p0218 A78-34926

Quarterly literature review of the remote sensing of natural resources [NASA-CR-156158] p0226 N78-22432

EARTH RESOURCES INFORMATION SYSTEM

Remote sensing R&D planning p0225 A78-34904

EARTH RESOURCES SURVEY PROGRAM

Internationalization of remote sensing technology p0225 A78-36649

EARTH SATELLITES

International Symposium on Geodesy and Physics of the Earth, 3rd, Weimar, East Germany, October 25-31, 1976. Proceedings, Parts 1, 2 & 3 p0191 A78-36051

EARTH SURFACE

Design of satellite constellations for optimal continuous coverage p0192 A78-37981

The definition of the telluroid p0192 A78-38217

EARTH TIDES

The Upper Bavaria network for earth tides - First measurement of 1970-1975 p0196 A78-36081

ECHO SOUNDING

Remote sensing in glaciology and the physics of echoes p0199 A78-34216

ECOLOGICAL

The Kenya rangeland ecological monitoring unit [E78-10132] p0189 N78-25498

ECONOMIC FACTORS

An measures of natural resource scarcity [IIASA-RR-17-19] p0227 N78-23540

ECONOMIC IMPACT

Modeling the benefits to world agriculture from remote sensing p0182 A78-43067

The impact of groundwater development in arid lands: A literature review and annotated bibliography [PB-276908/1] p0207 N78-23551

ECOSYSTEMS

Multilevel analysis of ecosystem alteration due to water regime changes in a south Louisiana swamp p0205 A78-34861

Ten-Ecosystem Study (TES) site 4, Sandoval County, New Mexico [E78-10110] p0182 N78-23497

EGYPT

Delineation of land features in Egypt by Landsat satellite images p0211 A78-34867

ELECTRIC CONTROL

A camera system for small format aerial photography p0218 A78-34873

ELECTRIC POWER PLANTS

Aerosol size distributions and aerosol volume formation for a coal-fired power plant plume p0188 A78-41254

ELECTRO-OPTICAL PHOTOGRAPHY

Imaging sensors for RPVs p0213 A78-40205

ELECTRO-OPTICS

Passive electro-optical remote sensors at the Canada Centre for Remote Sensing p0218 A78-34930

Electronic solid state wide angle camera system - ESSWACS --- for real time aerial reconnaissance p0219 A78-40203

ELECTROMAGNETIC RADIATION

Remote sensing --- satellite sensors which use electromagnetic radiation p0221 N78-23329

ELECTROMAGNETIC SCATTERING

Simplified multiple scattering model for radiative transfer in turbid water [NASA-CR-145365] p0209 N78-26514

ELECTRONIC TRANSDUCERS

Distributed-switch dicke radiometer [NASA-CASE-GSC-12219-1] p0214 N78-22436

EMITTANCE

Determination and error analysis of emittance and spectral emittance measurements by remote sensing --- of leaves, soil and plant canopies p0180 A78-34878

ENERGY BUDGETS

System implementation for Earth Radiation Budget Satellite System p0218 A78-34910

Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 --- including geographic description of the Fergana area of the U.S.S.R. [E78-10126] p0206 N78-23502

Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2 [E78-10127] p0206 N78-23503

HCMM energy budget data as a model input for assessing regions of high potential groundwater pollution [E78-10145] p0209 N78-27475

ENERGY TECHNOLOGY

- Summary of 1977 geothermal drilling - Western United States p0196 A78-40534
Geothermal energy resources map of the western United States p0196 A78-40535

ENVIRONMENT EFFECTS

- Effect of f-number and other parameters on FLIR performance in nearly BLIP systems --- Forward Looking IR sensors with Background Limited Performance p0219 A78-36925
The impact of groundwater development in arid lands: A literature review and annotated bibliography [PB-276908/1] p0207 N78-23551

ENVIRONMENTAL POLLUTION

- Remote monitoring of environmental pollution p0187 A78-38873
Visual observation of the natural environment from an orbital station --- salyut-5 p0228 N78-24041

ENVIRONMENTAL MONITORING

- Passive infrared sensing of the environment p0185 A78-34204
Passive microwave radiometry from a European spacecraft p0217 A78-34206
Applications of satellite data in mapping rainfall for the solution of associated problems in regions of sparse conventional observations p0205 A78-34212
Multilevel analysis of ecosystem alteration due to water regime changes in a south Louisiana swamp p0205 A78-34861
Monitoring of noxious aquatic plants p0185 A78-34863
The application of satellite data in monitoring strip mines p0195 A78-34880
Mapping of chlorophyll a distributions in coastal zones p0186 A78-36648
Laboratory requirements for in-situ and remote sensing of suspended material [NASA-CR-145367] p0220 N78-22442
Usefulness of LANDSAT data for monitoring plant development and range conditions in California's annual grassland p0183 N78-23516
The Kenya rangeland ecological monitoring unit [E78-10132] p0189 N78-25498
Application of digital analysis of MSS data to agroenvironmental studies [E78-10133] p0183 N78-25499
Developing and demonstrating an institutional mechanism for transferring remote sensing technology to 14 western states using northern California as the test site [E78-10142] p0228 N78-26512
Overhead environmental monitoring with light utility aircraft: Demonstration and evaluation of the system [PB-278748/9] p0223 N78-27647

ENVIRONMENTAL SURVEYS

- Applications of ERTS-1 imagery to terrestrial and marine environmental analyses in Alaska p0206 N78-23525

EROS (SATELLITES)

- Orbit selection for earth resources satellites [ISRO-ISAC-TN-05-77] p0221 N78-23125

ERROR ANALYSIS

- A theoretical model for the evaluation of the interactions between Landsat MSS data and UTM maps in geometric transformations p0212 A78-34875
Determination and error analysis of emittance and spectral emittance measurements by remote sensing --- of leaves, soil and plant canopies p0180 A78-34878
Introduction to the mathematics of inversion in remote sensing and indirect measurement --- Book p0225 A78-36499
Systematic image errors --- photogrammetry conference proceedings [SER-B-226] p0220 N78-22443
Compensation of systematic image errors by photoflight dispositions? p0220 N78-22444
Partial calibration of a photogrammetry system using test fields p0220 N78-22445

ESA SATELLITES

- Passive microwave radiometry from a European spacecraft p0217 A78-34206

ESTUARIES

- Applications of ERTS-1 imagery to terrestrial and marine environmental analyses in Alaska p0206 N78-23525
Applications of HCMM data to soil moisture snow and estuarine current studies --- Luverne, Minnesota, Cranberry Lake, New York, and Sioux Falls, South Dakota [E78-10140] p0208 N78-26510

EUROPE

- The Upper Bavaria network for earth tides - First measurement of 1970-1975 p0196 A78-36081
Use of LANDSAT data for natural resources investigation in the lower basin of Danube and Danube Delta [E78-10141] p0208 N78-26511

EUROPEAN SPACE PROGRAMS

- A European earth resources space programme p0225 A78-34219
Space activity in Norway [SAD-65-T] p0227 N78-23118

EVAPOTRANSPIRATION

- Calculation of evapotranspiration using color-infrared photography --- remote sensing in Arizona [NASA-CR-156157] p0214 N78-22345
Plant cover, soil temperature, freeze, water stress, and evapotranspiration conditions --- Texas [E78-10144] p0184 N78-27474

EXPLORATION

- Instrument technology for remote-surface exploration, prospecting and assaying, part 2 [NASA-CR-156997] p0221 N78-23504
The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 2 [E78-10149] p0197 N78-27479
The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 3 [E78-10150] p0198 N78-27480

EXTINCTION

- Analytical inversions in remote sensing of particle size distributions. I - Multispectral extinctions in the anomalous diffraction approximation. II Angular and spectral scattering in diffraction approximations p0187 A78-37180

F

FARM CROPS

- Application of digital analysis of MSS data to agroenvironmental studies [E78-10133] p0183 N78-25499
Dryland pasture and crop conditions as seen by HCMM --- Chichasha, Oklahoma [E78-10134] p0183 N78-25500
Research in remote sensing of agriculture, earth resources, and man's environment --- North Dakota, Kansas, and Indiana [E78-10138] p0183 N78-25504
Heat capacity mapping mission [E78-10139] p0184 N78-26509
Application of digital analysis of MSS data to agro-environmental studies --- Africa, New Jersey, Philippines, and Kansas [E78-10151] p0184 N78-27481

FARMLANDS

- A first interpretation of East African swiddening via computer-assisted analysis of 3 Landsat tapes p0180 A78-40159
Plant cover, soil temperature, freeze, water stress, and evapotranspiration conditions --- Texas [E78-10144] p0184 N78-27474
The application of remote sensing to resource management and environmental quality programs in Kansas [E78-10154] p0184 N78-27484

FAST FOURIER TRANSFORMATIONS

- Use of the Fast Fourier Transform in evaluation of laser Raman and fluorescence decay times --- airborne lidar for remote identification of oil slicks on water p0187 A78-36921

FEDERAL BUDGETS

- Federal regulatory programs and activities [PB-278489/0] p0228 N78-26982

FINANCIAL MANAGEMENT

- Some applications of remote sensing technology for international funding agencies p0226 A78-40156

FINLAND

- Sea Ice-75. Ground truth report [REPT-16-2] p0201 N78-23541
Sea Ice-75. Ice detection by SLAR [REPT-16-3] p0202 N78-23542
Sea Ice-75. Analysis of SLAR data [REPT-16-4] p0202 N78-23543
Sea Ice-75. FLAR, ODAR, ship's radar [REPT-16-5] p0202 N78-23544
Sea Ice-75. IR-scanner results [REPT-16-6] p0202 N78-23545
Sea Ice-75. Radar altimeter results [REPT-16-7] p0202 N78-23546
Sea Ice-75. Dynamical report [REPT-16-8] p0202 N78-23547
Sea Ice-75 [REPT-16-9] p0202 N78-23548

FIRE PREVENTION

- Evaluation of a Fire Behavior Information Integration System for Southern California Chaparral Wildlands p0179 A78-34382

FLIGHT PLANS

- Aerial field guide p0209 N78-27472

FLIGHT TESTS

- Flight-testing of a continuous laser remote sensing system p0187 A78-39632

FLOOD DAMAGE

- Optical data processing and projected applications of the ERTS-1 imagery covering the 1973 Mississippi River Valley floods p0206 N78-23524

FLOOD PLAINS

- Aerial field guide p0209 N78-27472

FLORIDA

- Monitoring of noxious aquatic plants p0185 A78-34863
Remote sensing and the earth [NASA-TM-79444] p0227 N78-23509
Remote sensors p0221 N78-23513
Remote sensing platforms p0222 N78-23514
Application of computer processed multispectral data to the discrimination of land collapse (sinkhole) prone areas in Florida p0206 N78-23521
Water-management models in Florida from LANDSAT-1 data p0207 N78-23526

GEODETIC SURVEYS

- A feasibility demonstration of aerial photographic support for marine archaeological surveys p0201 N78-23529
Land use and land cover mapping: City of Palm Bay, Florida [NASA-CR-154625] p0193 N78-23534
Satellite applications to a coastal inlet study, Clearwater Beach, Florida [NASA-CR-156994] p0208 N78-23700
The utilization of side looking airborne Radar (SLAR) in the analysis of Karst topography [AD-A051330] p0193 N78-24410

FLUORESCENCE

- Airborne monitoring of surface water pollutants by fluorescence spectroscopy p0186 A78-36303
Use of the Fast Fourier Transform in evaluation of laser Raman and fluorescence decay times --- airborne lidar for remote identification of oil slicks on water p0187 A78-36921

FLUOROSCOPY

- Time-resolved laser fluorosensors - A laboratory study of their potential in the remote characterization of oil p0195 A78-35822

FOG

- Ice and fog: Detection and warning systems. A bibliography with abstracts --- weather conditions [NTS/PS-78/0181/4] p0202 N78-23695

FOREST MANAGEMENT

- Computer training procedures for the Western Washington forest productivity study utilizing Landsat data p0182 A78-40179

FORESTS

- Aerial detection of oak wilt in Iowa p0179 A78-34869
The use of four band multispectral photography to identify forest cover types p0180 A78-34870
Mapping of forest regions from Landsat imagery by computer processing - A case study of East Bastar region p0180 A78-34872
Landsat digital data application to forest vegetation and land use classification in Minnesota p0182 A78-40180
Ten-Ecosystem Study (TES) site 4, Sandoval County, New Mexico [E78-10110] p0182 N78-23497
The application of remote sensing technology to the solution of problems in the management of resources in Indiana --- Tippecanoe County [E78-10129] p0183 N78-24593
Ground water differences on pine and hardwood forests of the Udell Experimental Forest in Michigan [PB-278309/0] p0184 N78-26530

FOURIER TRANSFORMATION

- Air pollution measurement by Fourier transform spectroscopy p0185 A78-34666
Introduction to the mathematics of inversion in remote sensing and indirect measurement --- Book p0225 A78-36499
A kilometer pathlength Fourier-transform infrared system for the study of trace pollutants in ambient and synthetic atmospheres p0188 A78-43162

G

GAS CHROMATOGRAPHY

- A study of gaseous pollutants in the Houston, Texas area p0186 A78-35684

GAS SPECTROSCOPY

- Air pollution measurement by Fourier transform spectroscopy p0185 A78-34666

GAS TRANSPORT

- Experimental results on the SO₂ transfer in the Mediterranean obtained with remote sensing devices p0188 A78-41301

GEOBOTANY

- Remote sensing of geobotanical relations in Georgia [NASA-CR-150709] p0197 N78-25505

GEODESY

- International Symposium on Geodesy and Physics of the Earth, 3rd, Weimar, East Germany, October 25-31, 1976. Proceedings. Parts 1, 2 & 3 p0191 A78-36051
The definition of the telluroid p0192 A78-38217

GEODETIC COORDINATES

- The relation between the point coordinates of a place and its imagery for a pair of radar images p0191 A78-34393

- The definition of the telluroid p0192 A78-38217
Current status and developmental trends of satellite geodesy p0192 A78-40460

GEODETIC SATELLITES

- Use of earth satellites for the construction of geodetic networks --- Russian book p0192 A78-37889
Current status and developmental trends of satellite geodesy p0192 A78-40460

GEODETIC SURVEYS

- Geodetic connection of materials from a nonphotographic aerial survey p0191 A78-34391
Monitoring geodetic networks by space techniques p0196 A78-36054
Investigations of earth tides at Tiefenort p0191 A78-36078
The employment of auxiliary data in the photogrammetric survey of regions without control points --- German thesis p0192 A78-38064
Current status and developmental trends of satellite geodesy p0192 A78-40460

H

- Establishment of calibration base lines
[PB-277130/1] p0193 N78-22456
- GEOGRAPHY**
The verification of LANDSAT data in the geographical analysis of wetlands in west Tennessee
[NASA-CR-3012] p0208 N78-25508
- GEOIDS**
The prediction and mapping of geoidal undulations from GEOS-3 altimetry --- gravity anomalies
[NASA-CR-141439] p0193 N78-23507
GEOS-3 ocean geoid investigation
[NASA-CR-141440] p0194 N78-24776
- GEOLOGICAL FAULTS**
Active and inactive faults in southern California viewed from Skylab p0189 N78-23523
The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 1 p0197 N78-27478
The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 2 p0197 N78-27479
The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 3 p0198 N78-27480
- GEOLOGICAL SURVEYS**
Passive infrared sensing of the environment p0185 A78-34204
Analog and digital processing of multispectral data for geologic application p0195 A78-34214
Applications of satellite studies for structural geology in Italy p0195 A78-34215
Antarctic mapping from satellite imagery p0191 A78-34217
Usefulness of LANDSAT data for monitoring plant development and range conditions in California's annual grassland p0183 N78-23516
Dryland pasture and crop conditions as seen by HCMM --- Chichasha, Oklahoma p0183 N78-25500
[E78-10134]
- GEOLOGY**
Quarterly literature review of the remote sensing of natural resources
[NASA-CR-156158] p0226 N78-22432
Remote sensing and the earth
[NASA-TM-79444] p0227 N78-23509
LANDSAT data: A new perspective for geology. A review of the utilization of LANDSAT imagery for geological interpretation p0197 N78-23522
Use of LANDSAT data for natural resources investigation in the lower basin of Danube and Danube Delta p0208 N78-26511
[E78-10141]
Geologic application of thermal-inertia mapping from satellite --- Arizona and Powder River, Wyoming p0194 N78-27476
[E78-10146]
Introductory workshops on remote sensing as related to geological problems in Georgia p0198 N78-27482
[E78-10152]
- GEOMORPHOLOGY**
The Upper Bavaria network for earth tides - First measurement of 1970-1975 p0196 A78-36081
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 4: Lassen volcanic region p0215 N78-23499
[E78-10123]
LANDSAT survey of near-shore ice conditions along the Arctic coast of Alaska p0203 N78-25502
[E78-10136]
Aerial field guide p0209 N78-27472
- GEOPHYSICS**
International Symposium on Geodesy and Physics of the Earth, 3rd, Weimar, East Germany, October 25-31, 1976, Proceedings. Parts 1, 2 & 3 p0191 A78-36051
Current status and perspectives of active microwave imaging for geoscience application p0212 A78-36271
Digital data acquisition system in geophysical survey aircraft VH-BNG p0222 N78-23552
[BMR-185]
Cosmonauts study the earth --- as well as astronauts in Skylab p0227 N78-24040
Visual observation of the natural environment from an orbital station --- salyut-5 p0228 N78-24041
- GEOPOTENTIAL**
Current status and developmental trends of satellite geodesy p0192 A78-40460
- GEORGIA**
Remote sensing and the earth
[NASA-TM-79444] p0227 N78-23509
The basics of remote sensing; forward p0221 N78-23510
Remote sensing of geobotanical relations in Georgia [NASA-CR-150709] p0197 N78-25505
Introductory workshops on remote sensing as related to geological problems in Georgia p0198 N78-27482
[E78-10152]
Variations in tidal inlet processes and morphology in the Georgia embayment p0209 N78-27720
- GEOS 3 SATELLITE**
The prediction and mapping of geoidal undulations from GEOS-3 altimetry --- gravity anomalies
[NASA-CR-141439] p0193 N78-23507
GEOS-3 ocean geoid investigation
[NASA-CR-141440] p0194 N78-24776

GEOTHERMAL RESOURCES

- Summary of 1977 geothermal drilling - Western United States p0196 A78-40534
Geothermal energy resources map of the western United States p0196 A78-40535
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 3: Heat discharge from Mount St. Helens, Washington p0214 N78-22435
[E78-10122]
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 4: Lassen volcanic region p0215 N78-23499
[E78-10123]
- GERMANY**
Tectonics of the Central European plate and surrounding area on the basis of data from interpretation of space imagery p0195 A78-35497
The Upper Bavaria network for earth tides - First measurement of 1970-1975 p0196 A78-36081
- GLACIERS**
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1 --- Lassen volcanic region, California, Surtsey, Iceland and Mt. St. Helens and Mt Baker, Washington p0215 N78-23498
[E78-10121]
- GLACIOLOGY**
Remote sensing in glaciology and the physics of echoes p0199 A78-34216
Antarctic mapping from satellite imagery p0191 A78-34217
- GRASSLANDS**
Usefulness of LANDSAT data for monitoring plant development and range conditions in California's annual grassland p0183 N78-23516
Dryland pasture and crop conditions as seen by HCMM --- Chichasha, Oklahoma p0183 N78-25500
[E78-10134]
- GRAVIMETRY**
Significance of the space imagery for studies of the petroleum platform areas --- in Lower Volga region p0195 A78-34877
- GRAVITATIONAL FIELDS**
The earth's gravity field and ocean dynamics
[NASA-TM-79540] p0193 N78-24600
- GRAVITY ANOMALIES**
Computed and observed ocean topography - A comparison p0199 A78-35344
The prediction and mapping of geoidal undulations from GEOS-3 altimetry --- gravity anomalies
[NASA-CR-141439] p0193 N78-23507
The earth's gravity field and ocean dynamics
[NASA-TM-79540] p0193 N78-24600
- GROUND STATIONS**
Data processing facilities of the TERRA experiment p0211 A78-34209
Investigations of earth tides at Tiefenort p0191 A78-36078
- GROUND SUPPORT SYSTEMS**
Parametric design of ground data processing/support systems for advanced sensor systems p0226 A78-40168
- GROUND TRUTH**
Relations between ground truth and airborne measurements of thermal infrared radiation over vegetated surfaces p0179 A78-34854
The role of ground truth data and an approach to its collection p0217 A78-34855
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 --- including geographic description of the Fergana area of the U.S.S.R. p0206 N78-23502
[E78-10126]
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2 p0206 N78-23503
[E78-10127]
Sea Ice-75. Ground truth report p0201 N78-23541
[REPT-16-2]
The Kenya rangeland ecological monitoring unit p0189 N78-25498
[E78-10132]
The verification of LANDSAT data in the geographical analysis of wetlands in west Tennessee
[NASA-CR-3012] p0208 N78-25508
Application of digital analysis of MSS data to agro-environmental studies --- Africa, New Jersey, Philippines, and Kansas p0184 N78-27481
[E78-10151]
- GROUND WATER**
LANDSAT linear trend analysis: A tool for groundwater exploration in northern Arkansas p0207 N78-23550
[PB-27721/0]
The impact of groundwater development in arid lands: A literature review and annotated bibliography p0207 N78-23551
[PB-276908/1]
Ground water differences on pine and hardwood forests of the Udel Experimental Forest in Michigan p0184 N78-26530
[PB-278309/0]
HCMM energy budget data as a model input for assessing regions of high potential groundwater pollution p0209 N78-27475
[E78-10145]

HABITATS

- The application of remote sensing to resource management and environmental quality programs in Kansas p0184 N78-27484
[E78-10154]
- HEAT CAPACITY MAPPING MISSION**
Recent advances in the application of thermal infrared scanning to geological and hydrological studies p0219 A78-36307
Dryland pasture and crop conditions as seen by HCMM --- Chichasha, Oklahoma p0183 N78-25500
[E78-10134]
Applications of HCMM satellite data to the study of urban heating patterns p0189 N78-25501
[E78-10135]
Heat capacity mapping mission p0184 N78-26509
[E78-10139]
Applications of HCMM data to soil moisture snow and estuarine current studies --- Luverne, Minnesota, Cranberry Lake, New York, and Sioux Falls, South Dakota p0208 N78-26510
[E78-10140]
Plant cover, soil temperature, freeze, water stress, and evapotranspiration conditions --- Texas p0184 N78-27474
[E78-10144]
HCMM energy budget data as a model input for assessing regions of high potential groundwater pollution p0209 N78-27475
[E78-10145]
Geologic application of thermal-inertia mapping from satellite --- Arizona and Powder River, Wyoming p0194 N78-27476
[E78-10146]
Investigation of the application of HCMM thermal data to snow hydrology p0209 N78-27477
[E78-10147]
- HEAT FLUX**
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 3: Heat discharge from Mount St. Helens, Washington p0214 N78-22435
[E78-10122]
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1 --- Lassen volcanic region, California, Surtsey, Iceland and Mt. St. Helens and Mt Baker, Washington p0215 N78-23498
[E78-10121]
- HETERODYNING**
Stratospheric ozone measurement with an infrared heterodyne spectrometer p0217 A78-34124
- HIGH ALTITUDE**
High-altitude aerial photographs aid in investigations p0216 N78-23527
- HIGH FREQUENCIES**
HF radio oceanography - A review p0199 A78-35328
- HIMALAYAS**
The basics of remote sensing; forward p0221 N78-23510
- HISTOGRAMS**
A four-dimensional histogram approach to the clustering of Landsat data p0213 A78-40178
- HISTORIES**
Skylab: A chronology
[NASA-SP-4011] p0228 N78-25115
- HOLOGRAPHY**
Holographic pattern recognition --- Russian book p0211 A78-33595
Holographic terrain simulation
[AD-A053472] p0194 N78-27388
- HOUSTON (TX)**
A study of gaseous pollutants in the Houston, Texas area p0186 A78-35684
- HUMAN PERFORMANCE**
The human perception of geological lineaments and other discrete features in remote sensing imagery - Signal strengths, noise levels and quality p0196 A78-36306
- HUMIDITY**
Use of LANDSAT data for natural resources investigation in the lower basin of Danube and Danube Delta p0208 N78-26511
[E78-10141]
- HYDROGRAPHY**
Remote sensing applications to a partial area model --- Patuxent River, Maryland p0205 N78-23501
[E78-10125]
- HYDROLOGY**
Recent advances in the application of thermal infrared scanning to geological and hydrological studies p0219 A78-36307
Problems in hydrology --- Russian book p0205 A78-37924
Space methods in hydrology --- Russian book p0205 A78-37925
Quarterly literature review of the remote sensing of natural resources
[NASA-CR-156158] p0226 N78-22432
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 --- including geographic description of the Fergana area of the U.S.S.R. p0206 N78-23502
[E78-10126]
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2 p0206 N78-23503
[E78-10127]

- Retransmission of hydrometric data in Canada
[E78-10131] p0208 N78-25497
- Use of LANDSAT data for natural resources investigation in the lower basin of Danube and Danube Delta
[E78-10141] p0208 N78-26511
- Investigation of the application of HCMM thermal data to snow hydrology
[E78-10147] p0209 N78-27477
- HYDROMETEOROLOGY**
Space methods in hydrology --- Russian book
p0205 A78-37925
- ICE**
A study of Minnesota land and water resources using remote sensing
[E78-10143] p0208 N78-26513
- ICE FORMATION**
Sea Ice-75. Analysis of SLAR data
[REPT-16-4] p0202 N78-23543
Sea Ice-75. Dynamical report
[REPT-16-8] p0202 N78-23547
- ICE MAPPING**
Remote sensing in glaciology and the physics of echoes
p0199 A78-34218
Thermal infrared studies - Forteau Bay, Labrador --- coastal ice mapping
p0199 A78-34862
Side looking radar for ice reconnaissance
p0199 A78-34929
A review of applications of microwave radiometry to oceanography
p0200 A78-35346
Microwave remote sensing of sea ice in the AIDJEX Main Experiment --- Arctic Ice Dynamics Joint Experiment
p0200 A78-35348
Time-dependence of sea-ice concentration and multiyear ice fraction in the Arctic Basin
p0200 A78-35349
Sea Ice-75. Ground truth report
[REPT-16-2] p0201 N78-23541
Sea Ice-75. Ice detection by SLAR
[REPT-16-3] p0202 N78-23542
Sea Ice-75. Analysis of SLAR data
[REPT-16-4] p0202 N78-23543
Sea Ice-75. FLAR, ODAR, ship's radar
[REPT-16-5] p0202 N78-23544
Sea Ice-75. IR-scanner results
[REPT-16-6] p0202 N78-23545
Sea Ice-75. Radar altimeter results
[REPT-16-7] p0202 N78-23546
Sea Ice-75. Dynamical report
[REPT-16-8] p0202 N78-23547
Sea Ice-75
[REPT-16-9] p0202 N78-23548
- ICE REPORTING**
Ice and fog: Detection and warning systems. A bibliography with abstracts --- weather conditions
[NTIS/PS-78/0181/4] p0202 N78-23695
- ICELAND**
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and Part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1 --- Lassen volcanic region, California, Surtsey, Iceland and Mt. St. Helens and Mt Baker, Washington
[E78-10121] p0215 N78-23498
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 5: Electronic thermal sensor and data collection platform technology
[E78-10124] p0216 N78-23500
- IDAHO**
Summary of 1977 geothermal drilling - Western United States
p0196 A78-40534
- IGNEOUS ROCKS**
Initial response of a rock penetrator
[SAND-77-1712] p0197 N78-26499
- ILLINOIS**
Stratified acreage estimates in the Illinois crop-acreage experiment
p0181 A78-40163
- IMAGE ENHANCEMENT**
Computer enhancement techniques of Landsat MSS digital images for land use/land cover assessments
p0211 A78-34866
Video processing - An effective tool for image analysis
p0212 A78-34876
EROS Data Center Landsat digital enhancement techniques and imagery availability, 1977
p0212 A78-34931
Digital analysis of Landsat images and applications
p0212 A78-36456
Image enhancement for vegetative pattern change analysis
p0180 A78-36647
- IMAGE INTENSIFIERS**
Map intensification from small format camera photography --- for timber mapping
p0182 A78-41188
- IMAGE PROCESSING**
Holographic pattern recognition --- Russian book
p0211 A78-33595
Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, University of Bristol, Bristol, England, April 5-9, 1976
p0211 A78-34201
A critical review of the Quantimet 720 image analyser in remote sensing
p0217 A78-34207
- An interactive image processing system
p0211 A78-34208
- Data processing facilities of the TERRA experiment
p0211 A78-34209
- Analog and digital processing of multispectral data for geologic application
p0195 A78-34214
Simplified graphoanalytic means for determining adjusting elements during the transformation of spaceborne photographs
p0211 A78-34777
Machine processing of Landsat multispectral data for low cost development of regional land cover information in Indiana
p0211 A78-34865
Mapping of forest regions from Landsat imagery by computer processing - A case study of East Bastar region
p0180 A78-34872
Video processing - An effective tool for image analysis
p0212 A78-34876
A poor man's digital image interpretation system --- Landsat imagery
p0225 A78-34927
Image enhancement for vegetative pattern change analysis
p0180 A78-36647
Mapping of chlorophyll a distributions in coastal zones
p0186 A78-36648
Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, Purdue University, West Lafayette, Ind., June 21-23, 1977. Proceedings
p0225 A78-40155
A first interpretation of East African swiddening via computer-assisted analysis of 3 Landsat tapes
p0180 A78-40159
Machine processing of aerial data for Agricultural Resources Inventory and Survey Experiment
p0181 A78-40167
A remote sensing system for a nationwide data-bank
p0226 A78-40169
Estimating costs and performance of systems for machine processing of remotely sensed data
p0226 A78-40174
Computer training procedures for the Western Washington forest productivity study utilizing Landsat data
p0182 A78-40179
Landsat digital data application to forest vegetation and land use classification in Minnesota
p0182 A78-40180
A table look-up procedure for rapidly mapping vegetation cover and crop development
p0182 A78-40181
The use of analysis of variance procedures for defining ground conditions of categories generated in an automatic analysis of Landsat MSS digital data
p0213 A78-40182
Tabular data base construction and analysis from thematic classified Landsat imagery of Portland, Oregon
p0188 A78-40183
ISURSL levels classification - A low cost approach to multispectral data analysis
p0213 A78-40184
Advancements in machine-assisted analysis of multispectral data for land use applications
p0213 A78-40185
Contextual pattern classification for remotely sensed multispectral data
p0214 A78-43056
Image processing investigations
[DOC-77SD8002] p0214 N78-22434
Generation and physical characteristics of the LANDSAT-1, -2 and -3 MSS computer compatible tapes
[NASA-TM-78018] p0215 N78-22437
Study of image on-board processing methods
[REPT-60/382] p0215 N78-23409
A programming system for digital image processing of remotely sensed data
[ISRO-SAC-TR-04-77] p0216 N78-24594
Using synthetic images to register real images with surface models
[AD-A052512] p0193 N78-24602
- IMAGE RESOLUTION**
Remote sensing of coastal food resources
p0199 A78-34381
Correlation of intensity variations and false color displays of multispectral digital images
p0213 A78-40172
- IMAGES**
Real-time acoustical holography systems
[AD-A052000] p0221 N78-23405
- IMAGING TECHNIQUES**
Geodetic connection of materials from a nonphotographic aerial survey
p0191 A78-34391
The relation between the point coordinates of a place and its imagery for a pair of radar images
p0191 A78-34393
An all-purpose change-detection and recording system --- graphical aerial photographic data transfer for map updates
p0191 A78-34874
Radar imaging of the ocean surface
p0199 A78-35337
Application of image principal component technique to the geological study of a structural basin in Central Spain
p0196 A78-40176
A least-square error approach to Landsat image classification
p0213 A78-40177
Electronic solid state wide angle camera system - ESSWACS --- for real time aerial reconnaissance
p0219 A78-40203
p0213 A78-40205
Imaging sensors for RPVs
Image compression techniques
[AD-A050679] p0215 N78-22450
- INDEXES (DOCUMENTATION)**
US Geological Survey sources of photographs and images of biosphere reserves taken from spacecraft and aircraft: 19-organ Pipe Cactus National Monument
[PB-276550/1] p0215 N78-22457
- INDIA**
Mapping of forest regions from Landsat imagery by computer processing - A case study of East Bastar region
p0180 A78-34872
Machine processing of aerial data for Agricultural Resources Inventory and Survey Experiment
p0181 A78-40167
- INDIANA**
Machine processing of Landsat multispectral data for low cost development of regional land cover information in Indiana
p0211 A78-34865
ISURSL levels classification - A low cost approach to multispectral data analysis
p0213 A78-40184
The application of remote sensing technology to the solution of problems in the management of resources in Indiana --- Tippecanoe County
[E78-10129] p0183 N78-24593
Research in remote sensing of agriculture, earth resources, and man's environment --- North Dakota, Kansas, and Indiana
[E78-10138] p0183 N78-25504
- INDUSTRIAL AREAS**
A study of gaseous pollutants in the Houston, Texas area
p0186 A78-35684
- INDUSTRIAL WASTES**
Airborne monitoring of surface water pollutants by fluorescence spectroscopy
p0186 A78-36303
- INFESTATION**
Monitoring of noxious aquatic plants
p0185 A78-34863
Heat capacity mapping mission
[E78-10139] p0184 N78-26509
A study of Minnesota land and water resources using remote sensing
[E78-10143] p0208 N78-26513
- INFILTRATION**
Remote sensing applications to a partial area model --- Patuxent River, Maryland
[E78-10125] p0205 N78-23501
- INFORMATION MANAGEMENT**
Data processing facilities of the TERRA experiment
p0211 A78-34209
- INFORMATION SYSTEMS**
Requirements of a global information system for corn production and distribution
[E78-10137] p0183 N78-25503
Program on State Agency Remote Sensing Data Management (SARSDM) --- Missouri
[NASA-CR-150715] p0208 N78-25507
- INFRARED DETECTORS**
Effect of f-number and other parameters on FLIR performance in nearly BLIP systems --- Forward Looking IR sensors with Background Limited Performance
p0219 A78-36925
- INFRARED IMAGERY**
Geodetic connection of materials from a nonphotographic aerial survey
p0191 A78-34391
Use of Landsat multispectral imagery in estimating snow areal extent and snow water content cost-effectively
p0205 A78-40175
- INFRARED PHOTOGRAPHY**
Thermal infrared studies - Forteau Bay, Labrador --- coastal ice mapping
p0199 A78-34862
Applications of satellite thermal infrared measurements to earth's resources studies
p0218 A78-34926
Calculation of evapotranspiration using color-infrared photography --- remote sensing in Arizona
[NASA-CR-156157] p0214 N78-22345
- INFRARED RADIATION**
Relations between ground truth and airborne measurements of thermal infrared radiation over vegetated surfaces
p0179 A78-34854
Determination and error analysis of emittance and spectral emittance measurements by remote sensing --- of leaves, soil and plant canopies
p0180 A78-34878
- INFRARED RADIOMETERS**
Near-infrared remote-sensing radiometer
p0219 A78-38460
- INFRARED REFLECTION**
Hand-held radiometer red and photographic infrared spectral measurements of agricultural crops
[NASA-TM-78091] p0182 N78-22438
- INFRARED SCANNERS**
Passive infrared sensing of the environment
p0185 A78-34204
Recent advances in the application of thermal infrared scanning to geological and hydrological studies
p0219 A78-36307
The temporal correlatability of digital thermal infrared scanner data
Sea Ice-75. IR-scanner results
[REPT-16-6] p0202 N78-23545
- INFRARED SPECTROMETERS**
Stratospheric ozone measurement with an infrared heterodyne spectrometer
p0217 A78-34124
A kilometer pathlength Fourier-transform infrared system for the study of trace pollutants in ambient and synthetic atmospheres
p0188 A78-43162
Spectral measurements of gaseous sulfuric acid using tunable diode lasers
[PB-278985/7] p0189 N78-27654
- INFRARED SPECTROSCOPY**
Air pollution measurement by Fourier transform spectroscopy
p0185 A78-34666

- A study of gaseous pollutants in the Houston, Texas area p0186 A78-35684
- INLAND WATERS**
- Multi-Sensor System (MUSS) for airborne surveillance of inshore waters [AD-A052544] p0222 N78-24604
- INLETS (TOPOGRAPHY)**
- Variations in tidal inlet processes and morphology in the Georgia embayment p0209 N78-27720
- INSECTS**
- Cornell University remote sensing program --- New York [E78-10130] p0228 N78-25496
- INSTRUMENT COMPENSATION**
- Near-infrared remote-sensing radiometer p0219 A78-38460
- INSTRUMENT ERRORS**
- Compensation of systematic image errors by photoflight dispositions? p0220 N78-22444
- INTERFEROMETRY**
- SCIMP - A scanning interferometric multiplex photometer p0219 A78-40487
- INTERMEDIATE FREQUENCIES**
- HF radio oceanography - A review p0199 A78-35328
- INTERNATIONAL COOPERATION**
- Internationalization of remote sensing technology p0225 A78-36649
- Some applications of remote sensing technology for international funding agencies p0226 A78-40156
- INTERPOLATION**
- Transfer functions of interpolation methods --- for digital terrain models p0192 A78-36269
- INVENTORY CONTROLS**
- Evaluation of a Fire Behavior Information Integration System for Southern California Chaparral Wildlands p0179 A78-34382
- INVERSIONS**
- Introduction to the mathematics of inversion in remote sensing and indirect measurement --- Book p0225 A78-36499
- IONOSPHERIC PROPAGATION**
- A resolution limitation on sea-echo radar spectra inferred from point to point ionospheric Doppler broadening p0201 A78-37058
- IONS**
- Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2 [E78-10127] p0206 N78-23503
- IOWA**
- Near real-time monitoring of Iowa corn with Landsat p0179 A78-34852
- Aerial detection of oak wilt in Iowa p0179 A78-34869
- A Landsat Agricultural Monitoring Program p0180 A78-40160
- IRRIGATION**
- Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 --- including geographic description of the Fergana area of the U.S.S.R. [E78-10126] p0206 N78-23502
- Dryland pasture and crop conditions as seen by HCMM --- Chichasha, Oklahoma [E78-10134] p0183 N78-25500
- Introductory workshops on remote sensing as related to geological problems in Georgia [E78-10152] p0198 N78-27482
- ITALY**
- Applications of satellite studies for structural geology in Italy p0195 A78-34215

K

- KANSAS**
- Two phase sampling for wheat acreage estimation p0181 A78-40164
- Research in remote sensing of agriculture, earth resources, and man's environment --- North Dakota, Kansas, and Indiana [E78-10138] p0183 N78-25504
- Application of digital analysis of MSS data to agro-environmental studies --- Africa, New Jersey, Philippines, and Kansas [E78-10151] p0184 N78-27481
- The application of remote sensing to resource management and environmental quality programs in Kansas [E78-10154] p0184 N78-27484
- KARST**
- Application of computer processed multispectral data to the discrimination of land collapse (sinkhole) prone areas in Florida p0206 N78-23521
- The utilization of side looking airborne Radar (SLAR) in the analysis of Karst topography [AD-A051330] p0193 N78-24410
- KENTUCKY**
- The utilization of side looking airborne Radar (SLAR) in the analysis of Karst topography [AD-A051330] p0193 N78-24410
- KENYA**
- The Kenya rangeland ecological monitoring unit [E78-10132] p0189 N78-25498

KEYS (ISLANDS)

- A feasibility demonstration of aerial photographic support for marine archaeological surveys p0201 N78-23529
- KOREA**
- Korean coastal water depth/sediment and land cover mapping (1:25,000) by computer analysis of LANDSAT imagery [NASA-TM-79546] p0207 N78-23532

L

LABORATORY EQUIPMENT

- Data processing facilities of the TERRA experiment p0211 A78-34209
- LABRADOR**
- Thermal infrared studies - Forteau Bay, Labrador --- coastal ice mapping p0199 A78-34862
- LAKE CHAMPLAIN BASIN (NY-VT)**
- Vegetation mapping from color aerial photography of Lake Champlain wetlands p0205 A78-34853
- LAKE SUPERIOR**
- A study of Minnesota land and water resources using remote sensing [E78-10143] p0208 N78-26513
- LAKES**
- Suspended sediments and related limnology of an alpine lake system --- Peters Lake and Schraeder Lake [RLO/2229/T10-2] p0201 N78-22453
- Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2 [E78-10127] p0206 N78-23503
- A study of Minnesota land and water resources using remote sensing [E78-10143] p0208 N78-26513
- LAND**
- US Geological Survey sources of photographs and images of biosphere reserves taken from spacecraft and aircraft: 19-organ Pipe Cactus National Monument [PB-276550/1] p0215 N78-22457
- LAND MANAGEMENT**
- Evaluation of a Fire Behavior Information Integration System for Southern California Chaparral Wildlands p0179 A78-34382
- Rural landscape assessment - A comparative evaluation of high platform remote sensing p0185 A78-34864
- The application of satellite data in monitoring strip mines p0195 A78-34880
- LAND USE**
- Digital analysis of multispectral aerial and Landsat data for land use planning in Britain p0185 A78-34210
- A European earth resources space programme p0225 A78-34219
- Machine processing of Landsat multispectral data for low cost development of regional land cover information in Indiana p0211 A78-34865
- Symposium on Application of Remotely Sensed Data to Land Resources Planning, Ann Arbor, Mich., May 20, 1977, Proceedings p0186 A78-35020
- Correlation of land use and cover with meteorological anomalies p0187 A78-37309
- A least-square error approach to Landsat image classification p0213 A78-40177
- Computer training procedures for the Western Washington forest productivity study utilizing Landsat data p0182 A78-40179
- Landsat digital data application to forest vegetation and land use classification in Minnesota p0182 A78-40180
- Tabular data base construction and analysis from thematic classified Landsat imagery of Portland, Oregon p0188 A78-40183
- ISURSL levels classification - A low cost approach to multispectral data analysis p0213 A78-40184
- Advancements in machine-assisted analysis of multispectral data for land use applications p0213 A78-40185
- Remote sensing applications to a partial area model --- Patuxent River, Maryland [E78-10125] p0205 N78-23501
- Cornell University remote sensing program --- application to waste disposal site selection, study of drainage patterns, and water quality management. [NASA-CR-156993] p0206 N78-23508
- Remote sensing and the earth [NASA-TM-79444] p0227 N78-23509
- Applications to earth resources p0227 N78-23511
- Change in land use in the Phoenix (1:250,000) quadrangle, Arizona between 1970 and 1973: ERTS as an aid in a nationwide program for mapping general land use p0193 N78-23518
- Applications of remote sensing data in Alaska: A cooperative program of the University of Alaska with user organizations, including local, state and federal government agencies [NASA-CR-156996] p0227 N78-23533
- Land use and land cover mapping: City of Palm Bay, Florida [NASA-CR-154625] p0193 N78-23534
- The application of remote sensing technology to the solution of problems in the management of resources in Indiana --- Tippecanoe County [E78-10129] p0183 N78-24593
- The Kenya rangeland ecological monitoring unit [E78-10132] p0189 N78-25498

- Application of digital analysis of MSS data to agro-environmental studies p0183 N78-25499
- Use of LANDSAT data for natural resources investigation in the lower basin of Danube and Danube Delta [E78-10141] p0208 N78-26511
- A study of Minnesota land and water resources using remote sensing [E78-10143] p0208 N78-26513
- Application of digital analysis of MSS data to agro-environmental studies --- Africa, New Jersey, Philippines, and Kansas [E78-10151] p0184 N78-27481
- Introductory workshops on remote sensing as related to geological problems in Georgia [E78-10152] p0198 N78-27482
- The application of remote sensing to resource management and environmental quality programs in Kansas [E78-10154] p0184 N78-27484
- LANDSAT SATELLITES**
- A table look-up procedure for rapidly mapping vegetation cover and crop development p0182 A78-40181
- LANDSAT 1**
- LANDSAT-1 and LANDSAT-2 flight evaluation report, 23 January - 23 April 1977 [NASA-CR-156750] p0215 N78-22441
- LANDSAT 2**
- LANDSAT-1 and LANDSAT-2 flight evaluation report, 23 January - 23 April 1977 [NASA-CR-156750] p0215 N78-22441
- LANDSLIDES**
- Landsat applied to landslide mapping p0193 A78-41191
- LARGE AREA CROP INVENTORY EXPERIMENT**
- Research in remote sensing of agriculture, earth resources, and man's environment --- North Dakota, Kansas, and Indiana [E78-10138] p0183 N78-25504
- LARGE SPACE TELESCOPE**
- The costs and benefits of space observations p0225 A78-34202
- LASER APPLICATIONS**
- Time-resolved laser fluorosensors - A laboratory study of their potential in the remote characterization of oil p0195 A78-35822
- Monitoring geodetic networks by space techniques p0196 A78-36054
- Airborne monitoring of surface water pollutants by fluorescence spectroscopy p0186 A78-36303
- Remote pollution probing by laser-induced luminescence techniques p0186 A78-36918
- Remote monitoring of environmental pollution p0187 A78-38873
- Flight-testing of a continuous laser remote sensing system p0187 A78-39632
- Remote sensing using tunable lasers [AED-CONF-77-165-002] p0189 N78-26439
- Spectral measurements of gaseous sulfuric acid using tunable diode lasers [PB-278985/7] p0189 N78-27654
- LAVA**
- Reconnaissance geology of the Tomochic-Ocampo area - Sierra Madre Occidental, Chihuahua, Mexico --- Skylab photography of calderas and lava p0198 N78-27681
- LEAST SQUARES METHOD**
- A least-square error approach to Landsat image classification p0213 A78-40177
- LEAVES**
- Determination and error analysis of emittance and spectral emittance measurements by remote sensing --- of leaves, soil and plant canopies p0180 A78-34878
- LIGHT (VISIBLE RADIATION)**
- The nature of light p0216 N78-23512
- LIGHT AIRCRAFT**
- Overhead environmental monitoring with light utility aircraft: Demonstration and evaluation of the system [PB-278748/9] p0223 N78-27647
- LIMNOLOGY**
- The remote sensing of algae p0185 A78-34860
- Suspended sediments and related limnology of an alpine lake system --- Peters Lake and Schraeder Lake [RLO/2229/T10-2] p0201 N78-22453
- Assessment of aquatic vegetation with satellite-derived data [NASA-CR-156295] p0205 N78-22454
- LINEARITY**
- Linear feature detection and mapping p0216 N78-27473
- LITHOLOGY**
- Remote sensing applied to exploration for vein-type uranium deposits, Front Range, Colorado p0196 N78-22510
- LOUISIANA**
- Multilevel analysis of ecosystem alteration due to water regime changes in a south Louisiana swamp p0205 A78-34861
- Remote sensing and the earth [NASA-TM-79444] p0227 N78-23509
- The mapping of marsh vegetation using aircraft multispectral scanner data p0207 N78-23530
- LUMINESCENCE**
- Remote pollution probing by laser-induced luminescence techniques p0186 A78-36918

LUMINOUS INTENSITY

Correlation of intensity variations and false color displays of multispectral digital images p0213 A78-40172

M**MAGNETIC FIELDS**

Electric and magnetic sensing systems: Applications [UCID-17597] p0221 N78-23406

MAGNETIC MEASUREMENT

Significance of the space imagery for studies of the petroleum platform areas --- in Lower Volga region p0195 A78-34877

Electric and magnetic sensing systems: Applications [UCID-17597] p0221 N78-23406

MAGNETIC TAPES

Generation and physical characteristics of the LANDSAT-1, -2 and -3 MSS computer compatible tapes [NASA-TM-78018] p0215 N78-22437

MAN ENVIRONMENT INTERACTIONS

Problems in hydrology --- Russian book p0205 A78-37924

MAN MACHINE SYSTEMS

An interactive image processing system p0211 A78-34208
An interactive system for agricultural acreage estimates using Landsat data p0181 A78-40166

MANAGEMENT PLANNING

Remote sensing R&D planning p0225 A78-34904

MANNED SPACE FLIGHT

Cosmonauts study the earth --- as well as astronauts in Skylab p0227 N78-24040

MANNED SPACECRAFT

Bolivia from space: Images and other information from satellites, with catalogs [GIDDINGS-77-01] p0216 N78-26516

MAPPING

The relation between the point coordinates of a place and its imagery for a pair of radar images p0191 A78-34393

A computer processed /Landsat/ land cover map of North Dakota p0191 A78-34868

Transfer functions of interpolation methods --- for digital terrain models p0192 A78-36269

Correlation of land use and cover with meteorological anomalies p0187 A78-37309

The definition of the telluric p0192 A78-38217

The prediction and mapping of geoidal undulations from GEOS-3 altimetry --- gravity anomalies p0193 N78-23507

Utilization of LANDSAT imagery for mapping vegetation on the millionth scale p0183 N78-23517

Change in land use in the Phoenix (1:250,000) quadrangle, Arizona between 1970 and 1973: ERTS as an aid in a nationwide program for mapping general land use p0193 N78-23518

The mapping of marsh vegetation using aircraft multispectral scanner data p0207 N78-23530

Land use and land cover mapping: City of Palm Bay, Florida p0193 N78-23534

Remote sensing of geobotanical relations in Georgia [NASA-CR-150709] p0197 N78-25505

Linear feature detection and mapping p0216 N78-27473

Investigation of the application of array of algebra to terrain mod [AD-A054007] p0194 N78-27494

MARINE ENVIRONMENTS

Electric and magnetic sensing systems: Applications [UCID-17597] p0221 N78-23406

MARINE RESOURCES

Remote sensing and the earth [NASA-TM-79444] p0227 N78-23509

Applications of ERTS-1 imagery to terrestrial and marine environmental analyses in Alaska p0206 N78-23525

Cornell University remote sensing program --- New York [E78-10130] p0228 N78-25496

MARITIME SATELLITES

The costs and benefits of space observations p0225 A78-34202

MARSHLANDS

Multilevel analysis of ecosystem alteration due to water regime changes in a south Louisiana swamp p0205 A78-34861

The mapping of marsh vegetation using aircraft multispectral scanner data p0207 N78-23530

MARYLAND

Remote sensing applications to a partial area model --- Patuxent River, Maryland [E78-10125] p0205 N78-23501

MATHEMATICAL MODELS

Transfer functions of interpolation methods --- for digital terrain models p0192 A78-36269

Reflexive prediction and digital terrain modelling p0212 A78-36643

MAXIMUM LIKELIHOOD ESTIMATES

The Maximum Likelihood Estimation of Signature Transformation /MLEST/ algorithm --- for affine transformation of crop inventory data p0181 A78-40162

Estimating costs and performance of systems for machine processing of remotely sensed data p0226 A78-40174

MEASUREMENT

Introduction to the mathematics of inversion in remote sensing and indirect measurement --- Book p0225 A78-36499

MEASURING INSTRUMENTS

Instrument technology for remote-surface exploration, prospecting and assaying, part 2 [NASA-CR-156997] p0221 N78-23504

MECHANICAL PROPERTIES

Advanced very high resolution radiometer [NASA-CR-156764] p0222 N78-24519

MEDITERRANEAN SEA

Experimental results on the SO₂ transfer in the Mediterranean obtained with remote sensing devices p0188 A78-41301

MELTING

Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2 [E78-10127] p0206 N78-23503

MERCATOR PROJECTION

A theoretical model for the evaluation of the interactions between Landsat MSS data and UTM maps in geometric transformations p0212 A78-34875

MERRITT ISLAND (FL)

Remote sensing platforms p0222 N78-23514

METALS

World demand for raw materials in 1985 and 2000 [PB-277707] p0228 N78-25016

METEOROLOGICAL PARAMETERS

Automatic cloud classification and segmentation p0215 N78-22805

METEOROLOGICAL SATELLITES

Nighttime images of the earth from space p0214 A78-41468

METEOROLOGY

Correlation of land use and cover with meteorological anomalies p0187 A78-37309

MEXICO

Pilot study of vegetation in the Alchichica-Perote region by remote sensing [NASA-TM-75101] p0183 N78-24596

Reconnaissance geology of the Tomochic-Ocampo area Sierra Madre Occidental, Chihuahua, Mexico --- Skylab photography of calderas and lava p0198 N78-27681

MICHIGAN

Symposium on Application of Remotely Sensed Data to Land Resources Planning, Ann Arbor, Mich., May 20, 1977, Proceedings p0186 A78-35020

Ground water differences on pine and hardwood forests of the Udell Experimental Forest in Michigan [PB-278309/O] p0184 N78-26530

MICROWAVE EQUIPMENT

Technical description of remote-sensing data receivers and transmitters for balloon experiments p0218 A78-35181

MICROWAVE FREQUENCIES

Dielectric constants of soils at microwave frequencies-2 [NASA-TP-1238] p0207 N78-23538

MICROWAVE IMAGERY

Time-dependence of sea-ice concentration and multiyear ice fraction in the Arctic Basin p0200 A78-35349

Current status and perspectives of active microwave imaging for geoscience application p0212 A78-36271

MICROWAVE RADIOMETERS

Passive microwave radiometry from a European spacecraft p0217 A78-34206

A review of applications of microwave radiometry to oceanography p0200 A78-35346

Measurement of ocean temperature and salinity via microwave radiometry p0200 A78-35347

Evaluation of Multi-Frequency-Microwave-Radiometer-System for oceanography p0200 A78-35351

Contributions to large-scale oceanography by radio techniques p0201 A78-35355

MICROWAVE SENSORS

Remote sensing of soil moisture - User requirements and present prospects p0205 A78-34213

Microwave remote sensing of sea ice in the AIDJEX Main Experiment --- Arctic Ice Dynamics Joint Experiment p0200 A78-35348

MICROWAVES

Estimation of snow temperature and mean crystal radius from remote multispectral passive microwave measurements [NASA-TP-1251] p0209 N78-26677

MINERAL DEPOSITS

Use of Landsat-1 imagery in exploration for Keweenaw-type copper deposits p0196 A78-36304

MINERAL EXPLORATION

Use of Landsat-1 imagery in exploration for Keweenaw-type copper deposits p0196 A78-36304

Remote sensing applied to exploration for vein-type uranium deposits, Front Range, Colorado p0196 N78-22510

MINERALS

World demand for raw materials in 1985 and 2000 [PB-277707] p0228 N78-25016

The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 1 [E78-10148] p0197 N78-27478

MULTISPECTRAL BAND SCANNERS

The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 2 [E78-10149] p0197 N78-27479

The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 3 [E78-10150] p0198 N78-27480

MINES (EXCAVATIONS)

Cornell University remote sensing program --- New York [E78-10130] p0228 N78-25496

MINNESOTA

Landsat digital data application to forest vegetation and land use classification in Minnesota p0182 A78-40180

Assessment of water quality status and trends in Minnesota by remote sensing techniques [PB-277822] p0189 N78-25509

Applications of HCMM data to soil moisture snow and estuarine current studies --- Luverne, Minnesota, Cranberry Lake, New York, and Sioux Falls, South Dakota [E78-10140] p0208 N78-26510

A study of Minnesota land and water resources using remote sensing [E78-10143] p0208 N78-26513

MISSION PLANNING

NASA satellite to study earth's oceans from space --- Seasat-A satellite [NASA-NEWS-RELEASE-78-77] p0203 N78-24254

Principal characteristics of a national satellite for earth observation: Project SPOT [NASA-TM-75108] p0228 N78-24257

MISSISSIPPI

The potential benefit of improving the dissemination of agricultural weather information to the Mississippi cotton farmer [E78-10153] p0184 N78-27483

MISSISSIPPI RIVER (US)

Optical data processing and projected applications of the ERTS-1 imagery covering the 1973 Mississippi River Valley floods p0206 N78-23524

MISSOURI

The net radiation budget of the St. Louis metropolitan area p0187 A78-37304

Correlation of land use and cover with meteorological anomalies p0187 A78-37309

Program on State Agency Remote Sensing Data Management (SARSDM) --- missouri [NASA-CR-150715] p0208 N78-25507

MISSOURI RIVER (US)

Photoarchaeology. Reconnaissance tests using color, as well as other films, indicate that exploration studies may be reduced from months to hours p0197 N78-23520

MODELS

Holographic terrain simulation [AD-A053472] p0194 N78-27388

Investigation of the application of array of algebra to terrain mod [AD-A054007] p0194 N78-27494

MODULATION TRANSFER FUNCTION

In situ measurement of water transparency p0219 A78-41189

MOISTURE CONTENT

Remote sensing of soil moisture - User requirements and present prospects p0205 A78-34213

Airborne thermography for crop water stress assessment p0180 A78-34886

Use of Landsat multispectral imagery in estimating snow areal extent and snow water content cost-effectively p0205 A78-40175

MOUNTAINS

Reconnaissance geology of the Tomochic-Ocampo area Sierra Madre Occidental, Chihuahua, Mexico --- Skylab photography of calderas and lava p0198 N78-27681

MULTICHANNEL COMMUNICATION

Evaluation of Multi-Frequency-Microwave-Radiometer-System for oceanography p0200 A78-35351

MULTIPLEXING

SCIMP - A scanning interferometric multiplex photometer p0219 A78-40487

MULTISPECTRAL BAND SCANNERS

Characteristic vector analysis as a technique for signature extraction of remote ocean color data p0217 A78-34859

Machine processing of Landsat multispectral data for low cost development of regional land cover information in Indiana p0211 A78-34865

Computer enhancement techniques of Landsat MSS digital images for land use/land cover assessments p0211 A78-34866

A computer processed /Landsat/ land cover map of North Dakota p0191 A78-34868

Mapping of forest regions from Landsat imagery by computer processing - A case study of East Bastar region p0180 A78-34872

A theoretical model for the evaluation of the interactions between Landsat MSS data and UTM maps in geometric transformations p0212 A78-34875

Feature selection and sample classification algorithms of INPE --- for multispectral scanner remote sensing data p0218 A78-34879

Guidelines for using Landsat data for rural land use surveys in developing countries p0186 A78-36268

Use of Landsat-1 imagery in exploration for Keweenaw-type copper deposits p0196 A78-36304

Comparing soil boundaries delineated by digital analysis of multispectral scanner data from high and low spatial resolution systems p0213 A78-40161
 Crop identification and area estimation by computer-aided analysis of Landsat data p0181 A78-40165
 The use of analysis of variance procedures for defining ground conditions of categories generated in an automatic analysis of Landsat MSS digital data p0213 A78-40182
 Algorithms for thematic interpretation of multispectral aerospace video information p0213 A78-41359
 Generation and physical characteristics of the LANDSAT-1, -2 and -3 MSS computer compatible tapes [NASA-TM-78018] p0215 N78-22437
 Thematic mapper design parameter investigation [NASA-CR-156756] p0216 N78-23505
 Determination of spectral signatures of substances in natural waters [NASA-CR-156998] p0189 N78-23506
 Application of computer processed multispectral data to the discrimination of land collapse (sinkhole) prone areas in Florida p0206 N78-23521
 The mapping of marsh vegetation using aircraft multispectral scanner data p0207 N78-23530
 Application of digital analysis of MSS data to agroenvironmental studies [E78-10133] p0183 N78-25499

MULTISPECTRAL PHOTOGRAPHY

Collection and analysis of spectral reflectance data and their use in the design of a multiband photographic system p0217 A78-34203
 Digital analysis of multispectral aerial and Landsat data for land use planning in Britain p0185 A78-34210
 Analog and digital processing of multispectral data for geologic application p0195 A78-34214
 The use of four band multispectral photography to identify forest cover types p0180 A78-34870
 Machine processing of aerial data for Agricultural Resources Inventory and Survey Experiment p0181 A78-40167
 Correlation of intensity variations and false color displays of multispectral digital images p0213 A78-40172
 Use of Landsat multispectral imagery in estimating snow areal extent and snow water content cost-effectively p0205 A78-40175
 Application of image principal component technique to the geological study of a structural basin in Central Spain p0196 A78-40176
 ISURSL levels classification - A low cost approach to multispectral data analysis p0213 A78-40184
 Advancements in machine-assisted analysis of multispectral data for land use applications p0213 A78-40185
 Contextual pattern classification for remotely sensed multispectral data p0214 A78-43056
 A programming system for digital image processing of remotely sensed data [ISRO-SAC-TR-04-77] p0216 N78-24594

N**NASA PROGRAMS**

NASA satellite to study earth's oceans from space --- Seasat-A satellite [NASA-NEWS-RELEASE-78-77] p0203 N78-24254

NEAR INFRARED RADIATION

Near-infrared remote-sensing radiometer p0219 A78-38460

NEVADA

Summary of 1977 geothermal drilling - Western United States p0196 A78-40534

NEW JERSEY

Application of digital analysis of MSS data to agroenvironmental studies [E78-10133] p0183 N78-25499
 Application of digital analysis of MSS data to agro-environmental studies --- Africa, New Jersey, Philippines, and Kansas [E78-10151] p0184 N78-27481

NEW MEXICO

Summary of 1977 geothermal drilling - Western United States p0196 A78-40534
 Ten-Ecosystem Study (TES) site 4, Sandoval County, New Mexico [E78-10110] p0182 N78-23497

NEW YORK

Vegetation mapping from color aerial photography of Lake Champlain wetlands p0205 A78-34853
 Cornell University remote sensing program --- New York [E78-10130] p0228 N78-25496
 Applications of HCMM data to soil moisture snow and estuarine current studies --- Luverne, Minnesota, Cranberry Lake, New York, and Sioux Falls, South Dakota [E78-10140] p0208 N78-26510

NIGHT

Investigation of the application of HCMM thermal data to snow hydrology [E78-10147] p0209 N78-27477

NIGHT SKY

Nighttime images of the earth from space p0214 A78-41468

NOAA SATELLITES

System implementation for Earth Radiation Budget Satellite System p0218 A78-34910

NORTH AMERICA

Side looking radar for ice reconnaissance p0199 A78-34929
 Microwave remote sensing of sea ice in the AIDJEX Main Experiment --- Arctic Ice Dynamics Joint Experiment p0200 A78-35348
 LANDSAT survey of near-shore ice conditions along the Arctic coast of Alaska [E78-10136] p0203 N78-25502

NORTH DAKOTA

A computer processed / Landsat/ land cover map of North Dakota p0191 A78-34868
 Research in remote sensing of agriculture, earth resources, and man's environment --- North Dakota, Kansas, and Indiana [E78-10138] p0183 N78-25504

NORTH SEA

Ocean wave heights measured by a high resolution pulse-limited radar altimeter p0200 A78-35345

NORWAY

Space activity in Norway [SAD-65-T] p0227 N78-23118

O**OCEAN BOTTOM**

A feasibility demonstration of aerial photographic support for marine archaeological surveys p0201 N78-23529

OCEAN CURRENTS

Lateral oscillations of the Pacific Equatorial Countercurrent p0201 A78-40474
 Monitoring coastal water properties and current circulation with ERTS-1 p0207 N78-23528

OCEAN DATA ACQUISITIONS SYSTEMS

Seasat-A opens new phase in earth observations p0201 A78-38523

OCEAN MODELS

Evaluation of Multi-Frequency-Microwave-Radiometer-System performance for oceanography p0200 A78-35351
 Remote sensing of optical properties in continuously stratified waters p0201 A78-39638

OCEAN SURFACE

Effect of sun elevation upon remote sensing of ocean color over an acid waste dump site p0186 A78-34903
 Radar imaging of the ocean surface p0199 A78-35337
 Processing of ocean wave data from a synthetic aperture radar p0218 A78-35338
 Computed and observed ocean topography - A comparison p0199 A78-35344
 Ocean wave heights measured by a high resolution pulse-limited radar altimeter p0200 A78-35345
 A review of applications of microwave radiometry to oceanography p0200 A78-35346
 Measurement of ocean temperature and salinity via microwave radiometry p0200 A78-35347
 Evaluation of Multi-Frequency-Microwave-Radiometer-System performance for oceanography p0200 A78-35351
 Tutorial review of synthetic-aperture radar / SAR/ with applications to imaging of the ocean surface p0218 A78-35932

The earth's gravity field and ocean dynamics [NASA-TM-79540] p0193 N78-24600
 GEOS-3 ocean geoid investigation [NASA-CR-141440] p0194 N78-24776

OCEANOGRAPHIC PARAMETERS

Evaluation of Multi-Frequency-Microwave-Radiometer-System performance for oceanography p0200 A78-35351
 The experimental oceanographic satellite Seasat-A p0200 A78-35352
 Seasat-A opens new phase in earth observations p0201 A78-38523
 The earth's gravity field and ocean dynamics [NASA-TM-79540] p0193 N78-24600

OCEANOGRAPHY

HF radio oceanography - A review p0199 A78-35328
 A review of applications of microwave radiometry to oceanography p0200 A78-35346
 Radar measurements of wind and waves p0201 A78-35353
 Contributions to large-scale oceanography by radio techniques p0201 A78-35355
 Monitoring geodetic networks by space techniques p0196 A78-36054

NASA satellite to study earth's oceans from space --- Seasat-A satellite [NASA-NEWS-RELEASE-78-77] p0203 N78-24254
 Use of LANDSAT data for natural resources investigation in the lower basin of Danube and Danube Delta [E78-10141] p0208 N78-26511

OCEANS

Transfer, installation and flight testing of the modified Airborne Oil Surveillance System (AOSS II) in a HC-130 B aircraft [AD-A052434] p0222 N78-24605

OFFSHORE ENERGY SOURCES

Aerospace technology can be applied to exploration 'back on earth' --- offshore petroleum resources p0195 A78-33123

Mapping offshore oil leases --- interactive computer graphics [LA-UR-77-2892] p0194 N78-27500

OIL EXPLORATION

Aerospace technology can be applied to exploration 'back on earth' --- offshore petroleum resources p0195 A78-33123
 Significance of the space imagery for studies of the petroleum platform areas --- in Lower Volga region p0195 A78-34877

OIL FIELDS

Mapping offshore oil leases --- interactive computer graphics [LA-UR-77-2892] p0194 N78-27500

OIL POLLUTION

Transfer, installation and flight testing of the modified Airborne Oil Surveillance System (AOSS II) in a HC-130 B aircraft [AD-A052434] p0222 N78-24605

OIL RECOVERY

Applications of aerospace technology to petroleum extraction and reservoir engineering [NASA-CR-157167] p0197 N78-25233

OIL SLICKS

Time-resolved laser fluorosensors - A laboratory study of their potential in the remote characterization of oil p0195 A78-35822
 Airborne monitoring of surface water pollutants by fluorescence spectroscopy p0186 A78-36303
 Use of the Fast Fourier Transform in evaluation of laser Raman and fluorescence decay times --- airborne lidar for remote identification of oil slicks on water p0187 A78-36921

Transfer, installation and flight testing of the modified Airborne Oil Surveillance System (AOSS II) in a HC-130 B aircraft [AD-A052434] p0222 N78-24605

OKLAHOMA

Dryland pasture and crop conditions as seen by HCMM --- Chichasha, Oklahoma [E78-10134] p0183 N78-25500

ONBOARD EQUIPMENT

Study of image on-board processing methods [REPT-60/382] p0215 N78-23409

OPTICAL CORRECTION PROCEDURE

Simplified graphoanalytic means for determining adjusting elements during the transformation of spaceborne photographs p0211 A78-34777

OPTICAL DATA PROCESSING

Holographic pattern recognition --- Russian book p0211 A78-33595

Holographic terrain simulation [AD-A053472] p0194 N78-27388

OPTICAL MEASURING INSTRUMENTS

Remote pollution probing by laser-induced luminescence techniques p0186 A78-36918

OPTICAL PATHS

A kilometer pathlength Fourier-transform infrared system for the study of trace pollutants in ambient and synthetic atmospheres p0188 A78-43162

OPTICAL PROPERTIES

Remote sensing of optical properties in continuously stratified waters p0201 A78-39638

OPTICAL RADAR

Geodetic connection of materials from a nonphotographic aerial survey p0191 A78-34391
 Use of the Fast Fourier Transform in evaluation of laser Raman and fluorescence decay times --- airborne lidar for remote identification of oil slicks on water p0187 A78-36921

Planned operation of a multidisciplinary airborne lidar p0187 A78-39631

Flight-testing of a continuous laser remote sensing system p0187 A78-39632

Airborne lidar aerosol measurements during the ASSESS II mission p0188 A78-41462

An experimental/analytical program to assess the utility of lidar for pollution monitoring [NASA-CR-157302] p0189 N78-27614

ORBIT CALCULATION

Orbit selection for earth resources satellites [ISRO-ISAC-TN-05-77] p0221 N78-23125

ORBITAL ELEMENTS

Current status and developmental trends of satellite geodesy p0192 A78-40460

OREGON

Tabular data base construction and analysis from thematic classified Landsat imagery of Portland, Oregon p0188 A78-40183

ORGANIZATIONS

Program on State Agency Remote Sensing Data Management (SARSDM) --- missouri [NASA-CR-150715] p0208 N78-25507

OSCILLATING FLOW

Lateral oscillations of the Pacific Equatorial Countercurrent p0201 A78-40474

OZONOMETRY

Stratospheric ozone measurement with an infrared heterodyne spectrometer p0217 A78-34124

- PACIFIC OCEAN**
Lateral oscillations of the Pacific Equatorial Countercurrent p0201 A78-40474
- PAKISTAN**
The impact of groundwater development in arid lands: A literature review and annotated bibliography [PB-276908/1] p0207 N78-23551
- PANAMA**
Application of space technology to the study of the use of natural resources in the Republic of Panama [NASA-TM-75089] p0227 N78-22971
- PARKS**
US Geological Survey sources of photographs and images of biosphere reserves taken from spacecraft and aircraft: 19-organ Pipe Cactus National Monument [PB-276550/1] p0215 N78-22457
The application of remote sensing to resource management and environmental quality programs in Kansas [E78-10154] p0184 N78-27484
- PARTICLE SIZE DISTRIBUTION**
Analytical inversions in remote sensing of particle size distributions. I - Multispectral extinctions in the anomalous diffraction approximation. II Angular and spectral scattering in diffraction approximations p0187 A78-37180
Aerosol size distributions and aerosol volume formation for a coal-fired power plant plume p0188 A78-41254
- PARTICULATE SAMPLING**
Continuous in situ monitoring of ambient particulate sulfur using flame photometry and thermal analysis p0188 A78-41232
- PATTERN RECOGNITION**
Holographic pattern recognition --- Russian book p0211 A78-33595
Analog and digital processing of multispectral data for geologic application p0195 A78-34214
Feature selection and sample classification algorithms of INPE --- for multispectral scanner remote sensing data p0218 A78-34879
Image enhancement for vegetative pattern change analysis p0180 A78-36647
Comparing soil boundaries delineated by digital analysis of multispectral scanner data from high and low spatial resolution systems p0213 A78-40161
Contextual pattern classification for remotely sensed multispectral data p0214 A78-43056
The temporal correlatability of digital thermal infrared scanner data p0220 N78-22429
Automatic cloud classification and segmentation p0215 N78-22805
Using synthetic images to register real images with surface models [AD-A052512] p0193 N78-24602
- PENETRATION**
Initial response of a rock penetrator [SAND-77-1712] p0197 N78-26499
- PERFORMANCE PREDICTION**
Effect of f-number and other parameters on FLIR performance in nearly BLIP systems --- Forward Looking IR sensors with Background Limited Performance p0219 A78-36925
- PERMITTIVITY**
Dielectric constants of soils at microwave frequencies-2 [NASA-TP-1238] p0207 N78-23538
- PHILIPPINES**
Application of digital analysis of MSS data to agro-environmental studies --- Africa, New Jersey, Philippines, and Kansas [E78-10151] p0184 N78-27481
- PHOENIX (AZ)**
Computer enhancement techniques of Landsat MSS digital images for land use/land cover assessments p0211 A78-34866
- PHOENIX QUADRANGLE (AZ)**
Change in land use in the Phoenix (1:250,000) quadrangle, Arizona between 1970 and 1973: ERTS as an aid in a nationwide program for mapping general land use p0193 N78-23518
- PHOTO GEOLOGY**
Tectonics of the Central European plate and surrounding area on the basis of data from interpretation of space imagery p0195 A78-35497
A multi-attribute method for comparing geological lineament interpretations p0196 A78-36305
The human perception of geological lineaments and other discrete features in remote sensing imagery - Signal strengths, noise levels and quality p0196 A78-36306
Application of image principal component technique to the geological study of a structural basin in Central Spain p0196 A78-40176
- PHOTOGRAMMETRY**
Transfer functions of interpolation methods --- for digital terrain models p0192 A78-36269
Constructing locality profiles by a photogrammetric method --- Russian book p0192 A78-37598
Aerial phototopography / 2nd enlarged edition/ --- Russian book p0192 A78-37888
The employment of auxiliary data in the photogrammetric survey of regions without control points --- German thesis p0192 A78-38064
Remarks on calibration of photogrammetric cameras p0220 A78-41208
- Systematic image errors --- photogrammetry conference proceedings [SER-B-226] p0220 N78-22443
Compensation of systematic image errors by photoflight dispositions? p0220 N78-22444
Partial calibration of a photogrammetry system using test fields p0220 N78-22445
Block adjustment with self calibration p0220 N78-22446
Concept for the calculation of extensive image associations using the bundle method p0220 N78-22447
First results of photogrammetric fixed point concentration Hordorf p0221 N78-22448
- PHOTOGRAPHIC EQUIPMENT**
Estimates of the effectiveness of using AFU-75 cameras in photographic satellite tracking and satellite geodesy p0219 A78-36196
- PHOTOGRAPHIC TRACKING**
Estimates of the effectiveness of using AFU-75 cameras in photographic satellite tracking and satellite geodesy p0219 A78-36196
- PHOTOINTERPRETATION**
An interactive image processing system p0211 A78-34208
Digital analysis of multispectral aerial and Landsat data for land use planning in Britain p0185 A78-34210
Distinguishing saline from nonsaline rangelands with Skylab imagery p0179 A78-34856
A multi-attribute method for comparing geological lineament interpretations p0196 A78-36305
The human perception of geological lineaments and other discrete features in remote sensing imagery - Signal strengths, noise levels and quality p0196 A78-36306
Manual for interpreting aerial photographs for soil investigations --- Russian book p0180 A78-40125
ISURSL levels classification - A low cost approach to multispectral data analysis p0213 A78-40184
Algorithms for thematic interpretation of multispectral aerospace video information p0213 A78-41359
Contextual pattern classification for remotely sensed multispectral data p0214 A78-43056
Remote sensing: Principles and interpretation --- Book on aerial and satellite photography p0226 A78-43070
The analysis of remotely sensed data --- including photointerpretation keys p0222 N78-23515
Utilization of LANDSAT imagery for mapping vegetation on the millionth scale p0183 N78-23517
LANDSAT data: A new perspective for geology. A review of the utilization of LANDSAT imagery for geological interpretation p0197 N78-23522
- PHOTOMAPPING**
Remote sensing of the terrestrial environment: Proceedings of the Twenty-eighth Symposium, University of Bristol, Bristol, England, April 5-9, 1976 p0211 A78-34201
Applications of satellite data in mapping rainfall for the solution of associated problems in regions of sparse conventional observations p0205 A78-34212
Applications of satellite studies for structural geology in Italy p0195 A78-34215
Antarctic mapping from satellite imagery p0191 A78-34217
Simplified graphoanalytic means for determining adjusting elements during the transformation of spaceborne photographs p0211 A78-34777
Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers p0225 A78-34851
Near real-time monitoring of Iowa corn with Landsat p0179 A78-34852
Vegetation mapping from color aerial photography of Lake Champlain wetlands p0205 A78-34853
Effects of detector threshold, location of the sun, and flight altitude upon spectral variations in remote sensing over water p0185 A78-34857
The remote sensing of algae p0185 A78-34860
Multilevel analysis of ecosystem alteration due to water regime changes in a south Louisiana swamp p0205 A78-34861
Thermal infrared studies - Forteau Bay, Labrador --- coastal ice mapping p0199 A78-34862
Monitoring of noxious aquatic plants p0185 A78-34863
Rural landscape assessment - A comparative evaluation of high platform remote sensing p0185 A78-34864
Machine processing of Landsat multispectral data for low cost development of regional land cover information in Indiana p0211 A78-34865
Delineation of land features in Egypt by Landsat satellite images p0211 A78-34867
Aerial detection of oak wilt in Iowa p0179 A78-34869
The use of four band multispectral photography to identify forest cover types p0180 A78-34870
Reflectance and photographic characteristics of three citrus varieties for discrimination purposes p0180 A78-34871
An all-purpose change-detection and recording system --- graphical aerial photographic data transfer for map updates p0191 A78-34874
A theoretical model for the evaluation of the interactions between Landsat MSS data and UTM maps in geometric transformations p0212 A78-34875
Video processing - An effective tool for image analysis p0212 A78-34876
- A poor man's digital image interpretation system --- Landsat imagery p0225 A78-34927
Guidelines for using Landsat data for rural land use surveys in developing countries p0186 A78-36268
Solar stereo Landsat imagery p0212 A78-36270
The Space Oblique Mercator projection --- in Landsat imagery p0219 A78-36644
Mapping of chlorophyll a distributions in coastal zones p0186 A78-36648
Constructing locality profiles by a photogrammetric method --- Russian book p0192 A78-37598
Aerial phototopography / 2nd enlarged edition/ --- Russian book p0192 A78-37888
Design of satellite constellations for optimal continuous coverage p0192 A78-37981
A remote sensing system for a nationwide data-bank p0226 A78-40169
A four-dimensional histogram approach to the clustering of Landsat data p0213 A78-40178
Map intensification from small format camera photography --- for timber mapping p0182 A78-41188
Landsat applied to landslide mapping p0193 A78-41191
Remote sensing: Principles and interpretation --- Book on aerial and satellite photography p0226 A78-43070
Bolivia from space: Images and other information from satellites, with catalogs [GIDDINGS-77-01] p0216 N78-26516
Skylab/ERAP application to ecological, geological, and oceanographic investigations of Delaware Bay [NASA-CR-144910] p0194 N78-27486
- PHOTOMETERS**
SCIMP - A scanning interferometric multiplex photometer p0219 A78-40487
A new measuring system for realizing photometric and radiometric scales [CSIR-RR-332] p0222 N78-24522
- PHOTOMETRY**
Continuous in situ monitoring of ambient particulate sulfur using flame photometry and thermal analysis p0188 A78-41232
- PLANETARY SURFACES**
Instrument technology for remote-surface exploration, prospecting and assaying, part 2 [NASA-CR-156997] p0221 N78-23504
- PLANTS (BOTANY)**
Monitoring of noxious aquatic plants p0185 A78-34863
- PLUMES**
Aerosol size distributions and aerosol volume formation for a coal-fired power plant plume p0188 A78-41254
Airborne sampling system for plume monitoring p0188 A78-41280
- POINT TO POINT COMMUNICATIONS**
A resolution limitation on sea-echo radar spectra inferred from point to point ionospheric Doppler broadening p0201 A78-37058
- POLAND**
Tectonics of the Central European plate and surrounding area on the basis of data from interpretation of space imagery p0195 A78-35497
- POLLUTION MONITORING**
Air pollution measurement by Fourier transform spectroscopy p0185 A78-34666
Effects of detector threshold, location of the sun, and flight altitude upon spectral variations in remote sensing over water p0185 A78-34857
Characteristic vector analysis as a technique for signature extraction of remote ocean color data p0217 A78-34859
The remote sensing of algae p0185 A78-34860
Effect of sun elevation upon remote sensing of ocean color over an acid waste dump site p0186 A78-34903
Time-resolved laser fluorosensors - A laboratory study of their potential in the remote characterization of oil p0195 A78-35822
Remote pollution probing by laser-induced luminescence techniques p0186 A78-36918
Detection of atmospheric pollutants by quantitative analytical spectroscopy using a continuously scanned tunable dye laser p0187 A78-36920
Remote monitoring of environmental pollution p0187 A78-38873
Planned operation of a multidisciplinary airborne lidar p0187 A78-39631
Flight-testing of a continuous laser remote sensing system p0187 A78-39632
Continuous in situ monitoring of ambient particulate sulfur using flame photometry and thermal analysis p0188 A78-41232
Airborne sampling system for plume monitoring p0188 A78-41280
Experimental results on the SO₂ transfer in the Mediterranean obtained with remote sensing devices p0188 A78-41301
Remote sensing of air pollutants by correlation spectroscopy - Instrumental response characteristics p0188 A78-43161
Remote sensing using tunable lasers [AED-CONF-77-165-002] p0189 N78-26439
Introductory workshops on remote sensing as related to geological problems in Georgia [E78-10152] p0198 N78-27482
An experimental/analytical program to assess the utility of lidar for pollution monitoring [NASA-CR-157302] p0189 N78-27614

POLYNOMIALS

POLYNOMIALS

Elevation data compaction by polynomial modeling
[AD-A054003] p0216 N78-27495

PORTABLE EQUIPMENT

The role of ground truth data and an approach to its collection p0217 A78-34855
An Adcock system with active antennas for mobile applications p0212 A78-37973

POSITION (LOCATION)

First results of photogrammetric fixed point concentration
Horndorf p0221 N78-22448

POSTFLIGHT ANALYSIS

LANDSAT-1 and LANDSAT-2 flight evaluation report,
23 January - 23 April 1977 p0215 N78-22441
[NASA-CR-156750]

PREDICTION ANALYSIS TECHNIQUES

Reflexive prediction and digital terrain modelling
p0212 A78-36643
Modeling the benefits to world agriculture from remote
sensing p0182 A78-43067
The prediction and mapping of geoidal undulations from
GEOS-3 altimetry --- gravity anomalies
[NASA-CR-141439] p0193 N78-23507

PRODUCTION ENGINEERING

Applications of aerospace technology to petroleum
extraction and reservoir engineering
[NASA-CR-157167] p0197 N78-25233

PROJECT MANAGEMENT

Space activity in Norway
[SAD-65-1] p0227 N78-23118

PROJECT PLANNING

Some applications of remote sensing technology for
international funding agencies p0228 A78-40156

PROJECTIVE GEOMETRY

The Space Oblique Mercator projection --- in Landsat
imagery p0219 A78-36644

PROVING

The verification of LANDSAT data in the geographical
analysis of wetlands in west Tennessee
[NASA-CR-3012] p0208 N78-25508

PULSE DOPPLER RADAR

Remote sensing by radar p0217 A78-34205

R

RADAR

Sea Ice-75. FLAR, ODAR, ship's radar
[REPT-16-5] p0202 N78-23544

RADAR DETECTION

Side looking radar for ice reconnaissance
p0199 A78-34929

RADAR ECHOES

A resolution limitation on sea-echo radar spectra inferred
from point to point ionospheric Doppler broadening
p0201 A78-37058

RADAR IMAGERY

Remote sensing by radar p0217 A78-34205
Geodetic connection of materials from a nonphotographic
aerial survey p0191 A78-34391
The relation between the point coordinates of a place
and its imagery for a pair of radar images
p0191 A78-34393

Radar imaging of the ocean surface

p0199 A78-35337

Processing of ocean wave data from a synthetic aperture
radar p0218 A78-35338

Tutorial review of synthetic-aperture radar /SAR/ with
applications to imaging of the ocean surface
p0218 A78-35932

Current status and perspectives of active microwave
imaging for geoscience application p0212 A78-36271

Simulation of imaging radar systems
p0214 A78-43064

RADAR MEASUREMENT

Processing of ocean wave data from a synthetic aperture
radar p0218 A78-35338

Radar measurements of wind and waves
p0201 A78-35353

Contributions to large-scale oceanography by radio
techniques p0201 A78-35355

Planned operation of a multidisciplinary airborne lidar
p0187 A78-39631

RADIATION MEASUREMENT

A new measuring system for realizing photometric and
radiometric scales
[CSIR-RR-332] p0222 N78-24522

RADIATIVE TRANSFER

Simplified multiple scattering model for radiative transfer
in turbid water
[NASA-CR-145365] p0209 N78-26514

RADIO ALTIMETERS

Ocean wave heights measured by a high resolution
pulse-limited radar altimeter p0200 A78-35345

Contributions to large-scale oceanography by radio
techniques p0201 A78-35355

Sea Ice-75. Radar altimeter results
[REPT-16-7] p0202 N78-23546

GEOS-3 ocean geoid investigation
[NASA-CR-141440] p0194 N78-24776

RADIO ANTENNAS

An Adcock system with active antennas for mobile
applications p0212 A78-37973

RADIO ECHOES

Remote sensing in glaciology and the physics of
echoes p0199 A78-34216

RADIO OBSERVATION

HF radio oceanography - A review p0199 A78-35328

RADIO PHYSICS

Radar measurements of wind and waves
p0201 A78-35353

RADIO RECEIVERS

Technical description of remote-sensing data receivers
and transmitters for balloon experiments
p0218 A78-35181

RADIO SPECTRA

A resolution limitation on sea-echo radar spectra inferred
from point to point ionospheric Doppler broadening
p0201 A78-37058

RADIO TRANSMITTERS

Technical description of remote-sensing data receivers
and transmitters for balloon experiments
p0218 A78-35181

RADIOMETERS

The experimental oceanographic satellite Seasat-A
p0200 A78-35352

Advanced very high resolution radiometer
[NASA-CR-156764] p0222 N78-24519

A new measuring system for realizing photometric and
radiometric scales
[CSIR-RR-332] p0222 N78-24522

Estimation of snow temperature and mean crystal radius
from remote multispectral passive microwave
measurements
[NASA-TP-1251] p0209 N78-26677

RAINDROPS

Applications of satellite data in mapping rainfall for the
solution of associated problems in regions of sparse
conventional observations p0205 A78-34212

RAINSTORMS

Remote sensing applications to a partial area model ---
Patuxent River, Maryland
[E78-10125] p0205 N78-23501

RAMAN LASERS

Use of the Fast Fourier Transform in evaluation of laser
Raman and fluorescence decay times --- airborne lidar for
remote identification of oil slicks on water
p0187 A78-36921

RANGELANDS

Distinguishing saline from nonsaline rangelands with
Skylab imagery p0179 A78-34856

The Kenya rangeland ecological monitoring unit
[E78-10132] p0189 N78-25498

The application of remote sensing to resource
management and environmental quality programs in
Kansas
[E78-10154] p0184 N78-27484

RAYLEIGH SCATTERING

Estimation of snow temperature and mean crystal radius
from remote multispectral passive microwave
measurements
[NASA-TP-1251] p0209 N78-26677

REAL TIME OPERATION

Electronic solid state wide angle camera system -
ESSWACS --- for real time aerial reconnaissance
p0219 A78-40203

Real-time acoustical holography systems
[AD-A052000] p0221 N78-23405

Image data security in the concept of the Agricultural
Real Time Imaging Satellite System (ARTISS)
[NLR-TR-76010-U] p0184 N78-26527

RECLAMATION

Introductory workshops on remote sensing as related
to geological problems in Georgia
[E78-10152] p0198 N78-27482

RECORDING INSTRUMENTS

Investigations of earth tides at Tiefenort
p0191 A78-36078

REFLECTED WAVES

The net radiation budget of the St. Louis metropolitan
area p0187 A78-37304

REFLECTOMETERS

Collection and analysis of spectral reflectance data and
their use in the design of a multiband photographic
system p0217 A78-34203

REGULATIONS

Federal regulatory programs and activities
[PB-278489/O] p0228 N78-26982

RELIEF MAPS

Constructing locality profiles by a photogrammetric
method --- Russian book p0192 A78-37598

REMOTE SENSORS

Remote sensing of the terrestrial environment;
Proceedings of the Twenty-eighth Symposium, University
of Bristol, Bristol, England, April 5-9, 1976
p0211 A78-34201

Passive infrared sensing of the environment
p0185 A78-34204

Remote sensing by radar p0217 A78-34205

A critical review of the Quantimet 720 image analyser
in remote sensing p0217 A78-34207

Remote sensing of soil moisture - User requirements
and present prospects p0205 A78-34213

Analog and digital processing of multispectral data for
geologic application p0195 A78-34214

Applications of satellite studies for structural geology in
Italy p0195 A78-34215

Remote sensing in glaciology and the physics of
echoes p0199 A78-34216

Perspectives offered by remote sensing in agricultural
resources management p0179 A78-34218

Remote sensing of coastal food resources
p0199 A78-34381

Remote sensing of earth resources. Volume 6 - Annual
Remote Sensing of Earth Resources Conference, 6th,
Tulahoma, Tenn., March 29-31, 1977. Technical Papers
p0225 A78-34851

Determination and error analysis of emittance and
spectral emittance measurements by remote sensing ---
of leaves, soil and plant canopies p0180 A78-34878

Feature selection and sample classification algorithms
of INPE --- for multispectral scanner remote sensing data
p0218 A78-34879

Effect of sun elevation upon remote sensing of ocean
color over an acid waste dump site p0186 A78-34903

Remote sensing R&D planning p0225 A78-34904

Passive electro-optical remote sensors at the Canada
Centre for Remote Sensing p0218 A78-34930

Symposium on Application of Remotely Sensed Data
to Land Resources Planning, Ann Arbor, Mich., May 20,
1977. Proceedings p0186 A78-35020

Technical description of remote-sensing data receivers
and transmitters for balloon experiments
p0218 A78-35181

Microwave remote sensing of sea ice in the AIDJEX
Main Experiment --- Arctic Ice Dynamics Joint
Experiment p0200 A78-35348

Digital analysis of Landsat images and applications
p0212 A78-36456

Introduction to the mathematics of inversion in remote
sensing and indirect measurement --- Book
p0225 A78-36499

Internationalization of remote sensing technology
p0225 A78-36649

Detection of atmospheric pollutants by quantitative
analytical spectroscopy using a continuously scanned
tunable dye laser p0187 A78-36920

Analytical inversions in remote sensing of particle size
distributions. I. Multispectral extinctions in the anomalous
diffraction approximation. II Angular and spectral scattering
in diffraction approximations p0187 A78-37180

Near-infrared remote-sensing radiometer
p0219 A78-38460

Flight-testing of a continuous laser remote sensing
system p0187 A78-39632

Remote sensing of optical properties in continuously
stratified waters p0201 A78-39638

Annual Symposium on Machine Processing of Remotely
Sensed Data, 4th, Purdue University, West Lafayette, Ind.,
June 21-23, 1977. Proceedings p0225 A78-40155

Some applications of remote sensing technology for
international funding agencies p0226 A78-40156

A remote sensing system for a nationwide data-bank
p0226 A78-40169

On the transfer of remote sensing technology to an
operational data system p0226 A78-40170

Estimating costs and performance of systems for machine
processing of remotely sensed data p0226 A78-40174

Contextual pattern classification for remotely sensed
multispectral data p0214 A78-43056

Modeling the benefits to world agriculture from remote
sensing p0182 A78-43067

Remote sensing: Principles and interpretation --- Book
on aerial and satellite photography p0226 A78-43070

Remote sensing of air pollutants by correlation
spectroscopy - Instrumental response characteristics
p0188 A78-43161

Quarterly literature review of the remote sensing of natural
resources [NASA-CR-156158] p0226 N78-22432

Laboratory requirements for in-situ and remote sensing
of suspended material p0220 N78-22442

Remote sensing applied to exploration for vein-type
uranium deposits, Front Range, Colorado
p0196 N78-22510

Application of space technology to the study of the use
of natural resources in the Republic of Panama
[NASA-TM-75089] p0227 N78-22971

Remote sensing --- satellite sensors which use
electromagnetic radiation p0221 N78-23329

Remote sensing and the earth
[NASA-TM-79444] p0227 N78-23509

The basics of remote sensing; forward
p0221 N78-23510

Remote sensors p0221 N78-23513

Remote sensing platforms p0222 N78-23514

The analysis of remotely sensed data --- including
photointerpretation keys p0222 N78-23515

Improved resource use decisions and actions through
remote sensing p0227 N78-23519

Solid waste and remote sensing. Preliminary studies
suggest that small-scale aerial remote-sensing records and,
in particular, aerial photographs can contribute to regional
solid-waste management and planning
p0222 N78-23531

Applications of remote sensing data in Alaska: A
cooperative program of the University of Alaska with user
organizations, including local, state and federal government
agencies [NASA-CR-156996] p0227 N78-23533

- Remote sensing technology
[REPT-192] p0227 N78-23536
- Application of Remote Sensing to the Chesapeake Bay Region. Volume 1: Executive summary
[NASA-CP-6] p0207 N78-23537
- See Ice-75
[REPT-16-9] p0202 N78-23548
- A programming system for digital image processing of remotely sensed data
[ISRO-SAC-7R-04-77] p0216 N78-24594
- Pilot study of vegetation in the Alchichica-Perote region by remote sensing
[NASA-TM-75101] p0183 N78-24596
- Remote sensing of geobotanical relations in Georgia
[NASA-CR-150709] p0197 N78-25505
- Program on State Agency Remote Sensing Data Management (SARSDM) --- Missouri
[NASA-CR-150715] p0208 N78-25507
- Assessment of water quality status and trends in Minnesota by remote sensing techniques
[PB-277822] p0189 N78-25509
- Remote sensing using tunable lasers
[AED-CONF-77-165-002] p0189 N78-26439
- REMOTELY PILOTED VEHICLES**
Imaging sensors for RVPs p0213 A78-40205
- RESCUE OPERATIONS**
Optical data processing and projected applications of the ERTS-1 imagery covering the 1973 Mississippi River Valley floods p0206 N78-23524
- RESEARCH AND DEVELOPMENT**
Remote sensing R&D planning p0225 A78-34904
- RESOURCES MANAGEMENT**
Perspectives offered by remote sensing in agricultural resources management p0179 A78-34218
- Symposium on Application of Remotely Sensed Data to Land Resources Planning. Ann Arbor, Mich., May 20, 1977. Proceedings p0186 A78-35020
- On measures of natural resource scarcity
[IIASA-RR-17-19] p0227 N78-23540
- The application of remote sensing technology to the solution of problems in the management of resources in Indiana --- Tippecanoe County
[E78-10129] p0183 N78-24593
- Developing and demonstrating an institutional mechanism for transferring remote sensing technology to 14 western states using northern California as the test site
[E78-10142] p0228 N78-26512
- The application of remote sensing to resource management and environmental quality programs in Kansas
[E78-10154] p0184 N78-27484
- RINGS**
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 4: Lassen volcanic region
[E78-10123] p0215 N78-23499
- RIVER BASINS**
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 --- including geographic description of the Fergana area of the U.S.S.R.
[E78-10126] p0206 N78-23502
- Use of LANDSAT data for natural resources investigation in the lower basin of Danube and Danube Delta
[E78-10141] p0208 N78-26511
- Geologic application of thermal-inertia mapping from satellite --- Arizona and Powder River, Wyoming
[E78-10146] p0194 N78-27476
- RIVERS**
Rural landscape assessment - A comparative evaluation of high platform remote sensing p0185 A78-34864
- Remote sensing applications to a partial area model --- Patuxent River, Maryland
[E78-10125] p0205 N78-23501
- RODS**
Initial response of a rock penetrator
[SAND-77-1712] p0197 N78-26499
- RUMANIA**
Use of LANDSAT data for natural resources investigation in the lower basin of Danube and Danube Delta
[E78-10141] p0208 N78-26511
- RUN TIME (COMPUTERS)**
Reflexive prediction and digital terrain modelling p0212 A78-36643
- Estimating costs and performance of systems for machine processing of remotely sensed data p0226 A78-40174
- RURAL LAND USE**
Rural landscape assessment - A comparative evaluation of high platform remote sensing p0185 A78-34864
- Guidelines for using Landsat data for rural land use surveys in developing countries p0188 A78-36268
- A first interpretation of East African swiddening via computer-assisted analysis of 3 Landsat tapes p0180 A78-40159
- Machine processing of aerial data for Agricultural Resources Inventory and Survey Experiment p0181 A78-40167

S

- SAHARA DESERT (AFRICA)**
Delineation of land features in Egypt by Landsat satellite images p0211 A78-34867

SALINITY

- Distinguishing saline from nonsaline rangelands with Skylab imagery p0179 A78-34856
- Measurement of ocean temperature and salinity via microwave radiometry p0200 A78-35347

SALTON SEA (CA)

- The basics of remote sensing: forward p0221 N78-23510

SALTS

- Cornell University remote sensing program --- New York
[E78-10130] p0228 N78-25496

SALYUT SPACE STATION

- Visual observation of the natural environment from an orbital station --- salyut-5 p0228 N78-24041

SAN ANDREAS FAULT

- Active and inactive faults in southern California viewed from Skylab p0189 N78-23523

SAN JOAQUIN VALLEY (CA)

- Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 --- including geographic description of the Fergana area of the U.S.S.R.
[E78-10126] p0206 N78-23502

- Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2
[E78-10127] p0206 N78-23503

SATELLITE INSTRUMENTS

- Remote sensing --- satellite sensors which use electromagnetic radiation p0221 N78-23329

SATELLITE NETWORKS

- Design of satellite constellations for optimal continuous coverage p0192 A78-37981

SATELLITE OBSERVATION

- The costs and benefits of space observations p0225 A78-34202

- Passive microwave radiometry from a European spacecraft p0217 A78-34206

- Digital analysis of multispectral aerial and Landsat data for land use planning in Britain p0185 A78-34210

- Applications of satellite data in mapping rainfall for the solution of associated problems in regions of sparse conventional observations p0205 A78-34212

- Mapping of forest regions from Landsat imagery by computer processing - A case study of East Bastar region p0180 A78-34872

- Significance of the space imagery for studies of the petroleum platform areas --- in Lower Volga region p0195 A78-34877

- The application of satellite data in monitoring strip mines p0195 A78-34880

- Computed and observed ocean topography - A comparison p0199 A78-35344

- A review of applications of microwave radiometry to oceanography p0200 A78-35346

- Contributions to large-scale oceanography by radio techniques p0201 A78-35355

- International Symposium on Geodesy and Physics of the Earth, 3rd, Weimar, East Germany, October 25-31, 1976. Proceedings. Parts 1, 2 & 3 p0191 A78-36051

- Design of satellite constellations for optimal continuous coverage p0192 A78-37981

- Seasat-A opens new phase in earth observations p0201 A78-38523

- Remote sensing of optical properties in continuously stratified waters p0201 A78-39638

- A table look-up procedure for rapidly mapping vegetation cover and crop development p0182 A78-40181

- Lateral oscillations of the Pacific Equatorial Countercurrent p0201 A78-40474

- The prediction and mapping of geoidal undulations from GEOS-3 altimetry --- gravity anomalies p0193 N78-23507

- NASA satellite to study earth's oceans from space --- Seasat-A satellite p0203 N78-24254

- Principal characteristics of a national satellite for earth observation: Project SPOT p0228 N78-24257

- Image data security in the concept of the Agricultural Real Time Imaging Satellite System (ARTISS) p0184 N78-26527

SATELLITE ORBITS

- Orbit selection for earth resources satellites p0221 N78-23125

SATELLITE TRACKING

- Estimates of the effectiveness of using AFU-75 cameras in photographic satellite tracking and satellite geodesy p0219 A78-36196

SATELLITE-BORNE INSTRUMENTS

- The experimental oceanographic satellite Seasat-A p0200 A78-35352

SATELLITE-BORNE PHOTOGRAPHY

- Remote sensing of the terrestrial environment: Proceedings of the Twenty-eighth Symposium, University of Bristol, Bristol, England, April 5-9, 1976 p0211 A78-34201

- Applications of satellite studies for structural geology in Italy p0195 A78-34215

- Antarctic mapping from satellite imagery p0191 A78-34217

- Perspectives offered by remote sensing in agricultural resources management p0179 A78-34218

A European earth resources space programme

- p0225 A78-34219

- Simplified graphoanalytic means for determining adjusting elements during the transformation of spaceborne photographs p0211 A78-34777

- Distinguishing saline from nonsaline rangelands with Skylab imagery p0179 A78-34856

- Delineation of land features in Egypt by Landsat satellite images p0211 A78-34867

- Video processing - An effective tool for image analysis p0212 A78-34876

- Applications of satellite thermal infrared measurements to earth's resources studies p0218 A78-34926

- A poor man's digital image interpretation system --- Landsat imagery p0225 A78-34927

- EROS Data Center Landsat digital enhancement techniques and imagery availability, 1977 p0212 A78-34931

- Solar stereo Landsat imagery p0212 A78-36270

- Use of Landsat-1 imagery in exploration for Keweenaw-type copper deposits p0196 A78-36304

- Digital analysis of Landsat images and applications p0212 A78-36456

- The Space Oblique Mercator projection --- in Landsat imagery p0219 A78-36644

- Internationalization of remote sensing technology p0225 A78-36649

- Space methods in hydrology --- Russian book p0205 A78-37925

- Computer training procedures for the Western Washington forest productivity study utilizing Landsat data p0182 A78-40179

- The use of analysis of variance procedures for defining ground conditions of categories generated in an automatic analysis of Landsat MSS digital data p0213 A78-40182

- Tabular data base construction and analysis from thematic classified Landsat imagery of Portland, Oregon p0188 A78-40183

- Advancements in machine-assisted analysis of multispectral data for land use applications p0213 A78-40185

- High-altitude versus Landsat imagery for digital crop identification p0182 A78-41190

- Landsat applied to landslide mapping p0193 A78-41191

- Nighttime images of the earth from space p0214 A78-41468

- Remote sensing: Principles and interpretation --- Book on aerial and satellite photography p0226 A78-43070

- Study of image on-board processing methods [REPT-60/382] p0215 N78-23409

- Bolivia from space: Images and other information from satellites, with catalogs [GIDDINGS-77-01] p0216 N78-26516

SCATTERING

- Analytical inversions in remote sensing of particle size distributions. I - Multispectral extinctions in the anomalous diffraction approximation. II Angular and spectral scattering in diffraction approximations p0187 A78-37180

SCATTEROMETERS

- Seasat-A Satellite Scatterometer (SASS) validation and experiment plan [NASA-TM-78751] p0223 N78-27485

SEA ICE

- Thermal infrared studies - Forteau Bay, Labrador --- coastal ice mapping p0199 A78-34862

- A review of applications of microwave radiometry to oceanography p0200 A78-35346

- Microwave remote sensing of sea ice in the AIDJEX Main Experiment --- Arctic Ice Dynamics Joint Experiment p0200 A78-35348

- Time-dependence of sea-ice concentration and multiyear ice fraction in the Arctic Basin p0200 A78-35349

- Sea Ice-75. Ground truth report [REPT-16-2] p0201 N78-23541

- Sea Ice-75. Ice detection by SLAR [REPT-16-3] p0202 N78-23542

- Sea Ice-75. Analysis of SLAR data [REPT-16-4] p0202 N78-23543

- Sea Ice-75. FLAR, ODAR, ship's radar [REPT-16-5] p0202 N78-23544

- Sea Ice-75. IR-scanner results [REPT-16-6] p0202 N78-23545

- Sea Ice-75. Radar altimeter results [REPT-16-7] p0202 N78-23546

- Sea Ice-75. Dynamical report [REPT-16-8] p0202 N78-23547

- Sea Ice-75 [REPT-16-9] p0202 N78-23548

- Backscatter properties of sea ice with radar: Arctic operations description and preliminary data summary [AD-A052711] p0203 N78-24603

- LANDSAT survey of near-shore ice conditions along the Arctic coast of Alaska [E78-10136] p0203 N78-25502

SEA STATES

- A resolution limitation on sea-echo radar spectra inferred from point to point ionospheric Doppler broadening p0201 A78-37058

SEA WATER

- Remote sensing of optical properties in continuously stratified waters p0201 A78-39638

SEASAT OCEAN DYNAMICS SATELLITE

- NASA satellite to study earth's oceans from space ---
Seasat-A satellite
[NASA-NEWS-RELEASE-78-77] p0203 N78-24254
- SEASAT-A SATELLITE**
The experimental oceanographic satellite Seasat-A
Seasat-A opens new phase in earth observations
Seasat-A Satellite Scatterometer (SASS) validation and experiment plan
[NASA-TM-78751] p0223 N78-27485
- SECURITY**
Image data security in the concept of the Agricultural Real Time Imaging Satellite System (ARTISS)
[NLR-TR-78010-U] p0184 N78-26527
- SEDIMENT TRANSPORT**
Variations in tidal inlet processes and morphology in the Georgia embayment p0209 N78-27720
- SEDIMENTS**
Laboratory requirements for in-situ and remote sensing of suspended material
[NASA-CR-145367] p0220 N78-22442
Suspended sediments and related limnology of an alpine lake system --- Peters Lake and Schraeder Lake
[RLO/2229/T10-2] p0201 N78-22453
Korean coastal water depth/sediment and land cover mapping (1:25,000) by computer analysis of LANDSAT imagery
[NASA-TM-79546] p0207 N78-23532
- SHORELINES**
High-altitude aerial photographs aid in investigations
[E78-10136] p0203 N78-25502
LANDSAT survey of near-shore ice conditions along the Arctic coast of Alaska
[E78-10136] p0203 N78-25502
- SIDE-LOOKING RADAR**
Remote sensing by radar p0217 A78-34205
Side looking radar for ice reconnaissance
[REPT-16-3] p0199 A78-34929
Current status and perspectives of active microwave imaging for geoscience application p0212 A78-36271
Sea Ice-75. Ice detection by SLAR
[REPT-16-3] p0202 N78-23542
Sea Ice-75. Analysis of SLAR data
[REPT-16-4] p0202 N78-23543
The utilization of side looking airborne Radar (SLAR) in the analysis of Karst topography
[AD-A051330] p0193 N78-24410
- SIERRA NEVADA MOUNTAINS (CA)**
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 --- including geographic description of the Fergana area of the U.S.S.R.
[E78-10126] p0206 N78-23502
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2
[E78-10127] p0206 N78-23503
- SIGNAL ANALYZERS**
A critical review of the Quantimet 720 image analyser in remote sensing p0217 A78-34207
- SIGNAL PROCESSING**
Tutorial review of synthetic-aperture radar /SAR/ with applications to imaging of the ocean surface
[E78-10126] p0218 A78-35932
Digital analysis of Landsat images and applications
[E78-10126] p0212 A78-36456
- SIGNATURE ANALYSIS**
The Maximum Likelihood Estimation of Signature Transformation /MLEST/ algorithm --- for affine transformation of crop inventory data p0181 A78-40162
- SKYLAB PROGRAM**
Skylab: A chronology
[NASA-SP-4011] p0228 N78-25115
- SNOW**
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 --- including geographic description of the Fergana area of the U.S.S.R.
[E78-10126] p0206 N78-23502
Applications of HCMM data to soil moisture snow and estuarine current studies --- Luverne, Minnesota, Cranberry Lake, New York, and Sioux Falls, South Dakota
[E78-10140] p0208 N78-26510
Investigation of the application of HCMM thermal data to snow hydrology
[E78-10147] p0209 N78-27477
- SNOW COVER**
Use of Landsat multispectral imagery in estimating snow areal extent and snow water content cost-effectively
[E78-10126] p0205 A78-40175
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 --- including geographic description of the Fergana area of the U.S.S.R.
[E78-10126] p0206 N78-23502
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2
[E78-10127] p0206 N78-23503
Estimation of snow temperature and mean crystal radius from remote multispectral passive microwave measurements
[NASA-TP-1251] p0209 N78-26677

SOIL MAPPING

- Comparing soil boundaries delineated by digital analysis of multispectral scanner data from high and low spatial resolution systems
[E78-10125] p0213 A78-40161
Remote sensing applications to a partial area model --- Patuxent River, Maryland
[E78-10125] p0205 N78-23501
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 --- including geographic description of the Fergana area of the U.S.S.R.
[E78-10126] p0206 N78-23502
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2
[E78-10127] p0206 N78-23503
- SOIL MOISTURE**
Remote sensing of soil moisture - User requirements and present prospects
[E78-10125] p0205 A78-34213
Remote sensing applications to a partial area model --- Patuxent River, Maryland
[E78-10125] p0205 N78-23501
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 --- including geographic description of the Fergana area of the U.S.S.R.
[E78-10126] p0206 N78-23502
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2
[E78-10127] p0206 N78-23503
Dielectric constants of soils at microwave frequencies-2
[NASA-TP-1238] p0207 N78-23538
The Kenya rangeland ecological monitoring unit
[E78-10132] p0189 N78-25498
Dryland pasture and crop conditions as seen by HCMM --- Chichasha, Oklahoma
[E78-10134] p0183 N78-25500
Research in remote sensing of agriculture, earth resources, and man's environment --- North Dakota, Kansas, and Indiana
[E78-10138] p0183 N78-25504
Applications of HCMM data to soil moisture snow and estuarine current studies --- Luverne, Minnesota, Cranberry Lake, New York, and Sioux Falls, South Dakota
[E78-10140] p0208 N78-26510
A study of Minnesota land and water resources using remote sensing
[E78-10143] p0208 N78-26513
HCMM energy budget data as a model input for assessing regions of high potential groundwater pollution
[E78-10145] p0209 N78-27475
- SOIL SCIENCE**
Manual for interpreting aerial photographs for soil investigations --- Russian book
[E78-10143] p0180 A78-40125
Dielectric constants of soils at microwave frequencies-2
[NASA-TP-1238] p0207 N78-23538
- SOILS**
Determination and error analysis of emittance and spectral emittance measurements by remote sensing --- of leaves, soil and plant canopies
[E78-10143] p0180 A78-34878
The application of remote sensing technology to the solution of problems in the management of resources in Indiana --- Tippecanoe County
[E78-10129] p0183 N78-24593
Use of LANDSAT data for natural resources investigation in the lower basin of Danube and Danube Delta
[E78-10141] p0208 N78-26511
Plant cover, soil temperature, freeze, water stress, and evapotranspiration conditions --- Texas
[E78-10144] p0184 N78-27474
The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 1
[E78-10148] p0197 N78-27478
The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 3
[E78-10150] p0198 N78-27480
- SOLAR POSITION**
Effect of sun elevation upon remote sensing of ocean color over an acid waste dump site
[E78-10141] p0186 A78-34903
Solar stereo Landsat imagery
[E78-10141] p0212 A78-36270
- SOLAR RADIATION**
The net radiation budget of the St. Louis metropolitan area
[E78-10141] p0187 A78-37304
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 --- including geographic description of the Fergana area of the U.S.S.R.
[E78-10126] p0206 N78-23502
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2
[E78-10127] p0206 N78-23503
- SOLIDS**
Solid waste and remote sensing. Preliminary studies suggest that small-scale aerial remote-sensing records and, in particular, aerial photographs can contribute to regional solid-waste management and planning
[E78-10125] p0222 N78-23531

SOUTH AFRICA

- A new measuring system for realizing photometric and radiometric scales
[CSIR-RR-332] p0222 N78-24522
- SOUTH DAKOTA**
Remote sensing and the earth
[NASA-TM-78444] p0227 N78-23509
Photoarchaeology. Reconnaissance tests using color, as well as other films, indicate that exploration studies may be reduced from months to hours
[E78-10140] p0197 N78-23520
Applications of HCMM data to soil moisture snow and estuarine current studies --- Luverne, Minnesota, Cranberry Lake, New York, and Sioux Falls, South Dakota
[E78-10140] p0208 N78-26510
- SOUTHERN CALIFORNIA**
Evaluation of a Fire Behavior Information Integration System for Southern California Chaparral Wildlands
[E78-10140] p0179 A78-34382
Geothermal energy resources map of the western United States
[E78-10140] p0196 A78-40535
Active and inactive faults in southern California viewed from Skylab
[E78-10140] p0189 N78-23523
- SOYBEANS**
Research in remote sensing of agriculture, earth resources, and man's environment --- North Dakota, Kansas, and Indiana
[E78-10138] p0183 N78-25504
- SPACEBORNE PHOTOGRAPHY**
Remote sensing of coastal food resources
[E78-10140] p0199 A78-34381
Algorithms for thematic interpretation of multispectral aerospace video information
[E78-10140] p0213 A78-41359
Annular structures on the earth
[E78-10140] p0197 N78-25044
Reconnaissance geology of the Tomochic-Ocampo area Sierra Madre Occidental, Chihuahua, Mexico --- Skylab photography of calderas and lava
[E78-10140] p0198 N78-27681
- SPACECRAFT INSTRUMENTS**
Distributed-switch diode radiometer
[NASA-CASE-GSC-12219-1] p0214 N78-22436
- SPAIN**
Guidelines for using Landsat data for rural land use surveys in developing countries
[E78-10140] p0186 A78-36268
Application of image principal component technique to the geological study of a structural basin in Central Spain
[E78-10140] p0196 A78-40176
- SPECTRAL EMISSION**
Determination and error analysis of emittance and spectral emittance measurements by remote sensing --- of leaves, soil and plant canopies
[E78-10143] p0180 A78-34878
- SPECTRAL REFLECTANCE**
Collection and analysis of spectral reflectance data and their use in the design of a multiband photographic system
[E78-10143] p0217 A78-34203
Reflectance and photographic characteristics of three citrus varieties for discrimination purposes
[E78-10143] p0180 A78-34871
- SPECTRAL SIGNATURES**
Characteristic vector analysis as a technique for signature extraction of remote ocean color data
[E78-10143] p0217 A78-34859
Determination of spectral signatures of substances in natural waters
[NASA-CR-156998] p0189 N78-23506
- SPECTROPHOTOGRAPHY**
Effect of sun elevation upon remote sensing of ocean color over an acid waste dump site
[E78-10141] p0186 A78-34903
- SPECTRORADIOMETERS**
Hand-held radiometer red and photographic infrared spectral measurements of agricultural crops
[NASA-TM-78091] p0182 N78-22438
- SPECTROSCOPIC ANALYSIS**
Remote sensing of air pollutants by correlation spectroscopy - Instrumental response characteristics
[E78-10143] p0188 A78-43161
- SPECTROSCOPY**
SCIMP - A scanning interferometric multiplex photometer
[E78-10143] p0219 A78-40487
- SPECTRUM ANALYSIS**
Satellite applications to a coastal inlet study, Clearwater Beach, Florida
[NASA-CR-156994] p0208 N78-23700
- SPECTRAL REFLECTION**
Reflexive prediction and digital terrain modelling
[E78-10143] p0212 A78-36643
- SQUID (DETECTORS)**
Electric and magnetic sensing systems: Applications
[UQID-17597] p0221 N78-23406
- ST LAWRENCE VALLEY (NORTH AMERICA)**
Side looking radar for ice reconnaissance
[E78-10143] p0199 A78-34929
- ST LOUIS-KANSAS CITY CORRIDOR (MO)**
The net radiation budget of the St. Louis metropolitan area
[E78-10141] p0187 A78-37304
Correlation of land use and cover with meteorological anomalies
[E78-10141] p0187 A78-37309
- STATISTICAL ANALYSIS**
Stratified acreage estimates in the Illinois crop-acreage experiment
[E78-10141] p0211 A78-40163
- STEREOPHOTOGRAPHY**
Solar stereo Landsat imagery
[E78-10141] p0212 A78-36270
Aerial phototopography /2nd enlarged edition/ --- Russian book
[E78-10125] p0192 A78-37888
- STORMS (METEOROLOGY)**
Remote sensing applications to a partial area model --- Patuxent River, Maryland
[E78-10125] p0205 N78-23501

STRATIFICATION

Remote sensing of optical properties in continuously stratified waters p0201 A78-39638

STRATOSPHERE

Stratospheric ozone measurement with an infrared heterodyne spectrometer p0217 A78-34124

STRIP MINING

The application of satellite data in monitoring strip mines p0195 A78-34880

STRUCTURAL BASINS

Application of image principal component technique to the geological study of a structural basin in Central Spain p0196 A78-40176

STRUCTURAL PROPERTIES (GEOLOGY)

Significance of the space imagery for studies of the petroleum platform areas --- in Lower Volga region p0195 A78-34877

Tectonics of the Central European plate and surrounding area on the basis of data from interpretation of space imagery p0195 A78-35497

A multi-attribute method for comparing geological lineament interpretations p0196 A78-36305

The human perception of geological lineaments and other discrete features in remote sensing imagery - Signal strengths, noise levels and quality p0196 A78-36306

Annular structures on the earth p0197 N78-25044

Reconnaissance geology of the Tomochic-Ocampo area Sierra Madre Occidental, Chihuahua, Mexico --- Skylab photography of calderas and lava p0198 N78-27681

SULFUR

Continuous in situ monitoring of ambient particulate sulfur using flame photometry and thermal analysis p0188 A78-41232

SULFUR DIOXIDES

Aerosol size distributions and aerosol volume formation for a coal-fired power plant plume p0188 A78-41254

Experimental results on the SO₂ transfer in the Mediterranean obtained with remote sensing devices p0188 A78-41301

SULFURIC ACID

Spectral measurements of gaseous sulfuric acid using tunable diode lasers [PB-278985/7] p0189 N78-27654

SUMMARIES

Quarterly literature review of the remote sensing of natural resources [NASA-CR-156158] p0226 N78-22432

SUN

The nature of light p0216 N78-23512

SURFACE TEMPERATURE

Heat capacity mapping mission [E78-10139] p0184 N78-26509

SURFACE WATER

Airborne monitoring of surface water pollutants by fluorescence spectroscopy p0186 A78-36303

SURFACE WAVES

Radar imaging of the ocean surface p0199 A78-35337

SURVEILLANCE

Electric and magnetic sensing systems: Applications [UCID-17597] p0221 N78-23406

SUSPENDING (MIXING)

Suspended sediments and related limnology of an alpine lake system --- Peters Lake and Schraeder Lake [RLO/2229/T10-2] p0201 N78-22453

SWEDEN

Sea Ice-75. Ground truth report [REPT-16-2] p0201 N78-23541

Sea Ice-75. Ice detection by SLAR [REPT-16-3] p0202 N78-23542

Sea Ice-75. Analysis of SLAR data [REPT-16-4] p0202 N78-23543

Sea Ice-75. FLAR, ODA, ship's radar [REPT-16-5] p0202 N78-23544

Sea Ice-75. IR-scanner results [REPT-16-6] p0202 N78-23545

Sea Ice-75. Radar altimeter results [REPT-16-7] p0202 N78-23546

Sea Ice-75. Dynamical report [REPT-16-8] p0202 N78-23547

Sea Ice-75 [REPT-16-9] p0202 N78-23548

SYNTHETIC APERTURE RADAR

Seasat-A opens new phase in earth observations p0201 A78-38523

SYNTHETIC ARRAYS

Remote sensing by radar p0217 A78-34205

SYSTEMS ENGINEERING

An interactive image processing system p0211 A78-34208

System implementation for Earth Radiation Budget Satellite System p0218 A78-34910

Parametric design of ground data processing/support systems for advanced sensor systems p0226 A78-40168

A remote sensing system for a nationwide data-bank p0226 A78-40169

TECHNOLOGICAL FORECASTING

Remote sensing R&D planning p0225 A78-34904

TECHNOLOGY ASSESSMENT

Remote monitoring of environmental pollution p0187 A78-38873

Instrument technology for remote-surface exploration, prospecting and assaying, part 2 [NASA-CR-156997] p0221 N78-23504

The basics of remote sensing; forward p0221 N78-23510

Remote sensing technology [REPT-192] p0227 N78-23536

TECHNOLOGY TRANSFER

Internationalization of remote sensing technology p0225 A78-36649

On the transfer of remote sensing technology to an operational data system p0226 A78-40170

Developing and demonstrating an institutional mechanism for transferring remote sensing technology to 14 western states using northern California as the test site [E78-10142] p0228 N78-26512

TECHNOLOGY UTILIZATION

Aerospace technology can be applied to exploration 'back on earth' --- offshore petroleum resources p0195 A78-33123

Some applications of remote sensing technology for international funding agencies p0226 A78-40156

Improved resource use decisions and actions through remote sensing p0227 N78-23519

TETONICS

Tectonics of the Central European plate and surrounding area on the basis of data from interpretation of space imagery p0195 A78-35497

TEMPERATURE MEASUREMENT

Estimation of snow temperature and mean crystal radius from remote multispectral passive microwave measurements [NASA-TP-1251] p0209 N78-26677

TEMPERATURE MEASURING INSTRUMENTS

Airborne thermography for crop water stress assessment p0180 A78-34886

TENNESSEE

The application of satellite data in monitoring strip mines p0195 A78-34880

The verification of LANDSAT data in the geographical analysis of wetlands in west Tennessee [NASA-CR-3012] p0208 N78-25508

TERRAIN

Holographic terrain simulation [AD-A053472] p0194 N78-27388

Investigation of the application of array of algebra to terrain mod [AD-A054007] p0194 N78-27494

TERRAIN ANALYSIS

Delineation of land features in Egypt by Landsat satellite images p0211 A78-34867

Significance of the space imagery for studies of the petroleum platform areas --- in Lower Volga region p0195 A78-34877

Transfer functions of interpolation methods --- for digital terrain models p0192 A78-36269

Reflexive prediction and digital terrain modelling p0212 A78-36643

Simulation of imaging radar systems p0214 A78-43064

The verification of LANDSAT data in the geographical analysis of wetlands in west Tennessee [NASA-CR-3012] p0208 N78-25508

Linear feature detection and mapping p0216 N78-27473

The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 1 [E78-10148] p0197 N78-27478

The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 2 [E78-10149] p0197 N78-27479

The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 3 [E78-10150] p0198 N78-27480

Elevation data compaction by polynomial modeling [AD-A054003] p0216 N78-27495

TERRESTRIAL RADIATION

System implementation for Earth Radiation Budget Satellite System p0218 A78-34910

TEXAS

Distinguishing saline from nonsaline rangelands with Skylab imagery p0179 A78-34856

Monitoring of noxious aquatic plants p0185 A78-34863

Reflectance and photographic characteristics of three citrus varieties for discrimination purposes p0180 A78-34871

A study of gaseous pollutants in the Houston, Texas area p0186 A78-35684

Plant cover, soil temperature, freeze, water stress, and evapotranspiration conditions --- Texas [E78-10144] p0184 N78-27474

THERMAL MAPPING

Mapping of forest regions from Landsat imagery by computer processing - A case study of East Bastar region p0180 A78-34872

A table look-up procedure for rapidly mapping vegetation cover and crop development p0182 A78-40181

Tabular data base construction and analysis from thematic classified Landsat imagery of Portland, Oregon p0188 A78-40183

Thematic mapper design parameter investigation [NASA-CR-156756] p0216 N78-23505

Mapping offshore oil leases --- interactive computer graphics [LA-UR-77-2892] p0194 N78-27500

THERMAL EMISSION

Relations between ground truth and airborne measurements of thermal infrared radiation over vegetated surfaces p0179 A78-34854

THERMAL MAPPING

Passive infrared sensing of the environment p0185 A78-34204

Thermal infrared studies - Forteau Bay, Labrador --- coastal ice mapping p0199 A78-34862

Airborne thermography for crop water stress assessment p0180 A78-34886

Recent advances in the application of thermal infrared scanning to geological and hydrological studies p0219 A78-36307

Imaging sensors for RPVs p0213 A78-40205

The temporal correlatability of digital thermal infrared scanner data p0220 N78-22429

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system, Part 3: Heat discharge from Mount St. Helens, Washington [E78-10122] p0214 N78-22435

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system, Part 4: Lassen volcanic region [E78-10123] p0215 N78-23499

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system, Part 5: Electronic thermal sensor and data collection platform technology [E78-10124] p0216 N78-23500

Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 --- including geographic description of the Fergana area of the U.S.S.R. [E78-10126] p0206 N78-23502

Sea Ice-75. IR-scanner results [REPT-16-6] p0202 N78-23545

THERMISTORS

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system, Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1 --- Lassen volcanic region, California, Surtsey, Iceland and Mt. St. Helens and Mt. Baker, Washington [E78-10121] p0215 N78-23498

Variations in tidal inlet processes and morphology in the Georgia embayment p0209 N78-27720

TIDES

Investigations of earth tides at Tiefenort p0191 A78-36078

TIMBER IDENTIFICATION

The use of four band multispectral photography to identify forest cover types p0180 A78-34870

Map intensification from small format camera photography --- for timber mapping p0182 A78-41188

TIMBER VIGOR

Aerial detection of oak wilt in Iowa p0179 A78-34869

TIME DEPENDENCE

Time-dependence of sea-ice concentration and multiyear ice fraction in the Arctic Basin p0200 A78-35349

TIROS N SATELLITE

System implementation for Earth Radiation Budget Satellite System p0218 A78-34910

TOPOGRAPHY

Computed and observed ocean topography - A comparison p0199 A78-35344

Constructing locality profiles by a photogrammetric method --- Russian book p0192 A78-37598

Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 --- including geographic description of the Fergana area of the U.S.S.R. [E78-10126] p0206 N78-23502

The utilization of side looking airborne Radar (SLAR) in the analysis of Karst topography [AD-A051330] p0193 N78-24410

TRACE CONTAMINANTS

A kilometer pathlength Fourier-transform infrared system for the study of trace pollutants in ambient and synthetic atmospheres p0188 A78-43162

TRANSFER FUNCTIONS

Transfer functions of interpolation methods --- for digital terrain models p0192 A78-36269

TRANSPARENCY

In situ measurement of water transparency p0219 A78-41189

TRIANGULATION

The employment of auxiliary data in the photogrammetric survey of regions without control points --- German thesis p0192 A78-38064

Current status and developmental trends of satellite geodesy p0192 A78-40460

Block adjustment with self calibration p0220 N78-22446

TABULATION PROCESSES

Tabular data base construction and analysis from thematic classified Landsat imagery of Portland, Oregon p0188 A78-40183

Concept for the calculation of extensive image associations using the bundle method p0220 N78-22447

U

U.S.S.R.

Significance of the space imagery for studies of the petroleum platform areas --- in Lower Volga region p0195 A78-34877

Problems in hydrology --- Russian book p0205 A78-37924

Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 --- including geographic description of the Fergana area of the U.S.S.R. [E78-10126] p0206 N78-23502

U.S.S.R. SPACE PROGRAM

Cosmonauts study the earth --- as well as astronauts in Skylab p0227 N78-24040

UNDERWATER PHOTOGRAPHY

In situ measurement of water transparency p0219 A78-41189

UNITED STATES OF AMERICA

Measurement of ocean temperature and salinity via microwave radiometry p0200 A78-35347

Crop identification and area estimation by computer-aided analysis of Landsat data p0181 A78-40165

Summary of 1977 geothermal drilling - Western United States p0196 A78-40534

Geothermal energy resources map of the western United States p0196 A78-40535

Photoarchaeology. Reconnaissance tests using color, as well as other films, indicate that exploration studies may be reduced from months to hours p0197 N78-23520

Optical data processing and projected applications of the ERTS-1 imagery covering the 1973 Mississippi River Valley floods p0206 N78-23524

Monitoring coastal water properties and current circulation with ERTS-1 p0207 N78-23528

Application of Remote Sensing to the Chesapeake Bay Region, Volume 1: Executive summary p0207 N78-23537

Skylab/ERAP application to ecological, geological, and oceanographic investigations of Delaware Bay [NASA-CR-144910] p0194 N78-27486

Variations in tidal inlet processes and morphology in the Georgia embayment p0209 N78-27720

UNMANNED SPACECRAFT

Bolivia from space: Images and other information from satellites, with catalogs p0216 N78-26516

[GIDDINGS-77-01] p0216 N78-26516

URANIUM

Remote sensing applied to exploration for vein-type uranium deposits, Front Range, Colorado p0196 N78-22510

URBAN DEVELOPMENT

Application of digital analysis of MSS data to agro-environmental studies --- Africa, New Jersey, Philippines, and Kansas p0184 N78-27481

[E78-10151] p0184 N78-27481

URBAN RESEARCH

The net radiation budget of the St. Louis metropolitan area p0187 A78-37304

Correlation of land use and cover with meteorological anomalies p0187 A78-37309

Applications of HCMM satellite data to the study of urban heating patterns p0189 N78-25501

[E78-10135] p0189 N78-25501

UTAH

Summary of 1977 geothermal drilling - Western United States p0196 A78-40534

V

VARIANCE (STATISTICS)

The use of analysis of variance procedures for defining ground conditions of categories generated in an automatic analysis of Landsat MSS digital data p0213 A78-40182

VECTOR ANALYSIS

Characteristic vector analysis as a technique for signature extraction of remote ocean color data p0217 A78-34859

VEGETATION

Vegetation mapping from color aerial photography of Lake Champlain wetlands p0205 A78-34853

Relations between ground truth and airborne measurements of thermal infrared radiation over vegetated surfaces p0179 A78-34854

Image enhancement for vegetative pattern change analysis p0180 A78-36647

A table look-up procedure for rapidly mapping vegetation cover and crop development p0182 A78-40181

Assessment of aquatic vegetation with satellite-derived data [NASA-CR-156295] p0205 N78-22454

Utilization of LANDSAT imagery for mapping vegetation on the millionth scale p0183 N78-23517

The mapping of marsh vegetation using aircraft multispectral scanner data p0207 N78-23530

Pilot study of vegetation in the Alchichica-Perote region by remote sensing [NASA-TM-75101] p0183 N78-24596

Cornell University remote sensing program --- New York p0228 N78-25496

The Kenya rangeland ecological monitoring unit [E78-10132] p0189 N78-25498

Remote sensing of geobotanical relations in Georgia [NASA-CR-150709] p0197 N78-25505

Use of LANDSAT data for natural resources investigation in the lower basin of Danube and Danube Delta [E78-10141] p0208 N78-26511

The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 1 [E78-10148] p0197 N78-27478

The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 3 [E78-10150] p0198 N78-27480

Introductory workshops on remote sensing as related to geological problems in Georgia [E78-10152] p0198 N78-27482

VERMONT

Vegetation mapping from color aerial photography of Lake Champlain wetlands p0205 A78-34853

VERY HIGH FREQUENCIES

HF radio oceanography - A review p0199 A78-35328

VERY LONG BASE INTERFEROMETRY

Monitoring geodetic networks by space techniques p0196 A78-36054

VIDEO DATA

Video processing - An effective tool for image analysis. Algorithms for thematic interpretation of multispectral aerospace video information p0212 A78-34876 p0213 A78-41359

Visual observation of the natural environment from an orbital station --- saljut-5 p0228 N78-24041

VOLCANOES

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 3: Heat discharge from Mount St. Helens, Washington [E78-10122] p0214 N78-22435

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1 --- Lassen volcanic region, California, Surtsey, Iceland and Mt. St. Helens and Mt. Baker, Washington [E78-10121] p0215 N78-23498

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 4: Lassen volcanic region [E78-10123] p0215 N78-23499

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 5: Electronic thermal sensor and data collection platform technology [E78-10124] p0216 N78-23500

W

WARNING SYSTEMS

Ice and fog: Detection and warning systems. A bibliography with abstracts --- weather conditions [NTIS/PS-78/0181/4] p0202 N78-23695

WASHINGTON

Computer training procedures for the Western Washington forest productivity study utilizing Landsat data p0182 A78-40179

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 3: Heat discharge from Mount St. Helens, Washington [E78-10122] p0214 N78-22435

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1 --- Lassen volcanic region, California, Surtsey, Iceland and Mt. St. Helens and Mt. Baker, Washington [E78-10121] p0215 N78-23498

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 5: Electronic thermal sensor and data collection platform technology [E78-10124] p0216 N78-23500

Aerial field guide p0209 N78-27472

WASTE DISPOSAL

Effects of detector threshold, location of the sun, and flight altitude upon spectral variations in remote sensing over water p0185 A78-34857

Cornell University remote sensing program --- application to waste disposal site selection, study of drainage patterns, and water quality management. [NASA-CR-156893] p0206 N78-23508

Solid waste and remote sensing. Preliminary studies suggest that small-scale aerial remote-sensing records and, in particular, aerial photographs can contribute to regional solid-waste management and planning p0222 N78-23531

WATER BALANCE

Problems in hydrology --- Russian book p0205 A78-37924

WATER CIRCULATION

Problems in hydrology --- Russian book p0205 A78-37924

Space methods in hydrology --- Russian book p0205 A78-37925

WATER COLOR

Effect of sun elevation upon remote sensing of ocean color over an acid waste dump site p0186 A78-34903

WATER MANAGEMENT

Water-management models in Florida from LANDSAT-1 data p0207 N78-23526

The impact of groundwater development in arid lands: A literature review and annotated bibliography [PB-276908/1] p0207 N78-23551

WATER POLLUTION

Effects of detector threshold, location of the sun, and flight altitude upon spectral variations in remote sensing over water p0185 A78-34857

Characteristic vector analysis as a technique for signature extraction of remote ocean color data p0217 A78-34859

Airborne monitoring of surface water pollutants by fluorescence spectroscopy p0186 A78-36303

Assessment of water quality status and trends in Minnesota by remote sensing techniques [PB-277822] p0189 N78-25509

HCMM energy budget data as a model input for assessing regions of high potential groundwater pollution [E78-10145] p0209 N78-27475

WATER QUALITY

The remote sensing of algae p0185 A78-34860

In situ measurement of water transparency p0219 A78-41189

Determination of spectral signatures of substances in natural waters [NASA-CR-156998] p0189 N78-23506

Cornell University remote sensing program --- application to waste disposal site selection, study of drainage patterns, and water quality management. [NASA-CR-156993] p0206 N78-23508

Assessment of water quality status and trends in Minnesota by remote sensing techniques [PB-277822] p0189 N78-25509

Simplified multiple scattering model for radiative transfer in turbid water [NASA-CR-145365] p0209 N78-26514

WATER RESOURCES

A critical review of the Quantimet 720 image analyzer in remote sensing p0217 A78-34207

Airborne thermography for crop water stress assessment p0180 A78-34886

Problems in hydrology --- Russian book p0205 A78-37924

Remote sensing and the earth [NASA-TM-79444] p0227 N78-23509

Applications to earth resources p0227 N78-23511

A study of Minnesota land and water resources using remote sensing [E78-10143] p0208 N78-26513

Ground water differences on pine and hardwood forests of the Udell Experimental Forest in Michigan [PB-278309/0] p0184 N78-26530

WATER TEMPERATURE

Measurement of ocean temperature and salinity via microwave radiometry p0200 A78-35347

WATER WAVES

Radar imaging of the ocean surface p0199 A78-35337

Processing of ocean wave data from a synthetic aperture radar p0218 A78-35338

Ocean wave heights measured by a high resolution pulse-limited radar altimeter p0200 A78-35345

Radar measurements of wind and waves p0201 A78-35353

Tutorial review of synthetic-aperture radar /SAR/ with applications to imaging of the ocean surface p0218 A78-35932

WATERSHEDS

Remote sensing applications to a partial area model --- Patuxent River, Maryland [E78-10125] p0205 N78-23501

Cornell University remote sensing program --- application to waste disposal site selection, study of drainage patterns, and water quality management. [NASA-CR-156993] p0206 N78-23508

Ground water differences on pine and hardwood forests of the Udell Experimental Forest in Michigan [PB-278309/0] p0184 N78-26530

WEATHER

Ice and fog: Detection and warning systems. A bibliography with abstracts --- weather conditions [NTIS/PS-78/0181/4] p0202 N78-23695

WEATHER FORECASTING

The potential benefit of improving the dissemination of agricultural weather information to the Mississippi cotton farmer [E78-10153] p0184 N78-27483

WETLANDS

Vegetation mapping from color aerial photography of Lake Champlain wetlands p0205 A78-34853

Cornell University remote sensing program --- New York [E78-10130] p0228 N78-25496

The verification of LANDSAT data in the geographical analysis of wetlands in west Tennessee [NASA-CR-3012] p0208 N78-25508

WHEAT

Two phase sampling for wheat acreage estimation p0181 A78-40164

SUBJECT INDEX

WYOMING

Dryland pasture and crop conditions as seen by HCM
--- Chichasha, Oklahoma
[E78-10134] p0183 N78-25500

WIDE ANGLE LENSES
Electronic solid state wide angle camera system -
ESSWACS --- for real time aerial reconnaissance
p0219 A78-40203

WILDERNESS
Evaluation of a Fire Behavior Information Integration
System for Southern California Chaparral Wildlands
p0179 A78-34382

WILDLIFE
The application of remote sensing to resource
management and environmental quality programs in
Kansas
[E78-10154] p0184 N78-27484

WIND MEASUREMENT
Radar measurements of wind and waves
p0201 A78-35353

WISCONSIN
The remote sensing of algae p0185 A78-34860
Rural landscape assessment - A comparative evaluation
of high platform remote sensing p0185 A78-34864


WYOMING
Video processing - An effective tool for image analysis
p0212 A78-34876
Geologic application of thermal-inertia mapping from
satellite --- Arizona and Powder River, Wyoming
[E78-10146] p0194 N78-27476

PERSONAL AUTHOR INDEX

Earth Resources/A Continuing Bibliography (Issue 19)

OCTOBER 1978

Typical Personal Author Index Listing



Listings in this index are arranged alphabetically by personal author. The title of the document provides the user with a brief description of the subject matter. The report number helps to indicate the type of document listed (e.g., NASA report, translation, NASA contractor report). The page and accession numbers are located beneath and to the right of the title, e.g., p 0102 N78-15142. Under any one author's name the accession numbers are arranged in sequence with the AIAA accession numbers appearing first.

A

- AARONSON, A. C.**
Near real-time monitoring of Iowa corn with Landsat
p0179 A78-34852
A Landsat Agricultural Monitoring Program
p0180 A78-40160
- ABBAS, M. M.**
Stratospheric ozone measurement with an infrared heterodyne spectrometer
p0217 A78-34124
- ABBOTT, J. L.**
Simulation of imaging radar systems
p0214 A78-43084
- ABDEL HADY, M. A.**
Delineation of land features in Egypt by Landsat satellite images
p0211 A78-34867
- ADLER, I.**
Application of Remote Sensing to the Chesapeake Bay Region. Volume 1: Executive summary
[NASA-CP-6]
p0207 N78-23537
- ADRIEN, P. M.**
Some applications of remote sensing technology for international funding agencies
p0226 A78-40156
- AFANASEVA, T. V.**
Manual for interpreting aerial photographs for soil investigations
p0180 A78-40125
- AIYAMA, Y.**
Remote sensing technology
[REPT-192]
p0227 N78-23536
- AKOVETSKII, V. I.**
Geodetic connection of materials from a nonphotographic aerial survey
p0191 A78-34391
- ALEXANDER, V.**
Suspended sediments and related limnology of an alpine lake system
[RLO/2229/T10-2]
p0201 N78-22453
- ALLEN, R. J.**
An experimental/analytical program to assess the utility of lidar for pollution monitoring
[NASA-CR-157302]
p0189 N78-27614
- ALVEA, F.**
Image processing investigations
[DOC-77SDB002]
p0214 N78-22434
- ANDERSON, D. M.**
Applications of ERTS-1 imagery to terrestrial and marine environmental analyses in Alaska
p0206 N78-23525
- ANDERSON, J. A.**
Airborne sampling system for plume monitoring
p0188 A78-41280
- ANDERSON, R. R.**
Aerial detection of oak wilt in Iowa
p0179 A78-34869
- ANNETT, J. R.**
Remote sensing applications to a partial area model
[E78-10125]
p0205 N78-23501

- ARDEN, D. D., JR.**
Remote sensing of geobotanical relations in Georgia
[NASA-CR-150709]
p0197 N78-25505
- ARSENAULT, L.**
Microwave remote sensing of sea ice in the AIDJEX Main Experiment
p0200 A78-35348
- ASHLEY, M.**
A camera system for small format aerial photography
p0218 A78-34873
- AUER, A. H., JR.**
The net radiation budget of the St. Louis metropolitan area
p0187 A78-37304
Correlation of land use and cover with meteorological anomalies
p0187 A78-37309
- AXELSSON, S.**
Sea Ice-75. Radar altimeter results
[REPT-16-7]
p0202 N78-23546

B

- BACHMAN, B. L.**
Using synthetic images to register real images with surface models
[AD-A052512]
p0193 N78-24602
- BACHSTEIN, F.**
Airborne lidar aerosol measurements during the ASSESS II mission
p0188 A78-41462
- BACK, L. H.**
Applications of aerospace technology to petroleum extraction and reservoir engineering
[NASA-CR-157167]
p0197 N78-25233
- BAKER, R. M.**
LANDSAT data: A new perspective for geology. A review of the utilization of LANDSAT imagery for geological interpretation
p0197 N78-23522
- BALLARD, R. J.**
Estimating costs and performance of systems for machine processing of remotely sensed data
p0226 A78-40174
- BALODIS, I. A.**
Estimates of the effectiveness of using AFU-75 cameras in photographic satellite tracking and satellite geodesy
p0219 A78-36196
- BALSTON, D. M.**
An interactive image processing system
p0211 A78-34208
- BARAN, W.**
Current status and developmental trends of satellite geodesy
p0192 A78-40460
- BARNHDT, H.**
Effect of f-number and other parameters on FLIR performance in nearly BLIP systems
p0219 A78-36925
- BARILE, D. D.**
Land use and land cover mapping: City of Palm Bay, Florida
[NASA-CR-154625]
p0193 N78-23534
- BARNES, J. C.**
Investigation of the application of HCMM thermal data to snow hydrology
[E78-10147]
p0209 N78-27477
- BARON, E.**
Correlation of intensity variations and false color displays of multispectral digital images
p0213 A78-40172
- BARR, B. G.**
The application of remote sensing to resource management and environmental quality programs in Kansas
[E78-10154]
p0184 N78-27484
- BARNETT, E. C.**
Remote sensing of the terrestrial environment; Proceedings of the Twenty-eighth Symposium, University of Bristol, Bristol, England, April 5-9, 1976
p0211 A78-34201
Applications of satellite data in mapping rainfall for the solution of associated problems in regions of sparse conventional observations
p0205 A78-34212
- BARNETT, S. A.**
LANDSAT survey of near-shore ice conditions along the Arctic coast of Alaska
[E78-10136]
p0203 N78-25502
- BARRICK, D. E.**
HF radio oceanography - A review
p0199 A78-35328
- BARSDATE, R. J.**
Suspended sediments and related limnology of an alpine lake system
[RLO/2229/T10-2]
p0201 N78-22453
- BARTLETT, D.**
Skylab/ERAP application to ecological, geological, and oceanographic investigations of Delaware Bay
[NASA-CR-144910]
p0194 N78-27486
- BARTLETT, D. S.**
Remote sensing of coastal food resources
p0199 A78-34381
- BAUER, M. E.**
Crop identification and area estimation by computer-aided analysis of Landsat data
p0181 A78-40165
Requirements of a global information system for corn production and distribution
[E78-10137]
p0183 N78-25503
- BAUMBERGER, V.**
HCMM energy budget data as a model input for assessing regions of high potential groundwater pollution
[E78-10145]
p0209 N78-27475
- BAUMGARDNER, M. F.**
Comparing soil boundaries delineated by digital analysis of multispectral scanner data from high and low spatial resolution systems
p0213 A78-40161
Requirements of a global information system for corn production and distribution
[E78-10137]
p0183 N78-25503
- BECK, S. F.**
Introductory workshops on remote sensing as related to geological problems in Georgia
[E78-10152]
p0198 N78-27482
- BENTON, A. R., JR.**
Monitoring of noxious aquatic plants
p0185 A78-34863
- BERDAHL, C. M.**
Applications of aerospace technology to petroleum extraction and reservoir engineering
[NASA-CR-157167]
p0197 N78-25233
- BERLIN, G. L.**
Computer enhancement techniques of Landsat MSS digital images for land use/land cover assessments
p0211 A78-34866
- BESTE, D. C.**
Design of satellite constellations for optimal continuous coverage
p0192 A78-37981
- BEVAN, B. W.**
The detection of color boundaries by means of chromatic dispersion
p0214 N78-22433
- BIRKEMEIER, J.**
Image processing investigations
[DOC-77SDB002]
p0214 N78-22434
- BLACK, H. D.**
GEOS-3 ocean geoid investigation
[NASA-CR-141440]
p0194 N78-24776
- BLANCHARD, B. J.**
Dryland pasture and crop conditions as seen by HCMM
[E78-10134]
p0183 N78-25500
- BLANCHARD, W. A.**
Multilevel analysis of ecosystem alteration due to water regime changes in a south Louisiana swamp
p0205 A78-34861
- BLOMQUIST, A.**
Sea Ice-75
[REPT-16-9]
p0202 N78-23548
- BLUME, H.-J. C.**
Measurement of ocean temperature and salinity via microwave radiometry
p0200 A78-35347
- BLUMENTHAL, D. L.**
Airborne sampling system for plume monitoring
p0188 A78-41280
- BODECHTEL, J.**
Analog and digital processing of multispectral data for geologic application
p0195 A78-34214
- BODEMANN, G.**
An Adcock system with active antennas for mobile applications
p0212 A78-37973
- BOIKO, E. G.**
Use of earth satellites for the construction of geodetic networks
p0192 A78-37889
- BOLDYREVA, A. P.**
Simplified graphoanalytic means for determining adjusting elements during the transformation of spaceborne photographs
p0211 A78-34777
- BOMMARITO, J. J.**
Transfer, installation and flight testing of the modified Airborne Oil Surveillance System (AOSS II) in a HC-130 B aircraft
[AD-A052434]
p0222 N78-24605
- BONN, F.**
Relations between ground truth and airborne measurements of thermal infrared radiation over vegetated surfaces
p0179 A78-34854
- BONNER, J. M.**
US Geological Survey sources of photographs and images of biosphere reserves taken from spacecraft and aircraft: 19-organ Pipe Cactus National Monument
[PB-276550/1]
p0215 N78-22457

BORISENKO, V. I.

Algorithms for thematic interpretation of multispectral
aerospace video information p0213 A78-41359

BOS, J.

A remote sensing system for a nationwide data-bank
p0226 A78-40169

BOYLAN, M.

Improved resource use decisions and actions through
remote sensing p0227 N78-23519

BRADFORD, L. H., JR.

On the transfer of remote sensing technology to an
operational data system p0226 A78-40170

BREGLIA, D. R.

Holographic terrain simulation
[AD-A053472] p0194 N78-27388

BRENETON, R. G.

Instrument technology for remote-surface exploration,
prospecting and assaying, part 2
[NASA-CR-156997] p0221 N78-23504

BRESSEL, C. N.

Use of the Fast Fourier Transform in evaluation of laser
Raman and fluorescence decay times p0187 A78-36921

BRESSETTE, W. E.

Effects of detector threshold, location of the sun, and
flight altitude upon spectral variations in remote sensing
over water p0185 A78-34857
Effect of sun elevation upon remote sensing of ocean
color over an acid waste dump site p0186 A78-34903

BRISTOW, M. P. F.

Airborne monitoring of surface water pollutants by
fluorescence spectroscopy p0186 A78-38303

BROCHU, R.

Relations between ground truth and airborne
measurements of thermal infrared radiation over vegetated
surfaces p0179 A78-34854

BROOKS, C. G.

SkyLab: A chronology
[NASA-SP-4011] p0228 N78-25115

BROOKS, H. K.

Satellite applications to a coastal inlet study, Clearwater
Beach, Florida
[NASA-CR-156994] p0208 N78-23700

BROOKS, K. N.

Assessment of water quality status and trends in
Minnesota by remote sensing techniques
[PB-277822] p0189 N78-25509

BROSIUS, C. A.

Remote sensing and the earth
[NASA-TM-79444] p0227 N78-23509

BROTHERS, G. L.

Image enhancement for vegetative pattern change
analysis p0180 A78-36647

BROWN, G. H.

The human perception of geological lineaments and other
discrete features in remote sensing imagery - Signal
strengths, noise levels and quality p0196 A78-36306

BROWN, I. W.

Stratospheric ozone measurement with an infrared
heterodyne spectrometer p0217 A78-34124

BRYANT, N. A.

Tabular data base construction and analysis from thematic
classified Landsat imagery of Portland, Oregon
p0188 A78-40183

BRYUKHANOV, V. N.

Annular structures on the earth
p0197 N78-25044

BUCHMAN, P.

Near real-time monitoring of Iowa corn with Landsat
p0179 A78-34852

BUCHMAN, P. E.

A Landsat Agricultural Monitoring Program
p0180 A78-40160

BUHL, D.

Stratospheric ozone measurement with an infrared
heterodyne spectrometer p0217 A78-34124

BURTZEN, R.

Electric and magnetic sensing systems: Applications
[UCID-17597] p0221 N78-23406

BURKLE, J.

Correlation of intensity variations and false color displays
of multispectral digital images p0213 A78-40172

BURNS, K. L.

The human perception of geological lineaments and other
discrete features in remote sensing imagery - Signal
strengths, noise levels and quality p0196 A78-36306

BURTON, G. T.

Electronic solid state wide angle camera system -
ESSWACS p0219 A78-40203

BUSCHMANN, E.

International Symposium on Geodesy and Physics of the
Earth, 3rd, Weimar, East Germany, October 25-31, 1976.
Proceedings. Parts 1, 2 & 3 p0191 A78-36051

BUSH, V. A.

Tectonics of the Central European plate and surrounding
area on the basis of data from interpretation of space
imagery p0195 A78-35497

BUTERA, M. K.

The mapping of marsh vegetation using aircraft
multispectral scanner data p0207 N78-23530

BUTLER, C. F.

An experimental/analytical program to assess the utility
of lidar for pollution monitoring
[NASA-CR-157302] p0189 N78-27614

BUTLER, J. F.

Spectral measurements of gaseous sulfuric acid using
tunable diode lasers
[PB-278985/7] p0189 N78-27654

BYKOV, V. D.

Problems in hydrology p0205 A78-37924

C

CAMPBELL, W. J.

Microwave remote sensing of sea ice in the AIDJEX
Main Experiment p0200 A78-35348
Time-dependence of sea-ice concentration and multiyear
ice fraction in the Arctic Basin p0200 A78-35349

CANTRELL, S. K.

Aerosol size distributions and aerosol volume formation
for a coal-fired power plant plume p0188 A78-41254

CARLSON, T. N.

Applications of HCMM satellite data to the study of urban
heating patterns
[E78-10135] p0189 N78-25501

CARNEGIE, D. M.

Usefulness of LANDSAT data for monitoring plant
development and range conditions in California's annual
grassland p0183 N78-23516

CARTER, J. C.

Introductory workshops on remote sensing as related
to geological problems in Georgia
[E78-10152] p0198 N78-27482

CARTER, P.

Digital analysis of multispectral aerial and Landsat data
for land use planning in Britain p0185 A78-34210

CARY, T. K.

A first interpretation of East African swiddening via
computer-assisted analysis of 3 Landsat tapes
p0180 A78-40159

CASSINIS, R.

Applications of satellite studies for structural geology in
Italy p0195 A78-34215

CASTLE, J. G.

Real-time acoustical holography systems
[AD-A052000] p0221 N78-23405

CATTELINO, P. J.

Evaluation of a Fire Behavior Information Integration
System for Southern California Chaparral Wildlands
p0179 A78-34382

CHAFARIS, G. J.

Image processing investigations
[DOC-77SDB002] p0214 N78-22434

CHANG, A. T. C.

Time-dependence of sea-ice concentration and multiyear
ice fraction in the Arctic Basin p0200 A78-35349
Estimation of snow temperature and mean crystal radius
from remote multispectral passive microwave
measurements [NASA-TP-1251] p0209 N78-26677

CHAVEZ, P. S., JR.

Computer enhancement techniques of Landsat MSS
digital images for land use/land cover assessments
p0211 A78-34866

CHEN, W. T.

Application of Remote Sensing to the Chesapeake Bay
Region. Volume 1: Executive summary
[NASA-CF-6] p0207 N78-23537

CHENG, R. Y. K.

Laboratory requirements for in-situ and remote sensing
of suspended material [NASA-CR-145367] p0220 N78-22442

CHESALIN, L. S.

Algorithms for thematic interpretation of multispectral
aerospace video information p0213 A78-41359

CHILTON, F.

Electric and magnetic sensing systems: Applications
[UCID-17597] p0221 N78-23406

CHOVITZ, B. H.

Monitoring geodetic networks by space techniques
p0196 A78-36054

CIHLAR, J.

Applications of satellite thermal infrared measurements
to earth's resources studies p0218 A78-34926

COBURN, W. G.

Continuous in situ monitoring of ambient particulate sulfur
using flame photometry and thermal analysis
p0188 A78-41232

COINER, J. C.

Utilization of LANDSAT imagery for mapping vegetation
on the millionth scale p0183 N78-23517
Application of digital analysis of MSS data to
agroenvironmental studies [E78-10133] p0183 N78-25499

COINER, J. C.

Application of digital analysis of MSS data to
agro-environmental studies [E78-10151] p0184 N78-27481

COKER, A. E.

Application of computer processed multispectral data to
the discrimination of land collapse (sinkhole) prone areas
in Florida p0206 N78-23521

COLBY, C. P., JR.

Water-management models in Florida from LANDSAT-1
data p0207 N78-23526

COLBY, C. P., JR.

Thematic mapper design parameter investigation
[NASA-CR-156756] p0216 N78-23505

COLE, M. M.

The use of LANDSAT imagery in relation to air survey
imagery for terrain analysis in northwest Queensland,
Australia, volume 1 p0197 N78-27478

COLE, M. M.

The use of LANDSAT imagery in relation to air survey
imagery for terrain analysis in northwest Queensland,
Australia, volume 2 [E78-10149] p0197 N78-27479

COLE, M. M.

The use of LANDSAT imagery in relation to air survey
imagery for terrain analysis in northwest Queensland,
Australia, volume 3 [E78-10150] p0198 N78-27480

COLLINS, E. E., JR.

Applications of aerospace technology to petroleum
extraction and reservoir engineering
[NASA-CR-157167] p0197 N78-25233

COLWELL, R. N.

Usefulness of LANDSAT data for monitoring plant
development and range conditions in California's annual
grassland p0183 N78-23516

CONANT, F. P.

A first interpretation of East African swiddening via
computer-assisted analysis of 3 Landsat tapes
p0180 A78-40159

CONROW, E. H.

The temporal correlatability of digital thermal infrared
scanner data p0220 N78-22429

COOPER, J. E.

System implementation for Earth Radiation Budget
Satellite System p0218 A78-34910

CORDES, E. H.

Water-management models in Florida from LANDSAT-1
data p0207 N78-23526

CORLESS, K. G.

Remote sensing by radar p0217 A78-34205

COSENTINO, M. J.

The use of analysis of variance procedures for defining
ground conditions of categories generated in an automatic
analysis of Landsat MSS digital data p0213 A78-40182

CROFT, T. A.

Nighttime images of the earth from space
p0214 A78-41468

CROWDER, W. K.

Applications of ERTS-1 imagery to terrestrial and marine
environmental analyses in Alaska p0206 N78-23525

CUELLAR, J. A.

Distinguishing saline from nonsaline rangelands with
SkyLab imagery p0179 A78-34856

CURTIS, L. F.

Remote sensing of the terrestrial environment:
Proceedings of the Twenty-eighth Symposium, University
of Bristol, Bristol, England, April 5-9, 1976
p0211 A78-34201

CURTIS, L. F.

Remote sensing of soil moisture - User requirements
and present prospects p0205 A78-34213

CUTTING, E.

Seasat-A opens new phase in earth observations
p0201 A78-38523

D

DAUS, S. J.

The use of analysis of variance procedures for defining
ground conditions of categories generated in an automatic
analysis of Landsat MSS digital data p0213 A78-40182

DAVIS, B. J.

Crop identification and area estimation by computer-aided
analysis of Landsat data p0181 A78-40165

DAVIS, E. L.

Parametric design of ground data processing/support
systems for advanced sensor systems p0226 A78-40168

DAVIS, G.

Determination of spectral signatures of substances in
natural waters [NASA-CR-156998] p0189 N78-23506

DAVIS, R.

Remote sensing applications to hydrologic modeling in
the southern Sierra Nevada and portions of the San Joaquin
Valley, volume 1 [E78-10126] p0206 N78-23502

DAVIS, R.

Remote sensing applications to hydrologic modeling in
the southern Sierra Nevada and portions of the San Joaquin
Valley, volume 2 [E78-10127] p0206 N78-23503

DEANE, A. J.

SCIMP - A scanning interferometric multiplex
photometer p0219 A78-40487

DEGLORIA, S. D.

Usefulness of LANDSAT data for monitoring plant
development and range conditions in California's annual
grassland p0183 N78-23516

DELOOR, G. P.

Sea Ice-75. Ice detection by SLAR
[REPT-16-3] p0202 N78-23542

DENICHOLS, N. A.

Application of space technology to the study of the use
of natural resources in the Republic of Panama
[NASA-TM-75089] p0227 N78-22971

DENISOV, L. V.

Visual observation of the natural environment from an
orbital station p0228 N78-24041

- DENNY, C.**
Parametric design of ground data processing/support systems for advanced sensor systems p0226 A78-40168
- DEUTSCH, M.**
Optical data processing and projected applications of the ERTS-1 imagery covering the 1973 Mississippi River Valley floods p0206 N78-23524
- DIETRICH, D. L.**
Image processing investigations [DOC-77SD8002] p0214 N78-22434
- DIETZ, S.**
Airborne lidar aerosol measurements during the ASSESS II mission p0188 A78-41462
- DIEZ, A.**
Pilot study of vegetation in the Alchichica-Perote region by remote sensing [NASA-TM-75101] p0183 N78-24596
- DOLAN, R.**
High-altitude aerial photographs aid in investigations p0216 N78-23527
- DOMÉ, G. J.**
Backscatter properties of sea ice with radar: Arctic operations description and preliminary data summary [AD-A052711] p0203 N78-24603
- DONOVAN, W. E.**
An interactive system for agricultural acreage estimates using Landsat data p0181 A78-40166
- DOWNIE, D. M.**
Digital data acquisition system in geophysical survey aircraft VH-BNG [BMR-185] p0222 N78-23552
- DOWNS, S. W., JR.**
The use of four band multispectral photography to identify forest cover types p0180 A78-34870
- DOZIER, J.**
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 [E78-10126] p0206 N78-23502
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2 [E78-10127] p0206 N78-23503
- DRACUP, J. F.**
Establishment of calibration base lines [PB-277130/1] p0193 N78-22456
- DREWETT, R. J.**
Collection and analysis of spectral reflectance data and their use in the design of a multiband photographic system p0217 A78-34203
- DUNNE, J. A.**
The experimental oceanographic satellite Seasat-A p0200 A78-35352
- E**
- EASTON, R. R.**
A kilometer pathlength Fourier-transform infrared system for the study of trace pollutants in ambient and synthetic atmospheres p0188 A78-43162
- EASTWOOD, L. F., JR.**
Estimating costs and performance of systems for machine processing of remotely sensed data p0226 A78-40174
Program on State Agency Remote Sensing Data Management (SARSDM) [NASA-CR-150715] p0208 N78-25507
- EATON, F. D.**
The net radiation budget of the St. Louis metropolitan area p0187 A78-37304
- EBNER, H.**
Block adjustment with self calibration p0220 N78-22446
- EDGERTON, A. T.**
Transfer, installation and flight testing of the modified Airborne Oil Surveillance System (AOSS II) in a HC-130 B aircraft [AD-A052434] p0222 N78-24605
- EDWARDS, J. R.**
Computer training procedures for the Western Washington forest productivity study utilizing Landsat data p0182 A78-40179
- EHRLER, W. L.**
Airborne thermography for crop water stress assessment p0180 A78-34886
- EISNER, A.**
GEOS-3 ocean geoid investigation [NASA-CR-141440] p0194 N78-24776
- EL KASSAB, I. A.**
Delineation of land features in Egypt by Landsat satellite images p0211 A78-34867
- EL SHAZLY, E. M.**
Delineation of land features in Egypt by Landsat satellite images p0211 A78-34867
- ELACHI, C.**
Radar imaging of the ocean surface p0199 A78-35337
- ELGIN, J. M., JR.**
Hand-held radiometer red and photographic infrared spectral measurements of agricultural crops [NASA-TM-78091] p0182 N78-22438
- ELLYETT, C. D.**
Recent advances in the application of thermal infrared scanning to geological and hydrological studies p0219 A78-36307
- ENG, R. S.**
Spectral measurements of gaseous sulfuric acid using tunable diode lasers [PB-278985/7] p0189 N78-27654
- ENGMAN, E. T.**
Remote sensing applications to a partial area model [E78-10125] p0205 N78-23501
- ENSLIN, W.**
Improved resource use decisions and actions through remote sensing p0227 N78-23519
- ERKANLI, Y.**
The employment of auxiliary data in the photogrammetric survey of regions without control points p0192 A78-38064
- ERTEL, I. D.**
Skylab: A chronology [NASA-SP-4011] p0228 N78-25115
- ESCOBAR, D. E.**
Reflectance and photographic characteristics of three citrus varieties for discrimination purposes p0180 A78-34871
- ESTES, J. E.**
High-altitude versus Landsat imagery for digital crop identification p0182 A78-41190
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 [E78-10126] p0206 N78-23502
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2 [E78-10127] p0206 N78-23503
- ETHERIDGE, J. B.**
Crop identification and area estimation by computer-aided analysis of Landsat data p0181 A78-40165
- EVERITT, J. H.**
Distinguishing saline from nonsaline rangelands with Skylab imagery p0179 A78-34856
- F**
- FAGERLUND, E.**
Sea Ice-75. IR-scanner results [REPT-16-6] p0202 N78-23545
- FAN, C. J.**
Hand-held radiometer red and photographic infrared spectral measurements of agricultural crops [NASA-TM-78091] p0182 N78-22438
- FEARS, C. B.**
Quarterly literature review of the remote sensing of natural resources [NASA-CR-156158] p0226 N78-22432
- FEDORS, J. C.**
Measurement of ocean temperature and salinity via microwave radiometry p0200 A78-35347
- FISH, E. B.**
Image enhancement for vegetative pattern change analysis p0180 A78-36647
- FISHER, A. C.**
On measures of natural resource scarcity [IIASA-RR-17-19] p0227 N78-23540
- FISHER, J. C.**
Remote sensing applied to exploration for vein-type uranium deposits, Front Range, Colorado p0196 N78-22510
- FLORENSKII, P. V.**
Significance of the space imagery for studies of the petroleum platform areas p0195 A78-34877
- FOSTER, H. D.**
A remote sensing system for a nationwide data-bank p0226 A78-40169
- FRANK, D.**
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 3: Heat discharge from Mount St. Helens, Washington [E78-10122] p0214 N78-22435
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1 [E78-10121] p0215 N78-23498
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 4: Lassen volcanic region [E78-10123] p0215 N78-23499
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 5: Electronic thermal sensor and data collection platform technology [E78-10124] p0216 N78-23500
- FRAYSSE, G.**
Perspectives offered by remote sensing in agricultural resources management p0179 A78-34218
- FREAS, Q. W., JR.**
Application of Remote Sensing to the Chesapeake Bay Region, Volume 1: Executive summary [NASA-CP-6] p0207 N78-23537
- FREW, J.**
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 [E78-10126] p0206 N78-23502
- Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2 [E78-10127] p0206 N78-23503
- FRIDMAN, S. H. D.**
Remote monitoring of environmental pollution p0187 A78-38873
- FRIEDMAN, J. D.**
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 3: Heat discharge from Mount St. Helens, Washington [E78-10122] p0214 N78-22435
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1 [E78-10121] p0215 N78-23498
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 4: Lassen volcanic region [E78-10123] p0215 N78-23499
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 5: Electronic thermal sensor and data collection platform technology [E78-10124] p0216 N78-23500
- FRIES, R. E.**
Near real-time monitoring of Iowa corn with Landsat p0179 A78-34852
A Landsat Agricultural Monitoring Program p0180 A78-40160
- FROST, V. S.**
Simulation of imaging radar systems p0214 A78-43064
- FU, K. S.**
Contextual pattern classification for remotely sensed multispectral data p0214 A78-43056
- FUJII, Y.**
Detection of atmospheric pollutants by quantitative analytical spectroscopy using a continuously scanned tunable dye laser p0187 A78-36920
- FUJISADA, H.**
Remote sensing technology [REPT-192] p0227 N78-23536
- FYMAT, A. L.**
Analytical inversions in remote sensing of particle size distributions. I - Multispectral extinctions in the anomalous diffraction approximation. II Angular and spectral scattering in diffraction approximations p0187 A78-37180
- G**
- GAINES, E.**
LANDSAT linear trend analysis: A tool for groundwater exploration in northern Arkansas [PB-277121/0] p0207 N78-23550
- GARDNER, W. E.**
Digital analysis of multispectral aerial and Landsat data for land use planning in Britain p0185 A78-34210
- GARETSKII, R. G.**
Tectonics of the Central European plate and surrounding area on the basis of data from interpretation of space imagery p0195 A78-35497
- GAROFALO, D.**
Solid waste and remote sensing. Preliminary studies suggest that small-scale aerial remote-sensing records and, in particular, aerial photographs can contribute to regional solid-waste management and planning p0222 N78-23531
- GATTO, L. W.**
Applications of ERTS-1 imagery to terrestrial and marine environmental analyses in Alaska p0206 N78-23525
- GAUBMAN, H. W.**
Reflectance and photographic characteristics of three citrus varieties for discrimination purposes p0180 A78-34871
Plant cover, soil temperature, freeze, water stress, and evapotranspiration conditions [E78-10144] p0184 N78-27474
- GEORGE, A. J., JR.**
Tabular data base construction and analysis from thematic classified Landsat imagery of Portland, Oregon p0188 A78-40183
- GERBERMANN, A. H.**
Distinguishing saline from nonsaline rangelands with Skylab imagery p0179 A78-34856
- GERVIN, J. C.**
Remote sensing and the earth [NASA-TM-79444] p0227 N78-23509
- GHOVANLOU, A. H.**
Simplified multiple scattering model for radiative transfer in turbid water [NASA-CR-145365] p0209 N78-26514
- GIDDINGS, L. E., JR.**
Bolivia from space: Images and other information from satellites, with catalogs [GIDDINGS-77-01] p0216 N78-26516
- GIZZI, S.**
Data processing facilities of the TERRA experiment p0211 A78-34209
- GLEASON, C. P.**
Stratified acreage estimates in the Illinois crop-acreage experiment p0181 A78-40163
An interactive system for agricultural acreage estimates using Landsat data p0181 A78-40166

GLOERSEN, P.

- Microwave remote sensing of sea ice in the AIDJEX Main Experiment p0200 A78-35348
Time-dependence of sea-ice concentration and multiyear ice fraction in the Arctic Basin p0200 A78-35349

GLUKHOVSKIY, M. Z.

- Annular structures on the earth p0197 N78-25044

GOEL, P. S.

- Orbit selection for earth resources satellites [ISRO-ISAC-TN-05-77] p0221 N78-23125

GOETTMAN, R. C.

- Airborne thermography for crop water stress assessment p0180 A78-34886

GOLD, C.

- Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 p0206 N78-23502
[E78-10126]

- Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2 p0206 N78-23503
[E78-10127]

GOLDBERG, M.

- A four-dimensional histogram approach to the clustering of Landsat data p0213 A78-40178

GONIN, G. B.

- Simplified graphoanalytic means for determining adjusting elements during the transformation of spaceborne photographs p0211 A78-34777

GORDON, H. R.

- Remote sensing of optical properties in continuously stratified waters p0201 A78-39638

GORDON, P. G.

- Applications of aerospace technology to petroleum extraction and reservoir engineering [NASA-CR-157167] p0197 N78-25233

GORDON, S. J.

- A study of gaseous pollutants in the Houston, Texas area p0186 A78-35684

GOTWAY, E. O.

- Program on State Agency Remote Sensing Data Management (SARSDM) [NASA-CR-150715] p0208 N78-25507

GOWARD, S. N.

- ISURSL levels classification - A low cost approach to multispectral data analysis p0213 A78-40184

GRADY, D. E.

- Initial response of a rock penetrator [SAND-77-1712] p0197 N78-26499

GRAFAREND, E. W.

- The definition of the telluroid p0192 A78-38217

GRAHAM, R. A.

- A kilometer pathlength Fourier-transform infrared system for the study of trace pollutants in ambient and synthetic atmospheres p0188 A78-43162

GREEN, A. A.

- Use of Landsat-1 imagery in exploration for Keweenaw-type copper deposits p0196 A78-36304

GREW, G. W.

- Characteristic vector analysis as a technique for signature extraction of remote ocean color data p0217 A78-34859

GRIM, P. J.

- Geothermal energy resources map of the western United States p0196 A78-40535

GROJEAN, R. E.

- Remote pollution probing by laser-induced luminescence techniques p0186 A78-36918

GUERNSEY, L.

- Machine processing of Landsat multispectral data for low cost development of regional land cover information in Indiana p0211 A78-34865

GUPTA, G. N.

- Simplified multiple scattering model for radiative transfer in turbid water [NASA-CR-145365] p0209 N78-26514

H

HABERCOM, G. E., JR.

- Ice and fog: Detection and warning systems. A bibliography with abstracts [NTIS/PS-78/0181/4] p0202 N78-23695

HAGMAN, T.

- Sea Ice-75. FLAR, ODAR, ship's radar [REPT-16-5] p0202 N78-23544

HAGUE, J.

- Backscatter properties of sea ice with radar: Arctic operations description and preliminary data summary [AD-A052711] p0203 N78-24603

HALL, D. K.

- Time-dependence of sea-ice concentration and multiyear ice fraction in the Arctic Basin p0200 A78-35349

HALLIDAY, R. A.

- Retransmission of hydrometric data in Canada [E78-10131] p0208 N78-25497

HAM, J. D.

- Applications of aerospace technology to petroleum extraction and reservoir engineering [NASA-CR-157167] p0197 N78-25233

HAND, R. A.

- Backscatter properties of sea ice with radar: Arctic operations description and preliminary data summary [AD-A052711] p0203 N78-24603

HANKINS, D.

- Developing and demonstrating an institutional mechanism for transferring remote sensing technology to 14 western states using northern California as the test site [E78-10142] p0228 N78-26512

HANST, P. L.

- Air pollution measurement by Fourier transform spectroscopy p0185 A78-34666

- A kilometer pathlength Fourier-transform infrared system for the study of trace pollutants in ambient and synthetic atmospheres p0188 A78-43162

HANUSCHAK, G. A.

- Stratified acreage estimates in the Illinois crop-acreage experiment p0181 A78-40163

HARLAN, J. C.

- Dryland pasture and crop conditions as seen by HCMM [E78-10134] p0183 N78-25500

HAUGEN, R. K.

- Applications of ERTS-1 imagery to terrestrial and marine environmental analyses in Alaska p0206 N78-23525

HAULET, R.

- Experimental results on the SO₂ transfer in the Mediterranean obtained with remote sensing devices p0188 A78-41301

HAY, C. M.

- Two phase sampling for wheat acreage estimation p0181 A78-40164

HAYDN, R.

- Analog and digital processing of multispectral data for geologic application p0195 A78-34214

HEGDAHL, R.

- Tabular data base construction and analysis from thematic classified Landsat imagery of Portland, Oregon p0188 A78-40183

HEILMAN, J.

- HCMM energy budget data as a model input for assessing regions of high potential groundwater pollution [E78-10145] p0209 N78-27475

HEINRICH, M. L.

- A computer processed Landsat/land cover map of North Dakota p0191 A78-34868

HENGVEELD, H. G.

- Side looking radar for ice reconnaissance p0199 A78-34929

HENGSTBERGER, F.

- A new measuring system for realizing photometric and radiometric scales [CSIR-RR-332] p0222 N78-24522

HERON, M. L.

- A resolution limitation on sea-echo radar spectra inferred from point to point ionospheric Doppler broadening p0201 A78-37058

HERRMANN, H.

- Airborne lidar aerosol measurements during the ASSESS II mission p0188 A78-41462

HICKMAN, G. D.

- Application of Remote Sensing to the Chesapeake Bay Region, Volume 1: Executive summary [NASA-CP-6] p0207 N78-23537

- Multi-Sensor System (MUSS) for airborne surveillance of inshore waters [AD-A052544] p0222 N78-24604

HIGER, A. L.

- Water-management models in Florida from LANDSAT-1 data p0207 N78-23526

HIGH, C. J.

- Application of digital analysis of MSS data to agroenvironmental studies [E78-10133] p0183 N78-25499

- Application of digital analysis of MSS data to agro-environmental studies [E78-10151] p0184 N78-27481

HILL-ROWLEY, R.

- Improved resource use decisions and actions through remote sensing p0227 N78-23519

HIXSON, M. M.

- Crop identification and area estimation by computer-aided analysis of Landsat data p0181 A78-40165

HOFF, R. M.

- Remote sensing of air pollutants by correlation spectroscopy - Instrumental response characteristics p0188 A78-43161

HOLTZMAN, J. C.

- Simulation of imaging radar systems p0214 A78-43064

HONEY, F. R.

- Use of Landsat-1 imagery in exploration for Keweenaw-type copper deposits p0196 A78-36304

HORN, B. K. P.

- Using synthetic images to register real images with surface models [AD-A052512] p0193 N78-24602

HOUSEMAN, J.

- Applications of aerospace technology to petroleum extraction and reservoir engineering [NASA-CR-157167] p0197 N78-25233

HOWARD, G. E., JR.

- Overhead environmental monitoring with light utility aircraft: Demonstration and evaluation of the system [PB-278748/9] p0223 N78-27647

HOWLAND, W. G.

- Vegetation mapping from color aerial photography of Lake Champlain wetlands p0205 A78-34853

HSU, G. C.

- Applications of aerospace technology to petroleum extraction and reservoir engineering [NASA-CR-157167] p0197 N78-25233

HUBBARD, D. K.

- Variations in tidal inlet processes and morphology in the Georgia embayment p0209 N78-27720

HUMPHREY, M. F.

- Applications of aerospace technology to petroleum extraction and reservoir engineering [NASA-CR-157167] p0197 N78-25233

HUNG, A. Y.

- A least-square error approach to Landsat image classification p0213 A78-40177

HUNTINGTON, J. F.

- A multi-attribute method for comparing geological lineament interpretations p0196 A78-36305

HUSAR, J. D.

- Continuous in situ monitoring of ambient particulate sulfur using flame photometry and thermal analysis p0188 A78-41232

HUSAR, R. B.

- Continuous in situ monitoring of ambient particulate sulfur using flame photometry and thermal analysis p0188 A78-41232

HYDE, R. F.

- ISURSL levels classification - A low cost approach to multispectral data analysis p0213 A78-40184

I

IDSO, S. B.

- Airborne thermography for crop water stress assessment p0180 A78-34886

INGLIS, M. H.

- Quarterly literature review of the remote sensing of natural resources [NASA-CR-156158] p0226 N78-22432

IRELAN, V. G.

- Real-time acoustical holography systems [AD-A052000] p0221 N78-23405

ISSELHARDT, C. F.

- Summary of 1977 geothermal drilling - Western United States p0196 A78-40534

IVANYAN, G. A.

- Cosmonauts study the earth p0227 N78-24040

J

JACKSON, R. D.

- Airborne thermography for crop water stress assessment p0180 A78-34886

Heat capacity mapping mission

- [E78-10139] p0184 N78-26509

JAFFE, L. D.

- Aerospace technology can be applied to exploration 'back on earth' p0195 A78-33123

- Applications of aerospace technology to petroleum extraction and reservoir engineering [NASA-CR-157167] p0197 N78-25233

JAKOBSSON, S.

- Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1 [E78-10121] p0215 N78-23498

JANCAITIS, J. R.

- Investigation of the application of array of algebra to terrain mod [AD-A054007] p0194 N78-27494

- Elevation data compaction by polynomial modeling [AD-A054003] p0216 N78-27495

JENSEN, J. R.

- High-altitude versus Landsat imagery for digital crop identification p0182 A78-41190

JOHNSON, E. M.

- Parametric design of ground data processing/support systems for advanced sensor systems p0226 A78-40168

JOHNSON, R. W.

- Mapping of chlorophyll a distributions in coastal zones p0186 A78-36648

JONES, J. E.

- Calculation of evapotranspiration using color-infrared photography [NASA-CR-156157] p0214 N78-22345

JOOSTEN, L. J. M.

- Image data security in the concept of the Agricultural Real Time Imaging Satellite System (ARTISS) [NLR-TR-76010-U] p0184 N78-26527

K

KAILING, K. N.

- Rural landscape assessment - A comparative evaluation of high platform remote sensing p0185 A78-34864

KALININ, G. P.

- Space methods in hydrology p0205 A78-37925

KAMAT, D. S.

- Mapping of forest regions from Landsat imagery by computer processing - A case study of East Bastar region p0180 A78-34872

- Machine processing of aerial data for Agricultural Resources Inventory and Survey Experiment
p0181 A78-40167
- KANDYA, A. K.**
Mapping of forest regions from Landsat imagery by computer processing - A case study of East Bastar region
p0180 A78-34872
- KATAOKA, S.**
Remote sensing technology
[REPT-192] p0227 N78-23536
- KAUPP, V. H.**
Simulation of imaging radar systems
p0214 A78-43064
- KAUTZLEBEN, H.**
International Symposium on Geodesy and Physics of the Earth, 3rd, Weimar, East Germany, October 25-31, 1976, Proceedings. Parts 1, 2 & 3
p0191 A78-36051
- KEAFER, L. S., JR.**
Remote sensing R&D planning
p0225 A78-34904
- KEARSLEY, W.**
The prediction and mapping of geoidal undulations from GEOS-3 altimetry
[NASA-CR-141439] p0193 N78-23507
- KEITH, S.**
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1
[E78-10126] p0206 N78-23502
- Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2
[E78-10127] p0206 N78-23503
- KEITH, S. J.**
The impact of groundwater development in arid lands: A literature review and annotated bibliography
[PB-276908/1] p0207 N78-23551
- KENDALL, S. M.**
Measurement of ocean temperature and salinity via microwave radiometry
p0200 A78-35347
- KESSELL, S. R.**
Evaluation of a Fire Behavior Information Integration System for Southern California Chaparral Wildlands
p0179 A78-34382
- KHORRAM, S.**
Use of Landsat multispectral imagery in estimating snow areal extent and snow water content cost-effectively
p0205 A78-40175
- KINDLE, E. C.**
An experimental/analytical program to assess the utility of lidar for pollution monitoring
[NASA-CR-157302] p0189 N78-27614
- KIRBY, M. E.**
A theoretical model for the evaluation of the interactions between Landsat MSS data and UTM maps in geometric transformations
p0212 A78-34875
- KIRUKHIN, L. G.**
Tectonics of the Central European plate and surrounding area on the basis of data from interpretation of space imagery
p0195 A78-35497
- KLEMAS, V.**
Remote sensing of coastal food resources
p0199 A78-34381
- Determination of spectral signatures of substances in natural waters
[NASA-CR-156998] p0189 N78-23506
- Monitoring coastal water properties and current circulation with ERTS-1
p0207 N78-23528
- Skylab/ERAP application to ecological, geological, and oceanographic investigations of Delaware Bay
[NASA-CR-144910] p0194 N78-27486
- KLENITSKII, B. M.**
Use of earth satellites for the construction of geodetic networks
p0192 A78-37889
- KUGE, R. K.**
Problems in hydrology
p0205 A78-37924
- KOCHANOWSKI, P.**
Modeling the benefits to world agriculture from remote sensing
p0182 A78-43067
- KOEPP, F.**
Airborne lidar aerosol measurements during the ASSESS II mission
p0188 A78-41462
- KOLOSOV, P. A.**
Space methods in hydrology
p0205 A78-37925
- KOMAMIYA, Y.**
Remote sensing technology
[REPT-192] p0227 N78-23536
- KONDRATYEV, K. Y.**
Cosmonauts study the earth
p0227 N78-24040
- KORNEEV, I. U. N.**
Geodetic connection of materials from a nonphotographic aerial survey
p0191 A78-34391
- The relation between the point coordinates of a place and its imagery for a pair of radar images
p0191 A78-34393
- KOSTIUK, T.**
Stratospheric ozone measurement with an infrared heterodyne spectrometer
p0217 A78-34124
- KRATKY, V.**
Reflexive prediction and digital terrain modelling
p0212 A78-36643
- KRISTOF, S. J.**
Comparing soil boundaries delineated by digital analysis of multispectral scanner data from high and low spatial resolution systems
p0213 A78-40161
- KUMAR, R.**
Determination and error analysis of emittance and spectral emittance measurements by remote sensing
p0180 A78-34878
- Feature selection and sample classification algorithms of INPE
p0218 A78-34879
- KUNDE, V. G.**
Stratospheric ozone measurement with an infrared heterodyne spectrometer
p0217 A78-34124
- KUO, C. Y.**
Laboratory requirements for in-situ and remote sensing of suspended material
[NASA-CR-145367] p0220 N78-22442
- KURILOVA, I. U. V.**
Space methods in hydrology
p0205 A78-37925
- KUROKAWA, K.**
Remote sensing technology
[REPT-192] p0227 N78-23536
- L**
- LABONTE, A. E.**
Image compression techniques
[AD-A050679] p0215 N78-22450
- LAIRD, A. G.**
Passive infrared sensing of the environment
p0185 A78-34204
- LAMAR, D. L.**
Active and inactive faults in southern California viewed from Skylab
p0189 N78-23523
- LANDGREBE, D. A.**
Requirements of a global information system for corn production and distribution
[E78-10137] p0183 N78-25503
- Research in remote sensing of agriculture, earth resources, and man's environment
[E78-10138] p0183 N78-25504
- LANDIS, I. M.**
Use of earth satellites for the construction of geodetic networks
p0192 A78-37889
- LANE, C.**
Antarctic mapping from satellite imagery
p0191 A78-34217
- LAPUSHKA, K.**
Estimates of the effectiveness of using AFU-75 cameras in photographic satellite tracking and satellite geodesy
p0219 A78-36196
- LAURIE, V. J.**
Application of Remote Sensing to the Chesapeake Bay Region. Volume 1: Executive summary
[NASA-CP-6] p0207 N78-23537
- LAUTSENIEKS, L.**
Estimates of the effectiveness of using AFU-75 cameras in photographic satellite tracking and satellite geodesy
p0219 A78-36196
- LEAMER, R. W.**
Plant cover, soil temperature, freeze, water stress, and evapotranspiration conditions
p0184 N78-27474
- LEBERL, F.**
Current status and perspectives of active microwave imaging for geoscience application
p0212 A78-36271
- LERCH, F. J.**
Computed and observed ocean topography - A comparison
p0199 A78-35344
- LEVINSON, R. A.**
Video processing - An effective tool for image analysis
p0212 A78-34876
- LEVIS, C. A.**
Distributed-switch diode radiometer
[NASA-CASE-GSC-12219-1] p0214 N78-22436
- LIANG, T.**
Assessment of aquatic vegetation with satellite-derived data
[NASA-CR-156295] p0205 N78-22454
- Cornell University remote sensing program
[NASA-CR-156993] p0206 N78-23508
- Cornell University remote sensing program
[E78-10130] p0228 N78-25496
- LINDENMEIER, H.**
An Adcock system with active antennas for mobile applications
p0212 A78-37973
- LO, J. K.**
EROS Data Center Landsat digital enhancement techniques and imagery availability, 1977
p0212 A78-34931
- LOBANOV, A. N.**
Aerial phototopography /2nd enlarged edition/
p0192 A78-37888
- LOCK, B. F.**
Guidelines for using Landsat data for rural land use surveys in developing countries
p0186 A78-36268
- LOEFFLER, H.**
Airborne lidar aerosol measurements during the ASSESS II mission
p0188 A78-41462
- LONGCOPE, D. B.**
Initial response of a rock penetrator
[SAND-77-1712] p0197 N78-26499
- LOVELL, B.**
The costs and benefits of space observations
p0225 A78-34202
- LOWITZ, G. E.**
Study of image on-board processing methods
[REPT-60/382] p0215 N78-23409
- LOZANO, F.**
Pilot study of vegetation in the Alchichica-Perote region by remote sensing
[NASA-TM-75101] p0183 N78-24596
- LUNDHOLM, G.**
Sea Ice-75. IR-scanner results
[REPT-16-6] p0202 N78-23545
- LVOVICH, M. I.**
Problems in hydrology
p0205 A78-37924
- M**
- MACDONALD, H. C.**
LANDSAT linear trend analysis: A tool for groundwater exploration in northern Arkansas
[PB-277121/0] p0207 N78-23550
- MACE, A. C., JR.**
Assessment of water quality status and trends in Minnesota by remote sensing techniques
[PB-277822] p0189 N78-25509
- MAGEE, R. L.**
Investigation of the application of array of algebra to terrain mod
[AD-A054007] p0194 N78-27494
- MAJDE, A.**
Remarks on calibration of photogrammetric cameras
p0220 A78-41208
- MAJUMDAR, T. J.**
Machine processing of aerial data for Agricultural Resources Inventory and Survey Experiment
p0181 A78-40167
- MAJUMDER, K. L.**
Mapping of forest regions from Landsat imagery by computer processing - A case study of East Bastar region
p0180 A78-34872
- Machine processing of aerial data for Agricultural Resources Inventory and Survey Experiment
p0181 A78-40167
- MAKAROVIC, B.**
Transfer functions of interpolation methods
p0192 A78-36269
- MALENSBAUM, W.**
World demand for raw materials in 1985 and 2000
[PB-277707] p0228 N78-25016
- MARKHAM, B. L.**
Assessment of aquatic vegetation with satellite-derived data
[NASA-CR-156295] p0205 N78-22454
- MARKE, D.**
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1
[E78-10126] p0206 N78-23502
- Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2
[E78-10127] p0206 N78-23503
- MARLAN, T. L.**
Applications of ERTS-1 imagery to terrestrial and marine environmental analyses in Alaska
p0206 N78-23525
- MARLATT, W. E.**
The potential benefit of improving the dissemination of agricultural weather information to the Mississippi cotton farmer
[E78-10153] p0184 N78-27483
- MARMELSTEIN, A. D.**
A feasibility demonstration of aerial photographic support for marine archaeological surveys
p0201 N78-23529
- MARRS, R. W.**
Video processing - An effective tool for image analysis
p0212 A78-34876
- MARSH, J. G.**
Computed and observed ocean topography - A comparison
p0199 A78-35344
- MARSHALL, R.**
Application of computer processed multispectral data to the discrimination of land collapse (sinkhole) prone areas in Florida
p0206 N78-23521
- MARTE, J. E.**
Applications of aerospace technology to petroleum extraction and reservoir engineering
[NASA-CR-157167] p0197 N78-25233
- MARTIN, M. A.**
Requirements of a global information system for corn production and distribution
[E78-10137] p0183 N78-25503
- MARTIN, R. L.**
Simulation of imaging radar systems
p0214 A78-43064
- MARTINKO, E. A.**
The application of remote sensing to resource management and environmental quality programs in Kansas
[E78-10154] p0184 N78-27484
- MASAMURA, T.**
Detection of atmospheric pollutants by quantitative analytical spectroscopy using a continuously scanned tunable dye laser
p0187 A78-36920
- MASEVICH, A. G.**
International Symposium on Geodesy and Physics of the Earth, 3rd, Weimar, East Germany, October 25-31, 1976, Proceedings. Parts 1, 2 & 3
p0191 A78-36051

O

- MATHER, R. S.**
The earth's gravity field and ocean dynamics
[NASA-TM-79540] p0193 N78-24600
- MATIEDA, I. C.**
Machine processing of aerial data for Agricultural Resources Inventory and Survey Experiment p0181 A78-40167
- MATUCK, J. S.**
Summary of 1977 geothermal drilling - Western United States p0196 A78-40534
- MATSON, M.**
Applications of HCMM data to soil moisture snow and estuarine current studies
[E78-10140] p0208 N78-26510
- MAUELSHAGEN, L.**
Partial calibration of a photogrammetry system using test fields p0220 N78-22445
- MAUSEL, P. W.**
Machine processing of Landsat multispectral data for low cost development of regional land cover information in Indiana p0211 A78-34865
[ISURSL levels classification - A low cost approach to multispectral data analysis] p0213 A78-40184
- MCCALLUM, C. J.**
Image compression techniques
[AD-A050679] p0215 N78-22450
- MCGINNIS, D. F.**
Applications of HCMM data to soil moisture snow and estuarine current studies
[E78-10140] p0208 N78-26510
- MCKIM, H. L.**
Applications of ERTS-1 imagery to terrestrial and marine environmental analyses in Alaska p0206 N78-23525
- MCLAUCHLAN, E. C.**
Recent advances in the application of thermal infrared scanning to geological and hydrological studies p0219 A78-36307
- MCMURTRY, J. E.**
Hand-held radiometer red and photographic infrared spectral measurements of agricultural crops
[NASA-TM-78091] p0182 N78-22438
- MCNABB, P.**
Recent advances in the application of thermal infrared scanning to geological and hydrological studies p0219 A78-36307
- MCNAIR, A. J.**
Cornell University remote sensing program
[NASA-CR-156993] p0206 N78-23508
Cornell University remote sensing program
[E78-10130] p0228 N78-25496
- MCQUILLAN, A. K.**
Applications of satellite thermal infrared measurements to earth's resources studies p0218 A78-34926
- MEAD, R. A.**
Landsat digital data application to forest vegetation and land use classification in Minnesota p0182 A78-40180
- MECK, D. C.**
Transfer, installation and flight testing of the modified Airborne Oil Surveillance System (AOSS II) in a HC-130 B aircraft
[AD-A052434] p0222 N78-24605
- MEES, S. A.**
A study of gaseous pollutants in the Houston, Texas area p0186 A78-35684
- MEJIA, C.**
Pilot study of vegetation in the Alchichica-Perote region by remote sensing
[NASA-TM-75101] p0183 N78-24596
- MELLOR, J.**
Suspended sediments and related limnology of an alpine lake system
[RLO/2229/T10-2] p0201 N78-22453
- MENFIELD, P. M.**
Active and inactive faults in southern California viewed from Skylab p0189 N78-23523
- MEYER, M. P.**
Landsat digital data application to forest vegetation and land use classification in Minnesota p0182 A78-40180
Assessment of water quality status and trends in Minnesota by remote sensing techniques
[PB-277822] p0189 N78-25509
- MILLAN, M. M.**
Remote sensing of air pollutants by correlation spectroscopy - Instrumental response characteristics p0188 A78-43161
- MILLARD, J. P.**
Airborne thermography for crop water stress assessment p0180 A78-34886
- MILLER, J. M.**
Applications of remote sensing data in Alaska: A cooperative program of the University of Alaska with user organizations, including local, state and federal government agencies
[NASA-CR-156996] p0227 N78-23533
- MILLER, L. D.**
Korean coastal water depth/sediment and land cover mapping (1:25,000) by computer analysis of LANDSAT imagery
[NASA-TM-79546] p0207 N78-23532
- MILLER, S. H.**
Geologic application of thermal-inertia mapping from satellite
[E78-10146] p0194 N78-27476
- MILLER, V. C.**
Solar stereo Landsat imagery p0212 A78-36270

- MILLS, F. S.**
An experimental/analytical program to assess the utility of lidar for pollution monitoring
[NASA-CR-157302] p0189 N78-27614
- MITCHELL, W. B.**
Computer enhancement techniques of Landsat MSS digital images for land use/land cover assessments p0211 A78-34866
- MOONEY, H. MCD.**
Passive microwave radiometry from a European spacecraft p0217 A78-34206
- MOORE, D. G.**
HCMM energy budget data as a model input for assessing regions of high potential groundwater pollution
[E78-10145] p0209 N78-27475
- MOORE, R. K.**
Backscatter properties of sea ice with radar: Arctic operations description and preliminary data summary
[AD-A052711] p0203 N78-24603
- MORRA, R. H. J.**
Sea Ice-75. Ice detection by SLAR
[REPT-16-3] p0202 N78-23542
- MORRISON, D. S.**
Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, Purdue University, West Lafayette, Ind., June 21-23, 1977. Proceedings p0225 A78-40155
- MOWER, R. D.**
A computer processed / Landsat/ land cover map of North Dakota p0191 A78-34868
- MROCYNSKI, R. P.**
The application of remote sensing technology to the solution of problems in the management of resources in Indiana
[E78-10129] p0183 N78-24593
- MUELLER, J.**
Concept for the calculation of extensive image associations using the bundle method p0220 N78-22447
- MULLINIX, B. R.**
Real-time acoustical holography systems
[AD-A052000] p0221 N78-23405
- MULSON, J. F.**
Holographic terrain simulation
[AD-A053472] p0194 N78-27388
- MUMMA, M. J.**
Stratospheric ozone measurement with an infrared heterodyne spectrometer p0217 A78-34124
- MUNOZ, L.**
Application of image principal component technique to the geological study of a structural basin in Central Spain p0196 A78-40176

N

- NAKASHIMA, M.**
Remote pollution probing by laser-induced luminescence techniques p0186 A78-36918
- NAMKEN, L. N.**
Plant cover, soil temperature, freeze, water stress, and evapotranspiration conditions
[E78-10144] p0184 N78-27474
- NAZAROV, I. M.**
Remote monitoring of environmental pollution p0187 A78-38873
- NEO, Y. P.**
SCIMP - A scanning interferometric multiplex photometer p0219 A78-40487
- NEWKIRK, R. W.**
Skylab: A chronology
[NASA-SP-4011] p0228 N78-25115
- NG, J.**
Assessment of aquatic vegetation with satellite-derived data
[NASA-CR-156295] p0205 N78-22454
- NIEMANN, B. J., JR.**
Rural landscape assessment - A comparative evaluation of high platform remote sensing p0185 A78-34864
- NILL, K. W.**
Spectral measurements of gaseous sulfuric acid using tunable diode lasers
[PB-278985/7] p0189 N78-27654
- NILSSON, E.**
Passive microwave radiometry from a European spacecraft p0217 A78-34206
- NILSSON, J.**
Sea Ice-75. FLAR, ODAR, ship's radar
[REPT-16-5] p0202 N78-23544
- NILSSON, Y.**
Sea Ice-75. FLAR, ODAR, ship's radar
[REPT-16-5] p0202 N78-23544
- NIXON, P. R.**
Plant cover, soil temperature, freeze, water stress, and evapotranspiration conditions
[E78-10144] p0184 N78-27474
- NOBBER, F. J.**
Solid waste and remote sensing. Preliminary studies suggest that small-scale aerial remote-sensing records and, in particular, aerial photographs can contribute to regional solid-waste management and planning p0222 N78-23531
- NUMMEDAL, D.**
Aerial field guide p0209 N78-27472
- NYE, J. F.**
Remote sensing in glaciology and the physics of echoes p0199 A78-34216

P

- PAPE, J.**
Backscatter properties of sea ice with radar: Arctic operations description and preliminary data summary
[AD-A052711] p0203 N78-24603
- PARASHAR, S.**
Sea Ice-75. Analysis of SLAR data
[REPT-16-4] p0202 N78-23543
- PARIKH, J. A.**
Automatic cloud classification and segmentation p0215 N78-22805
- PARK, K. Y.**
Korean coastal water depth/sediment and land cover mapping (1:25,000) by computer analysis of LANDSAT imagery
[NASA-TM-79546] p0207 N78-23532
- PARKHURST, W. H.**
Ten-Ecosystem Study (TES) site 4, Sandoval County, New Mexico
[E78-10110] p0182 N78-23497
- PAUL, C. K.**
Internationalization of remote sensing technology p0225 A78-36649
- PAVLOV, V. I.**
Constructing locality profiles by a photogrammetric method p0192 A78-37598
- PEART, R. M.**
Requirements of a global information system for corn production and distribution
[E78-10137] p0183 N78-25503
- PECKHAM, G. E.**
Remote sensing p0221 N78-23329
- PEEL, R. F.**
Remote sensing of the terrestrial environment: Proceedings of the Twenty-eighth Symposium, University of Bristol, Bristol, England, April 5-9, 1976 p0211 A78-34201
- PEET, F. G.**
A poor man's digital image interpretation system p0225 A78-34927
- PEMBERTON, D. A.**
Application of Remote Sensing to the Chesapeake Bay Region. Volume 1: Executive summary
[NASA-CP-6] p0207 N78-23537
- PETRENKO, A. S.**
Significance of the space imagery for studies of the petroleum platform areas p0195 A78-34877
- PETRUBEVICH, I. U. M.**
Manual for interpreting aerial photographs for soil investigations p0180 A78-40125

- PHILIPSON, W. R.**
Assessment of aquatic vegetation with satellite-derived data
[NASA-CR-156295] p0205 N78-22454
Cornell University remote sensing program
[NASA-CR-156993] p0206 N78-23508
Cornell University remote sensing program
[E78-10130] p0228 N78-25496
- PHILPOT, W.**
Determination of spectral signatures of substances in natural waters
[NASA-CR-156998] p0189 N78-23506
Skylab/ERAP application to ecological, geological, and oceanographic investigations of Delaware Bay
[NASA-CR-144910] p0194 N78-27486
- PIERCE, R.**
Land use and land cover mapping: City of Palm Bay, Florida
[NASA-CR-154625] p0193 N78-23534
- PILO, C.**
Sea Ice-75
[REPT-16-9] p0202 N78-23548
- PISACANE, V. L.**
GEOS-3 ocean geoid investigation
[NASA-CR-141440] p0194 N78-24776
- PITTS, J. M., JR.**
A kilometer pathlength Fourier-transform infrared system for the study of trace pollutants in ambient and synthetic atmospheres
p0188 A78-43162
- PLACE, J. L.**
Change in land use in the Phoenix (1:250-000) quadrangle, Arizona between 1970 and 1973: ERTS as an aid in a nationwide program for mapping general land use
p0193 N78-23518
- PLEVIN, J.**
A European earth resources space programme
p0225 A78-34219
- POHL, R. A.**
EROS Data Center Landsat digital enhancement techniques and imagery availability, 1977
p0212 A78-34931
- POLLARD, W. J.**
Symposium on Application of Remotely Sensed Data to Land Resources Planning, Ann Arbor, Mich., May 20, 1977, Proceedings
p0186 A78-35020
- POUNDER, W.**
Seasat-A opens new phase in earth observations
p0201 A78-38523
- PRAKASH, C. V. S.**
Machine processing of aerial data for Agricultural Resources Inventory and Survey Experiment
p0181 A78-40167
- PRATT, D. A.**
Recent advances in the application of thermal infrared scanning to geological and hydrological studies
p0219 A78-36307
- PREBLE, D. M.**
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1
[E78-10121] p0215 N78-23498
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 5: Electronic thermal sensor and data collection platform technology
[E78-10124] p0216 N78-23500
- PRIDDY, K. T.**
The potential benefit of improving the dissemination of agricultural weather information to the Mississippi cotton farmer
[E78-10153] p0184 N78-27483
- PRYOR, L. L.**
GEOS-3 ocean geoid investigation
[NASA-CR-141440] p0194 N78-24776
- PURNELL, R. F., JR.**
On the transfer of remote sensing technology to an operational data system
p0226 A78-40170
- Q**
- QUATTROCHI, D.**
The verification of LANDSAT data in the geographical analysis of wetlands in west Tennessee
[NASA-CR-3012] p0208 N78-25508
- R**
- RAGUSA, J. M.**
Remote sensing and the earth
[NASA-TM-79444] p0227 N78-23509
- RAICHE, A. P.**
A multi-attribute method for comparing geological lineament interpretations
p0196 A78-36305
- RAJA SINGH, C. K.**
Orbit selection for earth resources satellites
[ISRO-ISAC-TN-05-77] p0221 N78-23125
- RAMPLEE-SMITH, C.**
Side looking radar for ice reconnaissance
p0199 A78-34929
- RANSEIER, R. O.**
Microwave remote sensing of sea ice in the AIDJEX Main Experiment
p0200 A78-35348
- Time-dependence of sea-ice concentration and multiyear ice fraction in the Arctic Basin
p0200 A78-35349
- RAMBEYER, J. B.**
Microwave remote sensing of sea ice in the AIDJEX Main Experiment
p0200 A78-35348
- RAYNER, D. M.**
Time-resolved laser fluorosensors - A laboratory study of their potential in the remote characterization of oil
p0195 A78-35822
- REA, J. C.**
A camera system for small format aerial photography
p0218 A78-34873
- REDMOND, A.**
Microwave remote sensing of sea ice in the AIDJEX Main Experiment
p0200 A78-35348
- REED, L.**
Skylab/ERAP application to ecological, geological, and oceanographic investigations of Delaware Bay
[NASA-CR-144910] p0194 N78-27486
- REGINATO, R. J.**
Airborne thermography for crop water stress assessment
p0180 A78-34886
- REHDER, J.**
The verification of LANDSAT data in the geographical analysis of wetlands in west Tennessee
[NASA-CR-3012] p0208 N78-25508
- REID, I. A.**
Retransmission of hydrometric data in Canada
[E78-10131] p0208 N78-25497
- RENGER, W.**
Planned operation of a multidisciplinary airborne lidar
p0187 A78-39631
- RICHARDSON, A. J.**
A table look-up procedure for rapidly mapping vegetation cover and crop development
p0182 A78-40181
Plant cover, soil temperature, freeze, water stress, and evapotranspiration conditions
p0184 N78-27474
- RICHIE, W. C.**
A remote sensing system for a nationwide data-bank
p0226 A78-40169
- ROACH, J. F.**
Remote pollution probing by laser-induced luminescence techniques
p0186 A78-36918
- ROBINSON, G.**
Use of Landsat-1 imagery in exploration for Keweenaw-type copper deposits
p0196 A78-36304
- RODEMANN, A. H.**
Holographic terrain simulation
[AD-A053472] p0194 N78-27388
- ROGERS, R.**
Skylab/ERAP application to ecological, geological, and oceanographic investigations of Delaware Bay
[NASA-CR-144910] p0194 N78-27486
- ROGERS, R. H.**
Water-management models in Florida from LANDSAT-1 data
p0207 N78-23526
Monitoring coastal water properties and current circulation with ERTS-1
p0207 N78-23528
- ROWDE, W. G.**
EROS Data Center Landsat digital enhancement techniques and imagery availability, 1977
p0212 A78-34931
- ROSE, R. J.**
A resolution limitation on sea-echo radar spectra inferred from point to point ionospheric Doppler broadening
p0201 A78-37058
- ROSENTHAL, W. D.**
Dryland pasture and crop conditions as seen by HCMM
[E78-10134] p0183 N78-25500
- ROTHER, K. W.**
Remote sensing using tunable lasers
[AED-CONF-77-165-002] p0189 N78-26439
- RUGGLES, F.**
Optical data processing and projected applications of the ERTS-1 imagery covering the 1973 Mississippi River Valley floods
p0206 N78-23524
- RUPPERSBERG, G. H.**
Planned operation of a multidisciplinary airborne lidar
p0187 A78-39631
- RUTH, B. E.**
Satellite applications to a coastal inlet study, Clearwater Beach, Florida
[NASA-CR-156994] p0208 N78-23700
- S**
- SABINS, F. F., JR.**
Remote sensing: Principles and interpretation
p0226 A78-43070
- SAKURAI, K.**
Remote sensing technology
[REPT-192] p0227 N78-23536
- SANTISTEBAN, A.**
Application of image principal component technique to the geological study of a structural basin in Central Spain
p0196 A78-40176
- SAUCHYN, D. J.**
Landsat applied to landslide mapping
p0193 A78-41191
- SCHERER, D. J.**
Annual Symposium on Machine Processing of Remotely Sensed Data, 4th, Purdue University, West Lafayette, Ind., June 21-23, 1977, Proceedings
p0225 A78-40155
- SCHMITZ-HUEBSCH, H.**
The Upper Bavaria network for earth tides - First measurement of 1970-1975
p0196 A78-36081
- SCHMUGGE, T.**
Dielectric constants of soils at microwave frequencies-2
[NASA-TP-1238] p0207 N78-23538
- SCHNEIDER, M. M.**
Investigations of earth tides at Tiefenort
p0191 A78-36078
- SCHROEDER, L. C.**
SeaSat-A Satellite Scatterometer (SASS) validation and experiment plan
[NASA-TM-78751] p0223 N78-27485
- SCHWANTJE, R. S.**
Transfer, installation and flight testing of the modified Airborne Oil Surveillance System (AOSS II) in a HC-130 B aircraft
[AD-A052434] p0222 N78-24605
- SGERGEEV, A. S.**
Geodetic connection of materials from a nonphotographic aerial survey
p0191 A78-34391
- SHAHROKHI, F.**
Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers
p0225 A78-34851
The application of satellite data in monitoring strip mines
p0195 A78-34880
- SHARBER, L. A.**
The application of satellite data in monitoring strip mines
p0195 A78-34880
- SHELDON, J. W.**
In situ measurement of water transparency
p0219 A78-41189
- SHEPHERD, G. G.**
SCIMP - A scanning interferometric multiplex photometer
p0219 A78-40487
- SHEPHERD, W. G.**
A study of Minnesota land and water resources using remote sensing
[E78-10143] p0208 N78-26513
- SHERMAN, N.**
Imaging sensors for RPVs
p0213 A78-40205
- SHIOMI, H.**
Remote sensing technology
[REPT-192] p0227 N78-23536
- SHLIEN, S.**
A four-dimensional histogram approach to the clustering of Landsat data
p0213 A78-40178
- SHUCHMAN, R. A.**
Processing of ocean wave data from a synthetic aperture radar
p0218 A78-35338
- SIBERT, J. L.**
Mapping offshore oil leases
[LA-UR-77-2892] p0194 N78-27500
- SIGMAN, R.**
Stratified acreage estimates in the Illinois crop-acreage experiment
p0181 A78-40163
- SIMON, D.**
Investigations of earth tides at Tiefenort
p0191 A78-36078
- SIMONETT, D. S.**
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1
[E78-10126] p0206 N78-23502
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2
[E78-10127] p0206 N78-23503
- SIMONS, J. L.**
Image data security in the concept of the Agricultural Real Time Imaging Satellite System (ARTISS)
[NLR-TR-76010-U] p0184 N78-26527
- SMITH, C. L.**
The utilization of side looking airborne Radar (SLAR) in the analysis of Karst topography
[AD-A051330] p0193 N78-24410
- SMITH, J. L.**
Summary of 1977 geothermal drilling - Western United States
p0196 A78-40534
- SMITH, R. E.**
Use of Landsat-1 imagery in exploration for Keweenaw-type copper deposits
p0196 A78-36304
- SMITH, T. F.**
Digital analysis of multispectral aerial and Landsat data for land use planning in Britain
p0185 A78-34210
- SMUTZ, M.**
Satellite applications to a coastal inlet study, Clearwater Beach, Florida
[NASA-CR-156994] p0208 N78-23700
- SNYDER, J. P.**
The Space Oblique Mercator projection
p0219 A78-36644
- SOMOV, N. V.**
Problems in hydrology
p0205 A78-37924
- SOTO, M.**
Pilot study of vegetation in the Alchichica-Perote region by remote sensing
[NASA-TM-75101] p0183 N78-24596
- SOUSA, J. A.**
Remote pollution probing by laser-induced luminescence techniques
p0186 A78-36918

- SPENCER, R. D.**
Map intensification from small format camera photography p0182 A78-41188
- SPWACK, A. G.**
Study of image on-board processing methods [REPT-60/382] p0215 N78-23409
- STARBUCK, R. R.**
Stratified acreage estimates in the Illinois crop-acreage experiment p0181 A78-40163
- STAVTSEV, A. L.**
Annular structures on the earth p0197 N78-25044
- STEELE, K. F.**
LANDSAT linear trend analysis: A tool for groundwater exploration in northern Arkansas [PB-277121/0] p0207 N78-23550
- STEINER, D.**
A theoretical model for the evaluation of the interactions between Landsat MSS data and UTM maps in geometric transformations p0212 A78-34875
- STEVENS, W. E.**
The Kenya rangeland ecological monitoring unit [E78-10132] p0189 N78-25498
- STICH, K.**
Imaging sensors for RPVs p0213 A78-40205
- STONER, E. R.**
Comparing soil boundaries delineated by digital analysis of multispectral scanner data from high and low spatial resolution systems p0213 A78-40161
- STRANDBERG, C. H.**
Photoarchaeology. Reconnaissance tests using color, as well as other films, indicate that exploration studies may be reduced from months to hours p0197 N78-23520
- STRINGER, W. J.**
LANDSAT survey of near-shore ice conditions along the Arctic coast of Alaska [E78-10136] p0203 N78-25502
- STRONG, D.**
Thermal infrared studies - Forteau Bay, Labrador p0199 A78-34862
- SWAIN, P. H.**
Advancements in machine-assisted analysis of multispectral data for land use applications p0213 A78-40185
- SWAMINATHAN, V. L.**
Mapping of forest regions from Landsat imagery by computer processing - A case study of East Bastar region p0180 A78-34872
- Machine processing of aerial data for Agricultural Resources Inventory and Survey Experiment p0181 A78-40167
- SWANSON, E. R.**
Reconnaissance geology of the Tomochic-Ocampo area Sierra Madre Occidental, Chihuahua, Mexico p0198 N78-27681
- SWITHINBANK, C.**
Antarctic mapping from satellite imagery p0191 A78-34217
- SZABO, A. G.**
Time-resolved laser fluorosensors - A laboratory study of their potential in the remote characterization of oil p0195 A78-35822
- T**
- TAKAHISA, K.**
Remote sensing technology [REPT-192] p0227 N78-23536
- TAKANO, M.**
Remote sensing technology [REPT-192] p0227 N78-23536
- TAKEUCHI, S.**
Digital analysis of Landsat images and applications p0212 A78-36456
- TARBET, J. D.**
On the transfer of remote sensing technology to an operational data system p0226 A78-40170
- TEGELER, W.**
First results of photogrammetric fixed point concentration Hordorf p0221 N78-22448
- TEMPLI, K.**
Transfer functions of interpolation methods p0192 A78-36269
- TENGSTROEM, E.**
International Symposium on Geodesy and Physics of the Earth, 3rd, Weimar, East Germany, October 25-31, 1976. Proceedings. Parts 1, 2 & 3 p0191 A78-36051
- TERANISHI, E.**
Remote sensing technology [REPT-192] p0227 N78-23536
- THADANI, S. G.**
The Maximum Likelihood Estimation of Signature Transformation /MLEST/ algorithm p0181 A78-40162
- THAIN, E.**
A new measuring system for realizing photometric and radiometric scales [CSIR-RR-332] p0222 N78-24522
- THEIS, J. B.**
An all-purpose change-detection and recording system p0191 A78-34874
- THOMAS, J.**
Compensation of systematic image errors by photoflight dispositions? p0220 N78-22444
- THOMAS, R. W.**
Two phase sampling for wheat acreage estimation p0181 A78-40164
- THOMAS, V. L.**
Generation and physical characteristics of the LANDSAT-1, -2 and -3 MSS computer compatible tapes [NASA-TM-78018] p0215 N78-22437
- THOMPSON, T.**
Sea Ice-75 [REPT-16-9] p0202 N78-23548
- THOMSON, N. S.**
Application of computer processed multispectral data to the discrimination of land collapse (sinkhole) prone areas in Florida p0206 N78-23521
- THORNE, J. F.**
The remote sensing of algae p0185 A78-34860
- THRANE, L.**
Passive microwave radiometry from a European spacecraft p0217 A78-34206
- Evaluation of Multi-Frequency-Microwave-Radiometer-System performance for oceanography p0200 A78-35351
- TINNEY, L. R.**
High-altitude versus Landsat imagery for digital crop identification p0182 A78-41190
- TISSIER, R.**
Technical description of remote-sensing data receivers and transmitters for balloon experiments p0218 A78-35181
- TOMIYASU, K.**
Tutorial review of synthetic-aperture radar /SAR/ with applications to imaging of the ocean surface p0218 A78-35932
- TRENCH, N. R.**
Landsat applied to landslide mapping p0193 A78-41191
- TRIBBLE, A. P.**
The utilization of side looking airborne Radar (SLAR) in the analysis of Karst topography [AD-A051330] p0193 N78-24410
- TRIFONOVA, T. A.**
Manual for interpreting aerial photographs for soil investigations p0180 A78-40125
- TUASON, E. C.**
A kilometer pathlength Fourier-transform infrared system for the study of trace pollutants in ambient and synthetic atmospheres p0188 A78-43162
- TUCKER, C. J.**
Hand-held radiometer red and photographic infrared spectral measurements of agricultural crops [NASA-TM-78091] p0182 N78-22438
- TUNHEIM, J.**
HCMM energy budget data as a model input for assessing regions of high potential groundwater pollution [E78-10145] p0209 N78-27475
- TURNER, R.**
A new measuring system for realizing photometric and radiometric scales [CSIR-RR-332] p0222 N78-24522
- TWOMEY, S.**
Introduction to the mathematics of inversion in remote sensing and indirect measurement p0225 A78-36499
- U**
- UDIN, I.**
Sea Ice-75. Ground truth report [REPT-16-2] p0201 N78-23541
- Sea Ice-75. Dynamical report [REPT-16-8] p0202 N78-23547
- ULIANA, E. A.**
Ocean wave heights measured by a high resolution pulse-limited radar altimeter p0200 A78-35345
- USTINOV, G. A.**
Use of earth satellites for the construction of geodetic networks p0192 A78-37889
- V**
- VAN GENDEREN, J. L.**
Guidelines for using Landsat data for rural land use surveys in developing countries p0186 A78-36268
- VANDER VELDE, W. E.**
Use of the Fast Fourier Transform in evaluation of laser Raman and fluorescence decay times p0187 A78-38921
- VANDERBRUG, G. J.**
Linear feature detection and mapping p0216 N78-27473
- VANINGENSCHENAU, H. A.**
Image data security in the concept of the Agricultural Real Time Imaging Satellite System (ARTISS) [NLR-TR-76010-U] p0184 N78-26527
- VANT, M. R.**
Microwave remote sensing of sea ice in the AIDJEX Main Experiment p0200 A78-35348
- VASILENKO, G. I.**
Holographic pattern recognition p0211 A78-33595
- VASS, P. A.**
Guidelines for using Landsat data for rural land use surveys in developing countries p0186 A78-36268
- VEISMANN, V. K.**
Near-infrared remote-sensing radiometer p0219 A78-38460
- VILLA, J.**
Pilot study of vegetation in the Alchichica-Perote region by remote sensing [NASA-TM-75101] p0183 N78-24596
- VILLMANN, CH. I.**
Near-infrared remote-sensing radiometer p0219 A78-38460
- VINCENT, L.**
High-altitude aerial photographs aid in investigations p0216 N78-23527
- VLASIN, R.**
Improved resource use decisions and actions through remote sensing p0227 N78-23519
- VONBUN, F. O.**
Computed and observed ocean topography - A comparison p0199 A78-35344
- W**
- WALSH, E. J.**
Ocean wave heights measured by a high resolution pulse-limited radar altimeter p0200 A78-35345
- WALTHER, H.**
Remote sensing using tunable lasers [AED-CONF-77-165-002] p0189 N78-26439
- WANG, J.**
Dielectric constants of soils at microwave frequencies-2 [NASA-TP-1238] p0207 N78-23538
- WANG, Y. H.**
Satellite applications to a coastal inlet study, Clearwater Beach, Florida [NASA-CR-156994] p0208 N78-23700
- WATSON, K.**
Geologic application of thermal-inertia mapping from satellite [E78-10146] p0194 N78-27476
- WAYENBERG, J.**
Microwave remote sensing of sea ice in the AIDJEX Main Experiment p0200 A78-35348
- WEAVER, R.**
Microwave remote sensing of sea ice in the AIDJEX Main Experiment p0200 A78-35348
- WEBB, K. E.**
Application of digital analysis of MSS data to agroenvironmental studies [E78-10133] p0183 N78-25499
- Application of digital analysis of MSS data to agro-environmental studies [E78-10151] p0184 N78-27481
- WEISSMILLER, R. A.**
The application of remote sensing technology to the solution of problems in the management of resources in Indiana [E78-10129] p0183 N78-24593
- WERNER, CH.**
Airborne lidar aerosol measurements during the ASSESS II mission p0188 A78-41462
- WESCOTT, T.**
A Landsat Agricultural Monitoring Program p0180 A78-40160
- WESTRA, R. N.**
Remote sensing of geobotanical relations in Georgia [NASA-CR-150709] p0197 N78-25505
- WETTE, C.**
Monitoring coastal water properties and current circulation with ERTS-1 p0207 N78-23528
- WHEELER, S. G.**
Thematic mapper design parameter investigation [NASA-CR-156756] p0216 N78-23505
- WHITBY, K. T.**
Aerosol size distributions and aerosol volume formation for a coal-fired power plant plume p0188 A78-41254
- WHITE, J. M.**
The net radiation budget of the St. Louis metropolitan area p0187 A78-37304
- WHITE, T. T.**
On the transfer of remote sensing technology to an operational data system p0226 A78-40170
- WIEGAND, C. L.**
Reflectance and photographic characteristics of three citrus varieties for discrimination purposes p0180 A78-34871
- A table look-up procedure for rapidly mapping vegetation cover and crop development p0182 A78-40181
- Plant cover, soil temperature, freeze, water stress, and evapotranspiration conditions [E78-10144] p0184 N78-27474
- WIESEMANN, W.**
Flight-testing of a continuous laser remote sensing system p0187 A78-39632
- WIESNET, D. R.**
Applications of HCMM data to soil moisture snow and estuarine current studies [E78-10140] p0208 N78-26510
- WIGHTMAN, J. M.**
A poor man's digital image interpretation system p0225 A78-34927
- WIGNALL, B. L.**
A critical review of the Quantimet 720 image analyser in remote sensing p0217 A78-34207

PERSONAL AUTHOR INDEX

ZWICK, H. H.

WILHEIT, T. T., JR.

A review of applications of microwave radiometry to oceanography p0200 A78-35346

WILKERSON, T. D.

Application of Remote Sensing to the Chesapeake Bay Region. Volume 1: Executive summary [NASA-CP-6] p0207 N78-23537

WILLIAMS, D.

Dielectric constants of soils at microwave frequencies-2 [NASA-TP-1238] p0207 N78-23538

WILLIAMS, D. L.

Utilization of LANDSAT imagery for mapping vegetation on the millionth scale p0183 N78-23517

WILLIAMS, T. H. L.

The role of ground truth data and an approach to its collection p0217 A78-34855

WINDSON, E. P. L.

Passive microwave radiometry from a European spacecraft p0217 A78-34206

WINER, A. M.

A kilometer pathlength Fourier-transform infrared system for the study of trace pollutants in ambient and synthetic atmospheres p0188 A78-43162

WISOTSKY, S. R.

Use of the Fast Fourier Transform in evaluation of laser Raman and fluorescence decay times p0187 A78-36921

WOERNER, C. V.

System implementation for Earth Radiation Budget Satellite System p0218 A78-34910

WOLLE, F. R.

Overhead environmental monitoring with light utility aircraft: Demonstration and evaluation of the system [PB-278748/9] p0223 N78-27647

WOOD, L.

Electric and magnetic sensing systems: Applications [UCID-17597] p0221 N78-23406

WORSFOLD, R. D.

Thermal infrared studies - Forteau Bay, Labrador p0199 A78-34862

WYNER, E. F.

Remote pollution probing by laser-induced luminescence techniques p0186 A78-36918

WYRTKI, K.

Lateral oscillations of the Pacific Equatorial Countercurrent p0201 A78-40474

Y

YAPLEE, B. S.

Ocean wave heights measured by a high resolution pulse-limited radar altimeter p0200 A78-35345

YIONOULIS, S. M.

GEOS-3 ocean geoid investigation [NASA-CR-141440] p0194 N78-24776

YU, T. S.

Contextual pattern classification for remotely sensed multispectral data p0214 A78-43056

Z

ZACHARY, A. L.

Comparing soil boundaries delineated by digital analysis of multispectral scanner data from high and low spatial resolution systems p0213 A78-40161

ZELENKA, J. S.

Processing of ocean wave data from a synthetic aperture radar p0218 A78-35338

ZETTWOOG, P.

Experimental results on the SO2 transfer in the Mediterranean obtained with remote sensing devices p0188 A78-41301

ZOBLER, L.

Application of digital analysis of MSS data to agro-environmental studies [E78-10151] p0184 N78-27481

ZWALLY, H. J.

Microwave remote sensing of sea ice in the AIDJEX Main Experiment p0200 A78-35348
Time-dependence of sea-ice concentration and multiyear ice fraction in the Arctic Basin p0200 A78-35349

ZWICK, H. H.


Passive electro-optical remote sensors at the Canada Centre for Remote Sensing p0218 A78-34930

CORPORATE SOURCE INDEX

Earth Resources / A Continuing Bibliography (Issue 19)

OCTOBER 1978

Typical Corporate Source Index Listing



The title of the document is used to provide a brief description of the subject matter. The page number and the accession number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document.

A

- AEROJET ELECTROSYSTEMS CO., AZUSA, CALIF.**
Transfer, installation and flight testing of the modified Airborne Oil Surveillance System (AOSS II) in a HC-130 B aircraft
[AD-A052434] p0222 N78-24605
- AGRICULTURAL RESEARCH SERVICE, PHOENIX, ARIZ.**
Airborne thermography for crop water stress assessment p0180 A78-34886
Heat capacity mapping mission [E78-10139] p0184 N78-26509
- AGRICULTURAL RESEARCH SERVICE, WESLACO, TEX.**
Distinguishing saline from nonsaline rangelands with Skylab imagery p0179 A78-34856
Reflectance and photographic characteristics of three citrus varieties for discrimination purposes p0180 A78-34871
Plant cover, soil temperature, freeze, water stress, and evapotranspiration conditions [E78-10144] p0184 N78-27474
- AIR FORCE ACADEMY, COLO.**
The utilization of side looking airborne Radar (SLAR) in the analysis of Karst topography [AD-A051330] p0193 N78-24410
- ALASKA UNIV., FAIRBANKS.**
Suspended sediments and related limnology of an alpine lake system [RL0/2229/T10-2] p0201 N78-22453
Applications of remote sensing data in Alaska: A cooperative program of the University of Alaska with user organizations, including local, state and federal government agencies [NASA-CR-156996] p0227 N78-23533
LANDSAT survey of near-shore ice conditions along the Arctic coast of Alaska [E78-10136] p0203 N78-25502
- APPLIED PHYSICS LAB., JOHNS HOPKINS UNIV., LAUREL, MD.**
GEOS-3 ocean geoid investigation [NASA-CR-141440] p0194 N78-24776
- APPLIED SCIENCE TECHNOLOGY, INC., ARLINGTON, VA.**
Multi-Sensor System (MUSS) for airborne surveillance of inshore waters [AD-A052544] p0222 N78-24604
- ARIZONA UNIV., TUCSON.**
The impact of groundwater development in arid lands: A literature review and annotated bibliography [PB-276908/1] p0207 N78-23551
- ARKANSAS UNIV., FAYETTEVILLE.**
LANDSAT linear trend analysis: A tool for groundwater exploration in northern Arkansas [PB-277121/0] p0207 N78-23550
- ARMY COLD REGIONS RESEARCH AND ENGINEERING LAB., HANOVER, N. H.**
Applications of ERTS-1 imagery to terrestrial and marine environmental analyses in Alaska p0206 N78-23525

- ARMY ENGINEER TOPOGRAPHIC LABS., FORT BELVOIR, VA.**
Investigation of the application of array of algebra to terrain mod [AD-A054007] p0194 N78-27494
Elevation data compaction by polynomial modeling [AD-A054003] p0216 N78-27495
- ARMY MISSILE RESEARCH AND DEVELOPMENT COMMAND, REDSTONE ARSENAL, ALA.**
Real-time acoustical holography systems [AD-A052000] p0221 N78-23405

B

- BUREAU OF MINERAL RESOURCES, GEOLOGY AND GEOPHYSICS, CANBERRA (AUSTRALIA).**
Digital data acquisition system in geophysical survey aircraft VH-BNG [BMR-185] p0222 N78-23552

C

- CALIFORNIA EARTH SCIENCE CORP., SANTA MONICA.**
Active and inactive faults in southern California viewed from Skylab p0189 N78-23523
- CALIFORNIA UNIV., BERKELEY.**
Two phase sampling for wheat acreage estimation p0181 A78-40164
Use of Landsat multispectral imagery in estimating snow areal extent and snow water content cost-effectively p0205 A78-40175
- CALIFORNIA UNIV., LIVERMORE. LAWRENCE LIVERMORE LAB.**
Electric and magnetic sensing systems: Applications [UCID-17597] p0221 N78-23406
- CALIFORNIA UNIV., SANTA BARBARA.**
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 1 [E78-10126] p0206 N78-23502
Remote sensing applications to hydrologic modeling in the southern Sierra Nevada and portions of the San Joaquin Valley, volume 2 [E78-10127] p0206 N78-23503
- COLLEGE FOR CIVIL ENGINEERING, BUCHAREST (ROMANIA).**
Use of LANDSAT data for natural resources investigation in the lower basin of Danube and Danube Delta [E78-10141] p0208 N78-26511
- COLORADO SCHOOL OF MINES, GOLDEN.**
Remote sensing applied to exploration for vein-type uranium deposits, Front Range, Colorado p0196 N78-22510
- COLORADO STATE UNIV., FORT COLLINS.**
The potential benefit of improving the dissemination of agricultural weather information to the Mississippi cotton farmer [E78-10153] p0184 N78-27483
- COLORADO UNIV., DENVER.**
Landsat applied to landslide mapping p0193 A78-41191
- COLUMBIA UNIV., NEW YORK.**
A first interpretation of East African swiddening via computer-assisted analysis of 3 Landsat tapes p0180 A78-40159
Application of digital analysis of MSS data to agroenvironmental studies [E78-10133] p0183 N78-25499
Application of digital analysis of MSS data to agro-environmental studies [E78-10151] p0184 N78-27481
- CONTROL DATA CORP., MINNEAPOLIS, MINN.**
Image compression techniques [AD-A050679] p0215 N78-22450
- CORNELL UNIV., ITHACA, N. Y.**
Assessment of aquatic vegetation with satellite-derived data [NASA-CR-156295] p0205 N78-22454
Cornell University remote sensing program [NASA-CR-156993] p0206 N78-23508
Cornell University remote sensing program [E78-10130] p0228 N78-25496

D

- DELAWARE UNIV., NEWARK.**
Determination of spectral signatures of substances in natural waters [NASA-CR-156998] p0189 N78-23506
Monitoring coastal water properties and current circulation with ERTS-1 p0207 N78-23528
Skylab/ERAP application to ecological, geological, and oceanographic investigations of Delaware Bay [NASA-CR-144910] p0194 N78-27486
- DEPARTMENT OF AGRICULTURE, HOUSTON, TEX.**
On the transfer of remote sensing technology to an operational data system p0226 A78-40170
- DEPARTMENT OF ENVIRONMENT, OTTAWA (ONTARIO).**
Microwave remote sensing of sea ice in the AIDJEX Main Experiment p0200 A78-35348
- DEPARTMENT OF INDUSTRY, LONDON (ENGLAND).**
The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 1 [E78-10148] p0197 N78-27478
The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 2 [E78-10149] p0197 N78-27479
The use of LANDSAT imagery in relation to air survey imagery for terrain analysis in northwest Queensland, Australia, volume 3 [E78-10150] p0198 N78-27480
- DEPARTMENT OF THE ENVIRONMENT, OTTAWA (ONTARIO).**
Retransmission of hydrometric data in Canada [E78-10131] p0208 N78-25497
- DEUTSCHES GEOAETISCHES FORSCHUNGSMITTEL, MUNICH (WEST GERMANY).**
Systematic image errors [SER-B-226] p0220 N78-22443
Compensation of systematic image errors by photoflight dispositions? p0220 N78-22444
Partial calibration of a photogrammetry system using test fields p0220 N78-22445
Block adjustment with self calibration p0220 N78-22446
Concept for the calculation of extensive image associations using the bundle method p0220 N78-22447
First results of photogrammetric fixed point concentration Hordorf p0221 N78-22448

E

- EARTH SATELLITE CORP., WASHINGTON, D. C.**
A feasibility demonstration of aerial photographic support for marine archaeological surveys p0201 N78-23529
Solid waste and remote sensing. Preliminary studies suggest that small-scale aerial remote-sensing records and, in particular, aerial photographs can contribute to regional solid-waste management and planning p0222 N78-23531
- ELECTROTECHNICAL LAB., TOKYO (JAPAN).**
Remote sensing technology [REPT-192] p0227 N78-23536
- ENGINS MATRA, VELIZY (FRANCE).**
Study of image on-board processing methods [REPT-60/382] p0215 N78-23409
- ENVIRONMENTAL MONITORING AND SUPPORT LAB., LAS VEGAS, NEV.**
Overhead environmental monitoring with light utility aircraft: Demonstration and evaluation of the system [PB-278748/9] p0223 N78-27647
- ENVIRONMENTAL RESEARCH AND TECHNOLOGY, INC., CONCORD, MASS.**
Investigation of the application of HCMM thermal data to snow hydrology [E78-10147] p0209 N78-27477
- EROS DATA CENTER, SIOUX FALLS, S. DAK.**
Usefulness of LANDSAT data for monitoring plant development and range conditions in California's annual grassland p0183 N78-23516

F

FLORIDA INST. OF TECH., MELBOURNE.

Land use and land cover mapping: City of Palm Bay, Florida
[NASA-CR-154625] p0193 N78-23534

FLORIDA UNIV., GAINESVILLE.

Satellite applications to a coastal inlet study, Clearwater Beach, Florida
[NASA-CR-156994] p0208 N78-23700

FORD AEROSPACE AND COMMUNICATIONS CORP., HOUSTON, TEX.

Parametric design of ground data processing/support systems for advanced sensor systems p0226 A78-40168
On the transfer of remote sensing technology to an operational data system p0226 A78-40170

G

GENERAL ACCOUNTING OFFICE, WASHINGTON, D.C.

Federal regulatory programs and activities
[PB-278489/0] p0228 N78-26982

GENERAL ELECTRIC CO., BELTSVILLE, MD.

A Landsat Agricultural Monitoring Program
p0180 A78-40160

GENERAL ELECTRIC CO., PHILADELPHIA, PA.

Image processing investigations
[DOC-77SD8002] p0214 N78-22434
LANDSAT-1 and LANDSAT-2 flight evaluation report, 23 January - 23 April 1977
[NASA-CR-156750] p0215 N78-22441
LANDSAT data: A new perspective for geology. A review of the utilization of LANDSAT imagery for geological interpretation p0197 N78-23522

GEOLOGICAL SURVEY, DENVER, COLO.

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 3: Heat discharge from Mount St. Helens, Washington
[E78-10122] p0214 N78-22435

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1
[E78-10121] p0215 N78-23498

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 4: Lassen volcanic region
[E78-10123] p0215 N78-23499

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 5: Electronic thermal sensor and data collection platform technology
[E78-10124] p0216 N78-23500

Geologic application of thermal-inertia mapping from satellite
[E78-10146] p0194 N78-27476

GEOLOGICAL SURVEY, RESTON, VA.

US Geological Survey sources of photographs and images of biosphere reserves taken from spacecraft and aircraft: 19-organ Pipe Cactus National Monument
[PB-276550/1] p0215 N78-22457

GEOLOGICAL SURVEY, TACOMA, WASH.

Microwave remote sensing of sea ice in the AIDJEX Main Experiment
p0200 A78-35348
Time-dependence of sea-ice concentration and multiyear ice fraction in the Arctic Basin
p0200 A78-35349

GEOLOGICAL SURVEY, WASHINGTON, D. C.

Calculation of evapotranspiration using color-infrared photographs
[NASA-CR-156157] p0214 N78-22345
Change in land use in the Phoenix (1:250,000) quadrangle, Arizona between 1970 and 1973: ERTS as an aid in a nationwide program for mapping general land use
p0193 N78-23518

Application of computer processed multispectral data to the discrimination of land collapse (sinkhole) prone areas in Florida
p0206 N78-23521

Optical data processing and projected applications of the ERTS-1 imagery covering the 1973 Mississippi River Valley floods
p0206 N78-23524

Water-management models in Florida from LANDSAT-1 data
p0207 N78-23526

GEORGIA SOUTHWESTERN COLL., AMERICUS.

Remote sensing of geobotanical relations in Georgia
[NASA-CR-150709] p0197 N78-25505

Introductory workshops on remote sensing as related to geological problems in Georgia
[E78-10152] p0198 N78-27482

GIDDINGS (L. E., JR.), HOUSTON, TEX.

Bolivia from space: Images and other information from satellites, with catalogs
[GIDDINGS-77-01] p0216 N78-26516

H

HERIOTT-WATT UNIV., EDINBURGH (SCOTLAND).

Remote sensing p0221 N78-23329

C-2

HUMBOLDT STATE COLL., ARCATA, CALIF.

Developing and demonstrating an institutional mechanism for transferring remote sensing technology to 14 western states using northern California as the test site
[E78-10142] p0228 N78-26512

HUNTER COLL., NEW YORK.

A first interpretation of East African swiddening via computer-assisted analysis of 3 Landsat tapes
p0180 A78-40159

I

IBM FEDERAL SYSTEMS DIV., GAITHERSBURG, MD.

Thematic mapper design parameter investigation
[NASA-CR-156756] p0216 N78-23505

INDIAN SPACE RESEARCH ORGANIZATION, AHMEDABAD.

A programming system for digital image processing of remotely sensed data
[ISRO-SAC-TR-04-77] p0216 N78-24594

INDIAN SPACE RESEARCH ORGANIZATION, BANGALORE.

Orbit selection for earth resources satellites
[ISRO-ISAC-TN-05-77] p0221 N78-23125

INSTITUTO DE PESQUISAS ESPACIAIS, SAO JOSE DOS CAMPOS (BRAZIL).

Determination and error analysis of emittance and spectral emittance measurements by remote sensing
p0180 A78-34878

INTERNATIONAL INSTITUTE FOR APPLIED SYSTEMS ANALYSIS, LUXENBURG (AUSTRIA).

On measures of natural resource scarcity
[IIASA-RR-17-19] p0227 N78-23540

ITEK CORP., ALEXANDRIA, VA.

Photoarchaeology. Reconnaissance tests using color, as well as other films, indicate that exploration studies may be reduced from months to hours
p0197 N78-23520

ITT AEROSPACE/OPTICAL DIV., FORT WAYNE, IND.

Advanced very high resolution radiometer
[NASA-CR-156764] p0222 N78-24519

J

JET PROPULSION LAB., CALIF. INST. OF TECH., PASADENA.

Aerospace technology can be applied to exploration 'back on earth'
p0195 A78-33123
Radar imaging of the ocean surface
p0199 A78-35337

The experimental oceanographic satellite Seasat-A
p0200 A78-35352

Analytical inversions in remote sensing of particle size distributions. I - Multispectral extinctions in the anomalous diffraction approximation. II Angular and spectral scattering in diffraction approximations
p0187 A78-37180
Seasat-A opens new phase in earth observations
p0201 A78-38523

Tabular data base construction and analysis from thematic classified Landsat imagery of Portland, Oregon
p0188 A78-40183

Instrument technology for remote-surface exploration, prospecting and assaying, part 2
[NASA-CR-156997] p0221 N78-23504

Applications of aerospace technology to petroleum extraction and reservoir engineering
[NASA-CR-157167] p0197 N78-25233

JOINT PUBLICATIONS RESEARCH SERVICE, ARLINGTON, VA.

Cosmonauts study the earth
p0227 N78-24040
Visual observation of the natural environment from an orbital station
p0228 N78-24041
Annular structures on the earth
p0197 N78-25044

K

KANSAS UNIV., LAWRENCE.

Utilization of LANDSAT imagery for mapping vegetation on the millionth scale
p0183 N78-23517
Backscatter properties of sea ice with radar: Arctic operations description and preliminary data summary
[AD-A052711] p0203 N78-24603

KANSAS UNIV. CENTER FOR RESEARCH, INC., LAWRENCE.

The application of remote sensing to resource management and environmental quality programs in Kansas
[E78-10154] p0184 N78-27484

L

LASER ANALYTICS, INC., LEXINGTON, MASS.

Spectral measurements of gaseous sulfuric acid using tunable diode lasers
[PB-278985/7] p0189 N78-27654

LFE ENVIRONMENT ANALYSIS LABS, DIV., RICHMOND, CALIF.

Airborne thermography for crop water stress assessment
p0180 A78-34886

LOCKHEED ELECTRONICS CO., HOUSTON, TEX.

The Maximum Likelihood Estimation of Signature Transformation / MLEST/ algorithm
p0181 A78-40162
Ten-Ecosystem Study (TES) site 4, Sandoval County, New Mexico
[E78-10110] p0182 N78-23497
LOS ALAMOS SCIENTIFIC LAB., N. MEX.
Mapping offshore oil leases
[LA-UR-77-2892] p0194 N78-27500

M

MARYLAND UNIV., COLLEGE PARK.

Stratospheric ozone measurement with an infrared heterodyne spectrometer
p0217 A78-34124
Automatic cloud classification and segmentation
p0215 N78-22805
Linear feature detection and mapping
p0216 N78-27473

MASSACHUSETTS INST. OF TECH., CAMBRIDGE.

Using synthetic images to register real images with surface models
[AD-A052512] p0193 N78-24602

MIAMI UNIV., CORAL GABLES, FLA.

Remote sensing of optical properties in continuously stratified waters
p0201 A78-39638

MICHIGAN STATE UNIV., EAST LANSING.

Improved resource use decisions and actions through remote sensing
p0227 N78-23519

MINISTRY OF TOURISM AND WILDLIFE, NAIROBI (KENYA).

The Kenya rangeland ecological monitoring unit
[E78-10132] p0189 N78-25498

MINNESOTA UNIV., MINNEAPOLIS.

Assessment of water quality status and trends in Minnesota by remote sensing techniques
[PB-277822] p0189 N78-25509

A study of Minnesota land and water resources using remote sensing
[E78-10143] p0208 N78-26513

MINNESOTA UNIV., ST. PAUL.

Landsat digital data application to forest vegetation and land use classification in Minnesota
p0182 A78-40180

MITRE CORP., MCLEAN, VA.

Simplified multiple scattering model for radiative transfer in turbid water
[NASA-CR-145365] p0209 N78-26514

N

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION, WASHINGTON, D. C.

Application of space technology to the study of the use of natural resources in the Republic of Panama
[NASA-TM-75089] p0227 N78-22971

NASA satellite to study earth's oceans from space
[NASA-NEWS-RELEASE-78-77] p0203 N78-24254

Principal characteristics of a national satellite for earth observation: Project SPOT
[NASA-TM-75108] p0228 N78-24257

Pilot study of vegetation in the Alchichica-Perote region by remote sensing
[NASA-TM-75101] p0183 N78-24596

SkyLab: A chronology
[NASA-SP-4011] p0228 N78-25115

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION, AMES RESEARCH CENTER, MOFFETT FIELD, CALIF.

Airborne thermography for crop water stress assessment
p0180 A78-34886

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION, GODDARD SPACE FLIGHT CENTER, GREENBELT, MD.

Stratospheric ozone measurement with an infrared heterodyne spectrometer
p0217 A78-34124

Computed and observed ocean topography - A comparison
p0199 A78-35344

A review of applications of microwave radiometry to oceanography
p0200 A78-35346

Microwave remote sensing of sea ice in the AIDJEX Main Experiment
p0200 A78-35348

Time-dependence of sea-ice concentration and multiyear ice fraction in the Arctic Basin
p0200 A78-35349

Distributed-switch diode radiometer
[NASA-CASE-GSC-12219-1] p0214 N78-22436

Generation and physical characteristics of the LANDSAT-1, -2 and -3 MSS computer compatible tapes
[NASA-TM-78018] p0215 N78-22437

Hand-held radiometer red and photographic infrared spectral measurements of agricultural crops
[NASA-TM-78091] p0182 N78-22438

Korean coastal water depth/sediment and land cover mapping (1:25,000) by computer analysis of LANDSAT imagery
[NASA-TM-79546] p0207 N78-23532

Application of Remote Sensing to the Chesapeake Bay Region. Volume 1: Executive summary
[NASA-CP-6] p0207 N78-23537

Dielectric constants of soils at microwave frequencies-2
[NASA-TP-1238] p0207 N78-23538

O

The earth's gravity field and ocean dynamics
[NASA-TM-79540] p0193 N78-24600

Estimation of snow temperature and mean crystal radius
from remote multispectral passive microwave
measurements [NASA-TP-1251] p0209 N78-26677

**NATIONAL AERONAUTICS AND SPACE
ADMINISTRATION, LYNDON B. JOHNSON SPACE
CENTER, HOUSTON, TEX.**

On the transfer of remote sensing technology to an
operational data system p0226 A78-40170

The mapping of marsh vegetation using aircraft
multispectral scanner data p0207 N78-23530

**NATIONAL AERONAUTICS AND SPACE
ADMINISTRATION, JOHN F. KENNEDY SPACE
CENTER, COCOA BEACH, FLA.**

Remote sensing and the earth
[NASA-TM-79444] p0227 N78-23509

The basics of remote sensing: forward
p0221 N78-23510

Applications to earth resources p0227 N78-23511

The nature of light p0216 N78-23512

Remote sensors p0221 N78-23513

Remote sensing platforms p0222 N78-23514

The analysis of remotely sensed data
p0222 N78-23515

**NATIONAL AERONAUTICS AND SPACE
ADMINISTRATION, LANGLEY RESEARCH CENTER,
HAMPTON, VA.**

Effects of detector threshold, location of the sun, and
flight altitude upon spectral variations in remote sensing
over water p0185 A78-34857

Characteristic vector analysis as a technique for signature
extraction of remote ocean color data p0217 A78-34859

Effect of sun elevation upon remote sensing of ocean
color over an acid waste dump site p0186 A78-34903

Remote sensing R&D planning p0225 A78-34904

System implementation for Earth Radiation Budget
Satellite System p0218 A78-34910

Measurement of ocean temperature and salinity via
microwave radiometry p0200 A78-35347

Mapping of chlorophyll a distributions in coastal zones
p0186 A78-36648

Parametric design of ground data processing/support
systems for advanced sensor systems p0226 A78-40168

SeaSat-A Satellite Scatterometer (SASS) validation and
experiment plan [NASA-TM-78751] p0223 N78-27485

**NATIONAL AERONAUTICS AND SPACE
ADMINISTRATION, MARSHALL SPACE FLIGHT
CENTER, HUNTSVILLE, ALA.**

The use of four band multispectral photography to identify
forest cover types p0180 A78-34870

**NATIONAL AERONAUTICS AND SPACE
ADMINISTRATION, WALLOPS STATION, WALLOPS
ISLAND, VA.**

Ocean wave heights measured by a high resolution
pulse-limited radar altimeter p0200 A78-35345

**NATIONAL AEROSPACE LAB., AMSTERDAM
(NETHERLANDS).**

Image data security in the concept of the Agricultural
Real Time Imaging Satellite System (ARTISS)
[NLR-TR-76010-U] p0184 N78-26527

NATIONAL GEODETIC SURVEY, ROCKVILLE, MD.

Establishment of calibration base lines
[PB-277130/1] p0193 N78-22456

**NATIONAL OCEANIC AND ATMOSPHERIC
ADMINISTRATION, WASHINGTON, D. C.**

Applications of HCMM data to soil moisture snow and
estuarine current studies [E78-10140] p0208 N78-26510

**NATIONAL PHYSICAL RESEARCH LAB., PRETORIA
(SOUTH AFRICA).**

A new measuring system for realizing photometric and
radiometric scales [CSIR-RR-332] p0222 N78-24522

**NATIONAL TECHNICAL INFORMATION SERVICE,
SPRINGFIELD, VA.**

Ice and fog: Detection and warning systems. A
bibliography with abstracts [NTIS/PS-78/0181/4] p0202 N78-23695

NAVAL RESEARCH LAB., WASHINGTON, D. C.

Ocean wave heights measured by a high resolution
pulse-limited radar altimeter p0200 A78-35345

**NAVAL TRAINING EQUIPMENT CENTER, ORLANDO,
FLA.**

Holographic terrain simulation
[AD-A053472] p0194 N78-27388

NEW MEXICO UNIV., ALBUQUERQUE.

Quarterly literature review of the remote sensing of natural
resources [NASA-CR-156158] p0226 N78-22432

**NORTH CENTRAL FOREST EXPERIMENT STATION,
ST. PAUL, MINN.**

Ground water differences on pine and hardwood forests
of the Uddell Experimental Forest in Michigan
[PB-278309/0] p0184 N78-26530

NUS CORP., ROCKVILLE, MD.

Remote sensing applications to a partial area model.
[E78-10125] p0205 N78-23501

OHIO STATE UNIV., COLUMBUS.

Distributed-switch diode radiometer
[NASA-CASE-GSC-12219-1] p0214 N78-22436

**OHIO STATE UNIV. RESEARCH FOUNDATION,
COLUMBUS.**

The prediction and mapping of geoidal undulations from
GEOS-3 altimetry [NASA-CR-141439] p0193 N78-23507

OKLAHOMA STATE UNIV., STILLWATER.

The temporal correlatability of digital thermal infrared
scanner data p0220 N78-22429

OLD DOMINION UNIV., NORFOLK, VA.

Laboratory requirements for in-situ and remote sensing
of suspended material [NASA-CR-145367] p0220 N78-22442

An experimental/analytical program to assess the utility
of lidar for pollution monitoring [NASA-CR-157302] p0189 N78-27614

**OREGON DEPT. OF ENVIRONMENTAL QUALITY,
PORTLAND.**

Tabular data base construction and analysis from thematic
classified Landsat imagery of Portland, Oregon
p0188 A78-40183

P

PENNSYLVANIA STATE UNIV., UNIVERSITY PARK.

Applications of HCMM satellite data to the study of urban
heating patterns [E78-10135] p0189 N78-25501

PENNSYLVANIA UNIV., PHILADELPHIA.

The detection of color boundaries by means of chromatic
dispersion p0214 N78-22433

World demand for raw materials in 1985 and 2000
[PB-277707] p0228 N78-25016

PURDUE UNIV., LAFAYETTE, IND.

The application of remote sensing technology to the
solution of problems in the management of resources in
Indiana [E78-10129] p0183 N78-24593

Requirements of a global information system for corn
production and distribution [E78-10137] p0183 N78-25503

Research in remote sensing of agriculture, earth
resources, and man's environment [E78-10138] p0183 N78-25504

R

**RESEARCH INST. OF NATIONAL DEFENCE,
STOCKHOLM (SWEDEN).**

Sea Ice-75. IR-scanner results [REPT-16-6] p0202 N78-23545

**ROYAL NORWEGIAN COUNCIL FOR SCIENTIFIC AND
INDUSTRIAL RESEARCH, OSLO.**

Space activity in Norway [SAD-65-7] p0227 N78-23118

S

SANDIA LABS., ALBUQUERQUE, N. MEX.

Initial response of a rock penetrator
[SAND-77-1712] p0197 N78-26499

SOUTH CAROLINA UNIV., COLUMBIA.

Aerial field guide p0209 N78-27472

Variations in tidal inlet processes and morphology in the
Georgia embayment p0209 N78-27720

SOUTH DAKOTA STATE UNIV., BROOKINGS.

HCMM energy budget data as a model input for assessing
regions of high potential groundwater pollution [E78-10145] p0209 N78-27475

**SWEDISH METEOROLOGICAL AND HYDROLOGICAL
INST., NORKOEPIING.**

Sea Ice-75. Ground truth report [REPT-16-2] p0201 N78-23541

Sea Ice-75. Ice detection by SLAR [REPT-16-3] p0202 N78-23542

Sea Ice-75. Analysis of SLAR data [REPT-16-4] p0202 N78-23543

Sea Ice-75. Dynamical report [REPT-16-8] p0202 N78-23547

T

**TECHNISCHE UNIVERSITAET, MUNICH (WEST
GERMANY).**

Remote sensing using tunable lasers
[AED-CONF-77-165-002] p0189 N78-26439

TENNESSEE UNIV., KNOXVILLE.

The verification of LANDSAT data in the geographical
analysis of wetlands in west Tennessee [NASA-CR-3012] p0208 N78-25508

TENNESSEE UNIV. SPACE INST., TULLAHOMA.

The application of satellite data in monitoring strip
mines p0195 A78-34880

V

TEXAS A&M UNIV., COLLEGE STATION.

Dryland pasture and crop conditions as seen by HCMM
[E78-10134] p0183 N78-25500

TEXAS UNIV. AT AUSTIN.

Reconnaissance geology of the Tomochic-Ocampo area
Sierra Madre Occidental, Chihuahua, Mexico p0198 N78-27681

W

WASHINGTON UNIV., ST. LOUIS, MO.

Estimating costs and performance of systems for machine
processing of remotely sensed data p0226 A78-40174

Program on State Agency Remote Sensing Data
Management (SARSDM) [NASA-CR-150715] p0208 N78-25507

**WINTER NAVIGATION RESEARCH BOARD,
STOCKHOLM (SWEDEN).**

Sea Ice-75. FLAR, ODAR, ship's radar [REPT-16-5] p0202 N78-23544

Sea Ice-75. Radar altimeter results [REPT-16-7] p0202 N78-23546

Sea Ice-75 [REPT-16-9] p0202 N78-23548

**WISCONSIN DEPT. OF NATURAL RESOURCES,
MADISON.**

The remote sensing of algae p0185 A78-34860

CONTRACT NUMBER INDEX

Earth Resources/A Continuing Bibliography (Issue 19)

OCTOBER 1978

Typical Contract Number Index Listing



Listings in this index are arranged alphanumerically by contract number. Under each contract number, the accession numbers denoting documents that have been produced as a result of research done under that contract are arranged in ascending order with the AIAA accession numbers appearing first. The accession number denotes the number by which the citation is identified in the abstract section. Preceding the accession number is the page number on which the citation may be found.

NAS8-30884	p0197 N78-25505
NAS8-31143	p0198 N78-27482
NAS8-31980	p0208 N78-25508
NAS8-32354	p0195 A78-34880
NAS9-14565	p0208 N78-25507
NAS9-14970	p0181 A78-40164
NAS9-15200	p0183 N78-25503
	p0181 A78-40162
	p0182 N78-23497
NAS9-15486	p0183 N78-25504
NGL-02-001-092	p0227 N78-23533
NGL-05-003-404	p0205 A78-40175
NGL-15-005-112	p0180 A78-34878
NGL-17-004-024	p0183 N78-23517
	p0184 N78-27484
NGL-24-005-263	p0208 N78-26513
NGL-33-010-171	p0205 N78-22454
	p0206 N78-23508
	p0228 N78-25496
NGL-50-002-127	p0185 A78-34860
NGR-15-005-186	p0183 N78-24593
NIVR-1798	p0184 N78-26527
NOAA-04-6-158-44078	p0218 A78-35338
NRC A-7501	p0212 A78-34875
NSF AEN-73-07881	p0187 A78-37304
	p0187 A78-37309
NSF AER-75-23687	p0228 N78-25016
NSG-1149	p0189 N78-23506
NSG-1343	p0189 N78-27614
NSG-5073	p0184 N78-27483
NSG-5080	p0180 A78-40159
	p0183 N78-25499
	p0184 N78-27481
NSG-5155	p0206 N78-23502
	p0206 N78-23503
NSG-7236	p0208 N78-23700
N00014-75-C-0643	p0193 N78-24602
N00014-76-C-1042	p0222 N78-24604
N00014-76-C-1048	p0218 A78-35338
N00014-76-C-1105	p0203 N78-24603
OWRT PROJ. A-034-ARK(1)	p0207 N78-23550
OWRT PROJ. A-082-NY(1)	p0205 N78-22454
USGS-14-08-0001-14725	p0213 A78-40185
W-7405-ENG-36	p0194 N78-27500
W-7405-ENG-48	p0221 N78-23406
177-51-41	p0207 N78-23538
389-43-00-01	p0223 N78-27485
683-01-09	p0207 N78-23537


DA PROJ. 1L3-62303-A-214	p0221 N78-23405
DAAG53-76-C-0164	p0214 A78-43064
DI-A-022	p0205 A78-34853
DI-14-14-07-1	p0185 A78-34884
DI-14-08-0001-13185	p0206 N78-23524
DI-14-31-0001-5254	p0207 N78-23551
DI-14-34-0001-6004	p0207 N78-23550
DI-14-34-0001-7068	p0205 N78-22454
DOT-CG-52660-A	p0222 N78-24605
EPA-R-800875	p0187 A78-37304
	p0187 A78-37309
EPA-R-803115	p0188 A78-41232
EPA-R-803851-02	p0188 A78-41254
EPA-R-803896	p0188 A78-41232
EPA-68-02-2482	p0189 N78-27654
EPA-80-45-4601	p0188 A78-43182
ESA-SC/129/HQ	p0200 A78-35351
ESTEC-2898	p0215 N78-23409
EY-78-C-04-0789	p0197 N78-26499
EY-78-S-06-2229-010	p0201 N78-22453
F19628-77-C-0001	p0209 N78-26514
F30602-76-C-0350	p0215 N78-22450
F33615-76-C-1276	p0219 A78-40203
IR/D PROJ. 14RO-DT1-400	p0214 N78-22434
NASA ORDER P-57606-G	p0194 N78-24776
NASA ORDER R-09-038-002	p0179 A78-34856
NASA ORDER S-40198-B	p0184 N78-27474
NASA ORDER S-40255B	p0184 N78-26509
NASA ORDER S-70243-AG	p0214 N78-22435
	p0215 N78-23498
	p0215 N78-23499
	p0216 N78-23500
NASA ORDER S-70251-AG	p0180 A78-34871
NASA TASK 3	p0180 A78-34871
NASW-2791	p0227 N78-22971
	p0228 N78-24257
	p0183 N78-24596
NAS1-11707	p0220 N78-22442
NAS1-12304	p0194 N78-27486
NAS5-2406	p0209 N78-27475
NAS5-20680	p0226 A78-40174
NAS5-20793	p0181 A78-40165
NAS5-20914	p0193 A78-41191
NAS5-20985	p0182 A78-40180
NAS5-21808	p0215 N78-22441
NAS5-21900	p0222 N78-24519
NAS5-22963	p0201 A78-39638
NAS5-23399	p0205 N78-23501
NAS5-23411	p0180 A78-40180
NAS5-23585	p0216 N78-23505
NAS5-24264	p0189 N78-25501
NAS5-24316	p0209 N78-27477
NAS6-2484	p0193 N78-23507
NAS7-100	p0195 A78-33123
	p0199 A78-35337
	p0200 A78-35352
	p0188 A78-40183
	p0197 N78-25233

REPORT/ACCESSION NUMBER INDEX

Earth Resources/A Continuing Bibliography (Issue 19)

OCTOBER 1978

Typical Report/Accession Number Index Listing



Listings in this index are arranged alphanumerically by report number. The page number indicates the page on which the citation is located. The accession number denotes the number by which the citation is identified. An asterisk (*) indicates that the item is a NASA report. A pound sign (#) indicates that the item is available on microfiche. A plus sign (+) indicates a document that cannot be microfiched but for which one-to-one facsimile is available.

AD-A050679 p0215 N78-22450 #
 AD-A051330 p0193 N78-24410 #
 AD-A052000 p0221 N78-23405 #
 AD-A052434 p0222 N78-24605 #
 AD-A052512 p0193 N78-24602 #
 AD-A052544 p0222 N78-24604 #
 AD-A052711 p0203 N78-24603 #
 AD-A053472 p0194 N78-27388 #
 AD-A054003 p0216 N78-27495 #
 AD-A054007 p0194 N78-27494 #
 AED-CONF-77-165-002 p0189 N78-26439 #
 AESC-5546 p0222 N78-24605 #
 AI-M-437 p0193 N78-24602 #
 AR-2 p0201 N78-22453 #
 ARID-LANDS-RESOURCE-IP-10 p0207 N78-23551 #
 AST-7701 p0222 N78-24604 #
 BMR-MF8 p0222 N78-23552 #
 BMR-185 p0222 N78-23552 #
 CAT-77-6502-7 p0222 N78-23552 #
 CMS-NASA-1-76 p0194 N78-27486* #
 CONF-780209-1 p0194 N78-27500 #
 CONTRIB-24 p0183 N78-24596* #
 CSIR-RR-332 p0222 N78-24522 #
 DADELTA-1/6 p0208 N78-26511* #
 DOC-77SD8002 p0214 N78-22434 #
 DOC-77SD54228 p0215 N78-22441* #
 DRDMI-T-78-10 p0221 N78-23405 #
 EPA-600/2-78-019 p0189 N78-27654 #
 EPA-600/4-78-008 p0223 N78-27647 #
 ESA-CR(P)-1031 p0215 N78-23409 #
 ETL-0140 p0218 N78-27495 #
 ETL-0141 p0194 N78-27494 #
 E78-10110 p0182 N78-23497* #
 E78-10121 p0215 N78-23498* #
 E78-10122 p0214 N78-22435* #

E78-10123 p0215 N78-23499* #
 E78-10124 p0218 N78-23500* #
 E78-10125 p0205 N78-23501* #
 E78-10126 p0206 N78-23502* #
 E78-10127 p0206 N78-23503* #
 E78-10129 p0183 N78-24593* #
 E78-10130 p0228 N78-25496* #
 E78-10131 p0208 N78-25497* #
 E78-10132 p0189 N78-25498* #
 E78-10133 p0183 N78-25499* #
 E78-10134 p0183 N78-25500* #
 E78-10135 p0189 N78-25501* #
 E78-10136 p0203 N78-25502* #
 E78-10137 p0183 N78-25503* #
 E78-10138 p0183 N78-25504* #
 E78-10139 p0184 N78-26509* #
 E78-10140 p0208 N78-26510* #
 E78-10141 p0208 N78-26511* #
 E78-10142 p0228 N78-26512* #
 E78-10143 p0208 N78-26513* #
 E78-10144 p0184 N78-27474* #
 E78-10145 p0209 N78-27475* #
 E78-10146 p0194 N78-27476* #
 E78-10147 p0209 N78-27477* #
 E78-10148 p0197 N78-27478* #
 E78-10149 p0197 N78-27479* #
 E78-10150 p0198 N78-27480* #
 E78-10151 p0184 N78-27481* #
 E78-10152 p0198 N78-27482* #
 E78-10153 p0184 N78-27483* #
 E78-10154 p0184 N78-27484* #
 FSD-780001 p0216 N78-23505* #
 FSRP-NC-145 p0184 N78-26530 #
 G-7719 p0207 N78-23537* #
 G-7802-13 p0207 N78-23538* #
 GIDDINGS-77-01 p0216 N78-26516 #
 GSPP-655-0 p0214 N78-22345* #
 HCM-045 p0208 N78-26510* #
 IASAA-RR-17-19 p0227 N78-23540 #
 ISBN-0-642-03115 p0222 N78-23552 #
 ISBN-0-7988-1148-3 p0222 N78-24522 #
 ISBN-3-7696-8528-8 p0220 N78-22443 #
 ISRO-ISAC-TN-05-77 p0221 N78-23125 #
 ISRO-SAC-TR-04-77 p0216 N78-24594 #
 JPL-PUB-78-22 p0197 N78-25233* #
 JPL-710-7-PT-A p0221 N78-23504* #
 LA-UR-77-2892 p0194 N78-27500 #
 LARS-CR-042178 p0183 N78-24593* #
 LARS-053178 p0183 N78-25504* #
 LARS-112977 p0183 N78-25503* #
 LC-77-608101 p0228 N78-25115* #
 LEC-11284 p0182 N78-23497* #
 MA-129TA p0183 N78-25503* #
 NASA-CASE-GSC-12219-1 p0214 N78-22436* #
 NASA-CR-P p0207 N78-23537* #
 NASA-CR-3012 p0208 N78-25508* #
 NASA-CR-141439 p0193 N78-23507* #
 NASA-CR-141440 p0194 N78-24778* #
 NASA-CR-144910 p0194 N78-27486* #
 NASA-CR-145365 p0209 N78-26514* #
 NASA-CR-145367 p0220 N78-22442* #
 NASA-CR-150709 p0197 N78-25505* #
 NASA-CR-150710 p0198 N78-27482* #
 NASA-CR-150715 p0208 N78-25507* #
 NASA-CR-151680 p0182 N78-23497* #
 NASA-CR-151728 p0183 N78-25503* #
 NASA-CR-154625 p0193 N78-23534* #
 NASA-CR-156157 p0214 N78-22345* #
 NASA-CR-156158 p0226 N78-22432* #

NASA-CR-156295 p0205 N78-22454* #
 NASA-CR-156741 p0205 N78-23501* #
 NASA-CR-156750 p0215 N78-22441* #
 NASA-CR-156758 p0216 N78-23505* #
 NASA-CR-156764 p0222 N78-24519* #
 NASA-CR-156971 p0215 N78-23498* #
 NASA-CR-156972 p0214 N78-22435* #
 NASA-CR-156973 p0215 N78-23499* #
 NASA-CR-156974 p0216 N78-23500* #
 NASA-CR-156977 p0206 N78-23502* #
 NASA-CR-156978 p0206 N78-23503* #
 NASA-CR-156993 p0206 N78-23508* #
 NASA-CR-156994 p0208 N78-23700* #
 NASA-CR-156996 p0227 N78-23533* #
 NASA-CR-156997 p0221 N78-23504* #
 NASA-CR-156998 p0189 N78-23506* #
 NASA-CR-157003 p0183 N78-24593* #
 NASA-CR-157004 p0228 N78-24596* #
 NASA-CR-157011 p0189 N78-25498* #
 NASA-CR-157144 p0208 N78-25497* #
 NASA-CR-157145 p0183 N78-25499* #
 NASA-CR-157146 p0183 N78-25500* #
 NASA-CR-157147 p0189 N78-25501* #
 NASA-CR-157148 p0203 N78-25502* #
 NASA-CR-157154 p0183 N78-25504* #
 NASA-CR-157167 p0197 N78-25233* #
 NASA-CR-157173 p0184 N78-26509* #
 NASA-CR-157174 p0208 N78-26510* #
 NASA-CR-157175 p0208 N78-26511* #
 NASA-CR-157176 p0228 N78-26512* #
 NASA-CR-157177 p0208 N78-26513* #
 NASA-CR-157231 p0184 N78-27474* #
 NASA-CR-157232 p0209 N78-27475* #
 NASA-CR-157233 p0194 N78-27476* #
 NASA-CR-157234 p0209 N78-27477* #
 NASA-CR-157242 p0197 N78-27478* #
 NASA-CR-157243 p0197 N78-27479* #
 NASA-CR-157244 p0198 N78-27480* #
 NASA-CR-157245 p0184 N78-27481* #
 NASA-CR-157246 p0184 N78-27483* #
 NASA-CR-157247 p0184 N78-27484* #
 NASA-CR-157302 p0189 N78-27614* #
 NASA-NEWS-RELEASE-78-77 p0203 N78-24254* #
 NASA-SP-4011 p0228 N78-25115* #
 NASA-TM-75089 p0227 N78-22971* #
 NASA-TM-75101 p0183 N78-24596* #
 NASA-TM-75108 p0228 N78-24257* #
 NASA-TM-78018 p0215 N78-22437* #
 NASA-TM-78091 p0182 N78-22438* #
 NASA-TM-78751 p0223 N78-27485* #
 NASA-TM-79444 p0227 N78-23509* #
 NASA-TM-79540 p0193 N78-24600* #
 NASA-TM-79546 p0207 N78-23532* #
 NASA-TP-1238 p0207 N78-23538* #
 NASA-TP-1251 p0209 N78-26677* #
 NAVTRAQUEIPIC-IH-295 p0194 N78-27388 #
 NLR-TR-76010-U p0184 N78-26527 #
 NOAA-TM-NOS-NSG-8 p0193 N78-22456 #
 NOAA-77122102 p0193 N78-22456 #
 NSF/RA-770421 p0228 N78-25016 #
 NTIS/PS-75/231 p0202 N78-23695 #
 NTIS/PS-76/0096 p0202 N78-23695 #
 NTIS/PS-77/0188 p0202 N78-23695 #
 NTIS/PS-78/0181/4 p0202 N78-23695 #
 NUS-3048 p0205 N78-23501* #
 OWRT-W-197(5254)(2) p0207 N78-23551 #
 PB-275768/0 p0205 N78-22454* #
 PB-276550/1 p0215 N78-22457* #
 PB-276908/1 p0207 N78-23551 #
 PB-277121/0 p0207 N78-23550 #
 PB-277130/1 p0193 N78-22456 #
 PB-277707 p0228 N78-25016 #
 PB-277822 p0189 N78-25509 #
 PB-278309/0 p0184 N78-26530 #
 PB-278489/0 p0228 N78-26982 #
 PB-278748/9 p0223 N78-27647 #
 PB-278985/7 p0189 N78-27654 #

REPORT/ACCESSION NUMBER INDEX

PGSTR-AP78-9	p0189 N78-27614* #
PUB-49	p0207 N78-23550 #
P78-10081	p0203 N78-24254*
QPR-3	p0209 N78-27477* #
QR-2	p0189 N78-25501* #
QR-3	p0208 N78-26510* #
QR-4	p0226 N78-22432* #
RADC-TR-77-405	p0215 N78-22450 #
REPT-2	p0228 N78-26512* #
REPT-16-2	p0201 N78-23541 #
REPT-16-3	p0202 N78-23542 #
REPT-16-4	p0202 N78-23543 #
REPT-16-5	p0202 N78-23544 #
REPT-16-6	p0202 N78-23545 #
REPT-16-7	p0202 N78-23546 #
REPT-16-8	p0202 N78-23547 #
REPT-16-9	p0202 N78-23548 #
REPT-60/382	p0215 N78-23409 #
REPT-192	p0227 N78-23536 #
RLO/2229/T10-2	p0201 N78-22453 #
RSC-3712-1	p0183 N78-25500* #
RSL-TM-331-1	p0203 N78-24603 #
RS77-09604	p0226 N78-22432* #
R77/198	p0222 N78-23552
SAD-65-T	p0227 N78-23118 #
SAND-77-1712	p0197 N78-26499 #
SASR-11	p0206 N78-23508* #
SASR-12	p0228 N78-25496* #
SER-B-226	p0220 N78-22443 #
T-1314/4	p0183 N78-25503* #
TR-76-C2	p0220 N78-22442* #
UCID-17597	p0221 N78-23406 #
UFL/COEL-77/026	p0208 N78-23700* #
US-PATENT-APPL-SN-891356 ...	p0214 N78-22436* #
USAFA-TR-77-13	p0193 N78-24410 #
USCG-D-60-77	p0222 N78-24605 #
W78-02401	p0205 N78-22454* #
W78-03752	p0207 N78-23550 #
W78-03757	p0207 N78-23551 #
W78-04105	p0189 N78-25509 #
X-563-75-223-REV	p0215 N78-22437* #

1. Report No. NASA SP-7041 (19)		2. Government Accession No.		3. Recipient's Catalog No.	
4. Title and Subtitle EARTH RESOURCES A Continuing Bibliography (Issue 19)				5. Report Date October 1978	
				6. Performing Organization Code	
7. Author(s)				8. Performing Organization Report No.	
9. Performing Organization Name and Address National Aeronautics and Space Administration Washington, D. C. 20546				10. Work Unit No.	
				11. Contract or Grant No.	
12. Sponsoring Agency Name and Address				13. Type of Report and Period Covered	
				14. Sponsoring Agency Code	
15. Supplementary Notes					
16. Abstract <p>This bibliography lists 337 reports, articles, and other documents introduced into the NASA scientific and technical information system between July 1 and September 30, 1978. Emphasis is placed on the use of remote sensing and geophysical instrumentation in spacecraft and aircraft to survey and inventory natural resources and urban areas. Subject matter is grouped according to agriculture and forestry, environmental changes and cultural resources, geodesy and cartography, geology and mineral resources, hydrology and water management, data processing and distribution systems, instrumentation and sensors, and economic analysis.</p>					
17. Key Words (Suggested by Author(s)) Bibliographies Earth Resources Program Remote Sensors			18. Distribution Statement Unclassified - Unlimited		
19. Security Classif. (of this report) Unclassified		20. Security Classif. (of this page) Unclassified		21. No. of Pages 98	
				22. Price* E05 \$9.00 HC	

PUBLIC COLLECTIONS OF NASA DOCUMENTS

DOMESTIC

NASA distributes its technical documents and bibliographic tools to ten special libraries located in the organizations listed below. Each library is prepared to furnish the public such services as reference assistance, interlibrary loans, photocopy service, and assistance in obtaining copies of NASA documents for retention.

CALIFORNIA

University of California, Berkeley

COLORADO

University of Colorado, Boulder

DISTRICT OF COLUMBIA

Library of Congress

GEORGIA

Georgia Institute of Technology, Atlanta

ILLINOIS

The John Crerar Library, Chicago

MASSACHUSETTS

Massachusetts Institute of Technology, Cambridge

MISSOURI

Linda Hall Library, Kansas City

NEW YORK

Columbia University, New York

PENNSYLVANIA

Carnegie Library of Pittsburgh

WASHINGTON

University of Washington, Seattle

NASA publications (those indicated by an "*" following the accession number) are also received by the following public and free libraries:

CALIFORNIA

Los Angeles Public Library

San Diego Public Library

COLORADO

Denver Public Library

CONNECTICUT

Hartford Public Library

MARYLAND

Enoch Pratt Free Library, Baltimore

MASSACHUSETTS

Boston Public Library

MICHIGAN

Detroit Public Library

MINNESOTA

Minneapolis Public Library

MISSOURI

Kansas City Public Library

St. Louis Public Library

NEW JERSEY

Trenton Public Library

NEW YORK

Brooklyn Public Library

Buffalo and Erie County Public Library

Rochester Public Library

New York Public Library

OHIO

Akron Public Library

Cincinnati Public Library

Cleveland Public Library

Dayton Public Library

Toledo Public Library

OKLAHOMA

Oklahoma County Libraries, Oklahoma City

TENNESSEE

Memphis Public Library

TEXAS

Dallas Public Library

Fort Worth Public Library

WASHINGTON

Seattle Public Library

WISCONSIN

Milwaukee Public Library

An extensive collection of NASA and NASA-sponsored documents and aerospace publications available to the public for reference purposes is maintained by the American Institute of Aeronautics and Astronautics, Technical Information Service, 750 Third Avenue, New York, New York, 10017.

EUROPEAN

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. By virtue of arrangements other than with NASA, the British Library Lending Division also has available many of the non-NASA publications cited in *STAR*. European requesters may purchase facsimile copy or microfiche of NASA and NASA-sponsored documents, those identified by both the symbols "#" and "*", from: ESRO/ELDO Space Documentation Service, European Space Research Organization, 114, av. Charles de Gaulle, 92-Neuilly-sur-Seine, France.

National Aeronautics and
Space Administration

Washington, D.C.
20546

Official Business

Penalty for Private Use, \$300

THIRD-CLASS BULK RATE

Postage and Fees Paid
National Aeronautics and
Space Administration
NASA-451



POSTMASTER: If Undeliverable (Section 158
Postal Manual) Do Not Return

NASA CONTINUING BIBLIOGRAPHY SERIES

NUMBER	TITLE	FREQUENCY
NASA SP-7011	AEROSPACE MEDICINE AND BIOLOGY Aviation medicine, space medicine, and space biology	Monthly
NASA SP-7037	AERONAUTICAL ENGINEERING Engineering, design, and operation of aircraft and aircraft components	Monthly
NASA SP-7039	NASA PATENT ABSTRACTS BIBLIOGRAPHY NASA patents and applications for patent	Semiannually
NASA SP-7041	EARTH RESOURCES Remote sensing of earth resources by aircraft and spacecraft	Quarterly
NASA SP-7043	ENERGY Energy sources, solar energy, energy conversion, transport, and storage	Quarterly
NASA SP-7500	MANAGEMENT Program, contract, and personnel management, and management techniques	Annually

Details on the availability of these publications may be obtained from:

SCIENTIFIC AND TECHNICAL INFORMATION OFFICE
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
Washington, D.C. 20546